



GE APPLIANCES

COMMERCIAL LAUNDRY



Small Chassis

Commercial Laundry Equipment

Product & Specifications



A New Standard in Commercial Laundry.

At GE Appliances, we offer more than a quality product—we're the smarter choice, delivering a partnership that drives growth. Our **Partner Promise** empowers distributors to sell more, service better, and scale faster, ensuring you have everything you need to strengthen your business and build lasting success.



Small Chassis Equipment

Built to handle everyday demand, our small chassis lineup is backed by expert support, smart technology, and fast parts delivery—everything you need to keep your operation running smoothly.

App Pay Top Load

Best for Multi-Family & Property Management environments

- Key Touchpoints Protected with Microban® Antimicrobial Technology
- Laundryday™ QR Code Payment App and SmartHQ™ Management System Included (On-site WiFi Required)
- Commercial Grade Components Include: Reinforced Lid, Metal Knobs, Steel Apron, Steel Transmission, 1/2 HP Motor
- Stainless Inlet Hoses are Included (Washer)
- 800 RPM Spin Speed Maximizes Water Extraction, Helping to Minimize Dry Times
- 120 ft. Venting Capability (Dryer)
- Fully Front Serviceable (Dryer)



Multipay Top Load

Best for heavy duty use such as Laundromat and University environments

- Cap Touch Controls Protected with Microban® Antimicrobial Technology
- Flexible Payment Options, Including Coindrop, Laundryday™ QR Code Payment App, and More**
- Commercial Grade Components Include: Reinforced Lid, Metal Backsplash, Steel Apron, Steel Transmission, 1/2 HP Motor.
- Fully Front Serviceable
- 800 RPM Spin Speed Maximizes Water Extraction, Helping to Minimize Dry Times.
- Tethered Lint Filter (Dryer)
- 120 ft. Venting Capability (Dryer)

Coindrop accessory is sold separately

Front Load

Best for heavy duty use such as Laundromat and University environments

- Key Touch Points such as Controls Protected with Microban® Antimicrobial Technology
- ADA-Compliant
- ENERGY STAR® rated
- Flexible Payment Options, Including Coindrop, Laundryday QR Code Payment App, and More**
- Flexible Installation Options
- Commercial Grade Components Include: Galvanized Steel Cabinets, Cast Counterweights, HD Bearings and Suspension, 1/2 HP Motor
- 1050 RPM Spin Speed Maximizes Water Extraction, Helping to Minimize Dry Times
- Tethered Lint Filter (Dryer)



Washer Specifications

Model	App Pay Top Load	Multipay Top Load	Front Load
	VTW525ASRWB	VTW565ASVWB	VFW310SSRWW
Control Type	Electronic, Knob Control	Electronic Touch Control, LED Display	Electronic Push Button, LED Display
WiFi	Built In	Built In	Built In
Cycles	7	6	4
Wash Time			29 minutes
Payment Options	App	OPL, App, Coindrop**	OPL, App, Coindrop**
Stack Options			VFD31EDSRWW Electric (Stacking Hardware Included) VFD31GDSRWW Gas (Stacking Hardware Included)
Capacity lb (kg)			22 (9.98)
Cylinder Volume (cu. ft.)	4.2	3.8	3.5
Cylinder Diameter In (mm)			21-13/16 (554)
Wash Speed RPM			50
Agitator	White Dual Action	Blue Single Action	
Spin Speed RPM (G Force)	800	800	1050 (306)
Motor Size HP (kW)	.5 (.372)	.5 (.372)	1.35 (.99)
Water Consumption/Cycle Gallons (l)	23.18 (87.75)	23.18 (87.75)	23.18 (87.75)
*WF (Water Factor) Gal/ft³/cycle (liters/cycle/litre)	6.1	6.1	4
*MEF (Modified Energy Factor) ft³/kWh/cycle (Liters/kWh/cycle)	1.35	1.35	2.2
*Remaining Moisture Content (RMC)	45.4%	45.4%	33.9%
Water Temp Settings	Automatic	Automatic	Automatic
Electrical Requirements (v/Hz/Ph-Amp)	120/60/1	120/60/1	120/60/1
Required Water Pressure p.s.i. (bar)	20-120 (1.4/8.3)	20-120 (1.4/8.3)	20-120 (1.4/8.3)
Drain Pump Type	Electric 120V	Electric 120V	Electric 120V
Max Drain Height	96"	96"	96"
Drum Finish	Stainless Steel	Stainless Steel	Stainless Steel
Net Weight Lbs (kg)	138 (62.6)	158 (71.66)	313 (141.97)
Warranty	5 Year Parts Limited	5 Year Parts Limited	5 Year Parts Limited
Dimensions In (cm)			
Height	44 (111.76)	44 (111.76)	43.2 (109.728)
Width	27 (68.58)	27 (68.58)	27 (68.58)
Depth	27.75 (70.485)	30.85 (78.359)	32.3 (82.042)
Shipping Dimensions In (cm)			
Height	46.5 (118.1)	46.5 (118.1)	43.3 (109.98)
Width	28.8 (73.1)	28.8 (73.1)	30.5 (77.5)
Depth	29 (73.6)	29 (73.6)	33 (83.8)
Shipping Weight Lbs (kg)	147 (66.67)	167 (75.74)	322 (146.05)

Dryer Specifications

Model	App Pay Top Load	Multipay Top Load	Front Load
	VTD52EASRWB-Electric VTD52GASRWB- Gas	VTD56EASVWB -Electric VTD56GASVWB- Gas	VFD31ESSRWW- Electric VFD31GSSRWW- Gas
Control Type	Electronic Mechanical Knobs	Electronic Touch, LED Display	Electronic Push Button
WiFi	Built In	Built In	Built In
Cycles	4	6 4 Heat Selections	6
Dry Time		15, 30, 45, 60, 75, 90 min	40 min
Payment Options	OPL, App	OPL, App, Coindrop**	OPL, App, Coindrop**
Stack Options			VFD31EDSRWW Electric VFD31GDSRWW Gas
Exhaust Options/Max Length (ft.)	4-Way (Rear, Right, Left, Bottom) 3-Way (Rear, Left, Bottom)	3-Way (Rear, Left, Bottom)	3-Way (Rear, Left, Bottom) 71
Electric Heater Watts	VTD52EASRWB 5600-240V, 4400-208V	VTD56EASVWB 5600-240V, 4400-208V	VFD31ESSRWW 5600-240V, 4400-208V
Gas Burner BTU/hr	VTD52GASRWB 22000 Natural gas	VTD56GASVWB 25000 Natural gas	VFD31GSSRWW 22000 Natural gas
Motor HP (kW)	1/3 (.25)	1/3 (.25)	1/3 (.25)
Electrical/ Gas Requirements			
(V/Hz/Ph- Amp)	VTD52EASRWB 240-208/60/1-30	VTD56EASVWB 240-208/60/1-30	VFD31ESSRWW 240-208/60/1-30
(V/Hz/Ph- Amp)	VTD52GASRWB 120/60/1-15	VTD56GASVWB 120/60/1-15	VFD31GSSRWW 120/60/1-15
Gas Inlet Size	3/8" NPT	3/8" NPT	3/8" NPT
Drum volume (Capacity) cu. ft. (liters)	7.4 (210)	7.4 (210)	7.7 (210)
Drum Finish/Material	Aluminized Alloy	Aluminized Alloy	Stainless Steel
Warranty	5 Year Parts Limited	5 Year Parts Limited	5 Year Parts Limited
Net Weight Lbs (kg)	105.82 (48) electric 103 (46.7) gas "	101 (45.8) electric 105 (47.6) gas	163 (73.9) electric 167 (75.7) gas
Dimensions In (cm)			
Height	44 (111.76)	44 (111.76)	43.2 (109.728)
Width	27 (68.58)	27 (68.58)	27 (68.58)
Depth	30.5 (77.47)	30.85 (78.359)	32.3 (82.042)
Shipping Dimensions In (cm)			
Height	46.5 (118.1)	46.8 (119)	46.85 (119)
Width	28.87 (73.3)	28.9 (73.4)	30.47 (77.4)
Depth	32.2 (81.7)	32.4 (82.3)	35.04 (89)
Shipping Weight Lbs (kg)	114 (51.7) electric 117 (53) gas	114 (51.7) electric 118 (53.5) gas	172 (78) electric 176 (79.8) gas

Dimensions are for planning purposes only. For complete information see the intallation instructions packed with the product.

*Appliance & Equipment Standards Program | CCMS

** Third party payment via coindrop emulation. Approved vendors are ESD/ Greenwald, Kiosoft, PayRange, see money acceptance cross reference



GE APPLIANCES

COMMERCIAL LAUNDRY

PARTNER **PROMISE**

PEOPLE

PRODUCT

PARTS



PEOPLE

Local Sales Support

**Dedicated
Service Line**

**Marketing That
Drives Growth**



PRODUCT

5-Year Parts Limited Warranty

Technical Training Support

**SmartHQ™
Business Tools**



PARTS

24-Hour Shipping

**Reliable Availability
Guaranteed**

**Reduce Your On-Site
Inventory**



GE APPLIANCES

COMMERCIAL LAUNDRY

GEAppliances.com/CommercialLaundry

© 2025 GE Appliances Pub No. 14-D0006-25 PS126475