

VFD31EDSRWW

7.7 cu. ft.

Multipay Front Load Stacking Electric Dryer

with stainless steel drum

A proven performer in demanding spaces, this commercial front load dryer delivers durable construction, adaptable payments, and the reliability for which GE is known.

Payment Options

- On Premise (No Payment Ability)
- Included Launderday[™] QR Code Payment App
- Coindrop and More*

Warranty

5-Year Parts-Limited

Models Unit Stacks On Top Of

- VFW310SSRWW Washer
- VFD31ESSRWW Electric Dryer
- VFD31GSSRWW Gas Dryer



Key Features



Launderday[™] User App

Access to contactless payment and cycle notifications for a modern laundry experience.



SmartHQ[™] Management

SmartHQ Management Owner's Dashboard™ offers a centralized space for managing site revenues, machine status, pricing activities and refund requests.



5-Year Parts-Limited Warranty

Enjoy peace of mind thanks to a comprehensive 5-year parts warranty.



Commercial Grade Components

Enjoy lasting performance from built-to-last commercial laundry parts, including a fully front serviceable galvanized steel cabinet, cap touch controls, 1/2 horsepower motor and stainless steel drum.



Microban® Protection

Antimicrobial technology is built into critical areas of this ultrafresh commercial dryer, including the control panel, lint filter and door handle.





Multipay

Payment flexibility allows for optional acceptance of coin payment, built-in QR code payment, or both. Coindrop accessory sold separately.

Dryer Specifications

(V/Hz/Ph-Amp)240-208/60/1-30Gas Inlet Size3/8" NPTDrum Volume (Capacity) Cu. Ft. (Liters)7.7 (218.4)Drum Finish/MaterialStainless SteelWarranty5-Year Parts-LimitedNet Weight Lbs (kg)163 (73.9)Dimensions In (cm)***Height43.2 (109.728)Stacked Height85.6 (217.424)Width27 (68.58)Depth32.3 (82.042)	Model	Multipay Front Load
WiffMillCycles6Dry Time40 minutesPayment OptionsOPL, App. Condrop*Stack Options*FW310SSRWW Wesher YPD31ESSRWW Betertie Dryer YPD31ESSRWW Beter		VFD31EDSRWW
Cycles 6 Dry Time 40 minutes Payment Options OPL, App, Coindrop* Stack Options VFW3.10SSRWW Washer VFD3.12SSRWW Blectric Dyner CPD3.12SSRWW Washer Stack Options 3 -Way (Rear, Left, Bottom) 120 Ebectric Heater Watts 500-240V, 4400-208V Motor HP (KW) 500-240V, 4400-208V Telestric Requirements VERAPPA Prompt Cythz/Ph-Ampl 240-208/60/1-30 Gas Inlet Size 3/8" NPT Drum Oblume (Capacity) Cu. Ft. (Liters) 7/2 18.4 Drum Flids//Material 5-Year Parts-Limited Warranty 5-Year Parts-Limited Met Weight Lbs (kg) 5-Year Parts-Limited Betkeldelight 3.2 (109-728) Stacked Height 3.5 (217-424) Width 2 (8-85) Depth 3.6 (28-8) Belight Dimensions Ir(m) 46-85 (119 Height 46-85 (119 Height 46-85 (119 Belight 3.0 (477-4) Popt 46-85 (119) Witch 3.0 (4	Control Type	Electronic Push Button
Dry Time 40 minutes Payment Options OPLA pp. Coindrop* Stack Options VFW31DSSRWW Washer VFD31ESSRWW Electric Dryer VFD31ESSRWW Electric Dryer VFD31ESSRWW Gas Dryer Exhaust Options 3 -Way (Ren. Left, bottom) 120 Electric Heater Watts 500-240V, 4400-208V Motor HP (kW) 500-240V, 4400-208V Electric Requirements 7 (3 - 2) Electric Repair State Sta	WiFi	Built In
Payment Options OPL, App. Coindrop* Stack Options VPW310SSRWW Washer VPW310SSRWW Gas Dryer VPD314SSRWW Gas Dryer VPD314SRWW Gas Dryer VPD314SRW Gas Dr	Cycles	6
Stack OptionsVFW310SSRWW Washer VFD31ESSRWW Gas Dryer VFD31ESSRW Gas Dryer VFD31	Dry Time	40 minutes
Stack OptionsSPD31ESSRWW Electric Dryer VPS01GSSWW Gas Dryer VPS01GSSWW Gas Dryer VPS01GSSW Gas Dryer	Payment Options	OPL, App, Coindrop*
Electric Heater Watts 5600-240V, 4400-208V Motor HP (kW) 1/3 (.25) Electrical Requirements ************************************	Stack Options	VFD31ESSRWW Electric Dryer
Motor HP (kW) 1/3 (25) Electrical Requirements 40-208/60/1-30 (V/Hz/Ph- Amp) 240-208/60/1-30 Gas Inlet Size 3/8" NPT Drum Volume (Capacity) Cu. Pt. (Liters) 7.7 (218.4) Drum Flinish/Material Stainless Steel Warranty 5-Year Parts-Limited Net Weight Lbs (kg) 105 (73.9) Dimensions In (cm) 3.2 (109.728) Stacked Height 8.5 (217.424) Width 27 (68.58) Depth 3.2 (80.042) Shipping Dimensions In (cm) Height 46.85 (119) Width 3.0 (477.4) Width 3.0 (477.4) Width 3.0 (48)	Exhaust Options	3-Way (Rear, Left, Bottom) 120
Electrical Requirements 240-208/60/1-30 Gas Inlet Size 3/8" NPT Drum Volume (Capacity) Cu. Ft. (Liters) 7.7 (218.4) Drum Finish/Material Stainless Steel Warranty 5-Year Parts-Limited Net Weight Lbs (kg) 163 (73.9) Dimensions In (cm) *** Height 43.2 (109.728) Stacked Height 85.6 (217.424) Width 27 (68.58) Depth 32.3 (82.042) Shipping Dimensions In (cm) *** Height 46.85 (119) Width 30.47 (77.4) Width 30.47 (79.4) Depth \$5.04 (89)	Electric Heater Watts	5600-240V, 4400-208V
IV/Hz/Ph-Amp)240-20/60/1-30Gas Inlet Size3/8" NPTDrum Volume (Capacity) Cu. Ft. (Liters)7./218.4)Drum Finish/MaterialStainless SteelWarranty5-Year Parts-LimitedNet Weight Lbs (kg)163 (73.9)Dimensions In (cm)3.2 (109.728)Stacked Height3.2 (109.728)Width27 (68.58)Depth3.2 (38.2042)Shipping Dimensions In (cm)2.3 (82.042)Height4.685 (119)Width3.047 (77.4)Width3.047 (77.4)Width3.04 (99)	Motor HP (kW)	1/3 (.25)
Gas Inlet Size3/8" NPTDrum Volume (Capacity) Cu. Ft. (Liters)7. (218.4)Drum Finish/MaterialStainless SteelWarranty5-Year Parts-LimitedNet Weight Lbs (kg)163 (73.9)Dimensions In (cm)Height3.2 (109.728)Stacked Height85.6 (217.424)Width27 (68.58)Depth3.2 (309.728)Shipping Dimensions In (cm)4.685 (119)Height4.685 (119)Width3.0.4 (77.4)Width3.0.4 (77.4)Depth3.0.4 (89)	Electrical Requirements	
Drum Volume (Capacity) Cu. Ft. (Liters) 7.7 (218.4) Drum Finish/Material Stainless Steel Warranty 5-Year Parts-Limited Net Weight Lbs (kg) 163 (73.9) Dimensions In (cm) Table of the properties of the pro	(V/Hz/Ph- Amp)	240-208/60/1-30
Drum Finish/MaterialStainless SteelWarranty5-Year Parts-LimitedNet Weight Lbs (kg)163 (73.9)Dimensions In (cm)*** *** *** *** *** *** *** *** *** **	Gas Inlet Size	3/8" NPT
Warranty 5-Year Parts-Limited Net Weight Lbs (kg) 163 (73.9) Dimensions In (cm) 43.2 (109.728) Stacked Height 85.6 (217.424) Width 27 (68.58) Depth 32.3 (82.042) Shipping Dimensions In (cm) 46.85 (119) Width 30.47 (77.4) Width 35.04 (89)	Drum Volume (Capacity) Cu. Ft. (Liters)	7.7 (218.4)
Net Weight Lbs (kg) 163 (73.9) Dimensions In (cm) 43.2 (109.728) Stacked Height 85.6 (217.424) Width 27 (68.58) Depth 32.3 (82.042) Shipping Dimensions In (cm) 46.85 (119) Width 30.47 (77.4) Width 35.04 (89)	Drum Finish/Material	Stainless Steel
Dimensions In (cm) 43.2 (109.728) Height 85.6 (217.424) Width 27 (68.58) Depth 32.3 (82.042) Shipping Dimensions In (cm) *** Height 46.85 (119) Width 30.47 (77.4) Depth 35.04 (89)	Warranty	5-Year Parts-Limited
Height 43.2 (109.728) Stacked Height 85.6 (217.424) Width 27 (68.58) Depth 32.3 (82.042) Shipping Dimensions In (cm) *** Height 46.85 (119) Width 30.47 (77.4) Depth 35.04 (89)	Net Weight Lbs (kg)	163 (73.9)
Stacked Height 85.6 (217.424) Width 27 (68.58) Depth 32.3 (82.042) Shipping Dimensions In (cm)	Dimensions In (cm)	
Width 27 (68.58) Depth 32.3 (82.042) Shipping Dimensions In (cm) 46.85 (119) Width 30.47 (77.4) Depth 35.04 (89)	Height	43.2 (109.728)
Depth32.3 (82.042)Shipping Dimensions In (cm)46.85 (119)Width30.47 (77.4)Depth35.04 (89)	Stacked Height	85.6 (217.424)
Shipping Dimensions In (cm) 46.85 (119) Width 30.47 (77.4) Depth 35.04 (89)	Width	27 (68.58)
Height 46.85 (119) Width 30.47 (77.4) Depth 35.04 (89)	Depth	32.3 (82.042)
Width 30.47 (77.4) Depth 35.04 (89)	Shipping Dimensions In (cm)	
Depth 35.04 (89)	Height	46.85 (119)
	Width	30.47 (77.4)
Shipping Weight Lbs (kg) 172 (78)	Depth	35.04 (89)
	Shipping Weight Lbs (kg)	172 (78)

Dimensions are for planning purposes only. For complete information see the installation instructions packed with the product. A reliable WiFi network and owner registration are required for pay-per-use operation.

*Third party payment via coin drop emulation. Approved vendors are ESD/Greenwald, Kiosoft, PayRange.