

**VFW310SSRWW**

3.5 cu. ft. Multipay Front Load Washer

A proven performer in demanding spaces, this commercial front load washer delivers durable construction, adaptable payments, and the reliability for which GE is known..

Payment Options

- On Premise (No Payment Ability)
- Included QR Code Payment System (Launderday™ App)
- Coindrop and More**

Warranty

- 5-Year Parts-Limited

Matching Dryer Models

- VFD31ESSRWW (Electric)/VFD31GSSRWW (Gas)
- VFD31EDSRWW (Stacked Electric)/VFD31GDSRWW (Stacked Gas)




Key Features



Laundryday™ User App

Access to contactless payment and cycle notifications for a modern laundry experience.




SmartHQ™ Management

SmartHQ Management Owner's Dashboard™ offers a centralized space for managing site revenues, machine status, pricing activities and refund requests.



5-Year Parts-Limited Warranty

Enjoy peace of mind thanks to a comprehensive 5-year parts warranty.



Commercial Grade Components

Enjoy lasting performance from built-to-last commercial laundry parts, including galvanized steel cabinets, cast counterweights, heavy-duty bearings and suspension, and a 1/2 HP motor.



Microban® Protection

Built into high usage touchpoints to help prevent bacteria growth, Microban® antimicrobial technology keeps treated surfaces 99% cleaner than unprotected surfaces.



Multipay

Payment flexibility allows for optional acceptance of coin payment, built-in QR code payment, or both. Coin drop accessory sold separately.

Washer Specifications

Model	Multipay Front Load
	VFW310SSRWW
Control Type	Electronic Push Button, LED Display
WiFi	Built In
Cycles	4
Wash Time	29 minutes
Payment Options	OPL, App, Coindrop**
Stack Options	VFD31EDSRWW Electric (Stacking Hardware Included) VFD31GDSRWW Gas (Stacking Hardware Included)
Capacity lb (kg)	22 (9.98)
Cylinder Volume (cu. ft.)	3.5
Cylinder Diameter In (mm)	21-13/16 (554)
Wash Speed RPM	50
Spin Speed RPM (G Force)	1050 (306)
Motor Size HP (kW)	1.35 (.99)
Water Consumption/Cycle Gallons (l)	23.18 (87.75)
*WF (Water Factor) Gal/ft³/cycle (liters/cycle/litre)	4
*MEF (Modified Energy Factor) ft³/kWh/cycle (Liters/kWh/cycle)	2.2
*Remaining Moisture Content (RMC)	33.9%
Water Temp Settings	Automatic
Electrical Requirements (v/Hz/Ph-Amp)	120/60/1
Required Water Pressure p.s.i. (bar)	20-120 (1.4/8.3)
Drain Pump Type	Electric 120V
Max Drain Height	96"
Drum Finish	Stainless Steel
Net Weight Lbs (kg)	313 (141.97)
Warranty	5-Year Parts-Limited
Dimensions In (cm)	
Height	43.2 (109.728)
Width	27 (68.58)
Depth	32.3 (82.042)
Shipping Dimensions In (cm)	
Height	43.3 (109.98)
Width	30.5 (77.5)
Depth	33 (83.8)
Shipping Weight Lbs (kg)	322 (146.05)

Dimensions are for planning purposes only. For complete information see the installation instructions packed with the product.

*Appliance & Equipment Standards Program | CCMS

**Third party payment via coindrop emulation. Approved vendors are ESD/ Greenwald, Kiosoft, PayRange.

A reliable WiFi network and owner registration are required for pay-per-use operation.