



GE APPLIANCES

COMMERCIAL LAUNDRY

**VTW525ASRWB**

# 4.2 cu. ft. **App Pay** **Top Load Washer** with stainless steel basket

A proven performer in demanding spaces, this commercial top load washer delivers durable construction, adaptable payments, and the reliability for which GE is known.

## Payment Options

- On Premise (No Payment Ability)
- Included QR Code Payment System (Launderday™ App)

## Warranty

- 5-Year Parts-Limited

## Matching Dryer Models

- VTD52EASRWB (Electric)
- VTD52GASRWB (Gas)






## Key Features



### Laundryday™ User App

Access to contactless payment and cycle notifications for a modern laundry experience.



### SmartHQ™ Management

SmartHQ Management Owner's Dashboard™ offers a centralized space for managing site revenues, machine status, pricing activities and refund requests.



### 5-Year Parts-Limited Warranty

Enjoy peace of mind thanks to a comprehensive 5-year parts warranty.



### Commercial Grade Components

Enjoy lasting performance from built-to-last commercial laundry parts, including a heavy-duty agitator, 1/2 HP motor, and steel transmission deliver lasting performance, while 800 RPM spin speed powers through every load.



### Microban® Protection

Antimicrobial technology is built into critical areas of this ultrafresh commercial washer, including the control panel.



### App Pay

Eliminate the hassle of coins with this easy built-in wireless QR code laundry payment system.



# Washer Specifications

| Model  | App Pay Top Load         |
|--|--------------------------|
|  | VTW525ASRWB              |
| Control Type   | Electronic, Knob Control |
| WiFi   | Built In                 |
| Cycles   | 7                        |
| Payment Options  | App                      |
| Cylinder Volume (cu. ft.)  | 4.2                      |
| Agitator   | White Dual Action        |
| Spin Speed RPM (G Force)   | 800                      |
| Motor Size HP (kW)   | .5 (.372)                |
| Water Consumption/Cycle Gallons (l)                                  | 23.18 (87.75)            |
| *WF (Water Factor)<br>Gal/ft³/cycle<br>(liters/cycle/litre)          | 6.1                      |
| *MEF (Modified Energy Factor)<br>ft³/kWh/cycle<br>(Liters/kWh/cycle) | 1.35                     |
| *Remaining Moisture Content (RMC)                                    | 45.4%                    |
| Water Temp Settings  | Automatic                |
| Electrical Requirements (v/Hz/Ph-Amp)                                | 120/60/1                 |
| Required Water Pressure p.s.i. (bar)                                 | 20-120 (1.4/8.3)         |
| Drain Pump Type  | Electric 120V            |
| Max Drain Height   | 96"                      |
| Drum Finish  | Stainless Steel          |
| Net Weight Lbs (kg)  | 138 (62.6)               |
| Warranty   | 5-Year Parts-Limited     |
| Dimensions In (cm)   |                          |
| Height   | 44 (111.76)              |
| Width  | 27 (68.58)               |
| Depth  | 27.75 (70.485)           |
| Shipping Dimensions In (cm)  |                          |
| Height   | 46.5 (118.1)             |
| Width  | 28.8 (73.1)              |
| Depth  | 29 (73.6)                |
| Shipping Weight Lbs (kg)   | 147 (66.67)              |

Dimensions are for planning purposes only. For complete information see the installation instructions packed with the product.

\*Appliance & Equipment Standards Program | CCMS

\*\*Third party payment via coindrop emulation. Approved vendors are ESD/ Greenwald, Kiosoft, PayRange.

A reliable WiFi network and owner registration are required for pay-per-use operation.