

**VTW565ASVWB**

# 3.8 cu. ft. Multipay Top Load Washer with stainless steel basket

A proven performer in demanding spaces, this commercial top load washer delivers durable construction, adaptable payments, and the reliability for which GE is known..

## Payment Options


- On Premise (No Payment Ability)
- Included QR Code Payment System (Launderday™ App)
- Coindrop and More\*\*

## Warranty

- 5-Year Parts-Limited

## Matching Dryer Models

- VTD56EASVWB (Electric)
- VTD56GASVWB (Gas)






## Key Features



### Laundryday™ User App

Access to contactless payment and cycle notifications for a modern laundry experience.



### SmartHQ™ Management

SmartHQ Management Owner's Dashboard™ offers a centralized space for managing site revenues, machine status, pricing activities and refund requests.




### 5-Year Parts-Limited Warranty

Enjoy peace of mind thanks to a comprehensive 5-year parts warranty.



### Commercial Grade Components

Enjoy lasting performance from built-to-last commercial laundry parts, including a heavy-duty agitator, ½ HP motor, and metal transmission deliver lasting performance, while 800 RPM spin speed powers through every load.



### Microban® Protection

Antimicrobial technology is built into critical areas of this ultrafresh commercial washer, including the control panel and heavy-duty agitator.



### Multipay

Payment flexibility allows for optional acceptance of coin payment, built-in QR code payment, or both. Coin drop accessory sold separately.



# Washer Specifications

Model	Multipay Top Load
	VTW565ASVWB
Control Type	Electronic Touch, Control, LED Display
WiFi	Built In
Cycles	6
Payment Options	OPL, App, Coindrop**
Cylinder Volume (cu. ft.)	3.8
Agitator	Blue Single Action
Spin Speed RPM (G Force)	800
Motor Size HP (kW)	.5 (.372)
Water Consumption/Cycle Gallons (l)	23.18 (87.75)
*WF (Water Factor) Gal/ft³/cycle (liters/cycle/litre)	6.1
*MEF (Modified Energy Factor) ft³/kWh/cycle (Liters/kWh/cycle)	1.35
*Remaining Moisture Content (RMC)	45.4%
Water Temp Settings	Automatic
Electrical Requirements (v/Hz/Ph-Amp)	120/60/1
Required Water Pressure p.s.i. (bar)	20-120 (1.4/8.3)
Drain Pump Type	Electric 120V
Max Drain Height	96"
Drum Finish	Stainless Steel
Net Weight Lbs (kg)	158 (71.66)
Warranty	5-Year Parts-Limited
Dimensions In (cm)	
Height	44 (111.76)
Width	27 (68.58)
Depth	30.85 (78.359)
Shipping Dimensions In (cm)	
Height	46.5 (118.1)
Width	28.8 (73.1)
Depth	29 (73.6)
Shipping Weight Lbs (kg)	167 (75.74)

Dimensions are for planning purposes only. For complete information see the installation instructions packed with the product.

\*Appliance & Equipment Standards Program | CCMS

\*\*Third party payment via coindrop emulation. Approved vendors are ESD/ Greenwald, Kiosoft, PayRange.

A reliable WiFi network and owner registration are required for pay-per-use operation.