



Table of Contents

OVERVIEW OF CAFÉ COLLECTIONS

Café Brand Story	4-9
Customizable Professional Collection	10-17
Modern Glass Collection	18-23
FEATURES	
Refrigeration	24-25
Under-Counter Entertainment	26-27
Built-In Wall Ovens	28-29
Advantium® Ovens	30-31
Cooktops	32-33
Ranges	34-35
Microwave Ovens & Ventilation	36-37
Dishwashers	38-39
Connected Story	40-41
CAFÉ PRODUCTS	
Modern Glass	42-51
Stainless	52-69
Matte White	70-83

lodern Glass	42-51
tainless	52-69
latte White	70-83
latte Black	84-97
·	

PACKAGE OPTIONS

Modern Glass Collection	98-109
Customizable Professional Collection	110-121

PRODUCT SPECIFICATIONS

Refrigeration	124-126
Dishwashers	127
Built-In Wall Ovens	128-129
nstallation Dimensional Drawings	130-131
Advantium Ovens	132
Built-in Steam Oven	133
Built-in Microwave Oven	134
Varming Drawers	135
Commercial-Style Rangetops	136-137
Cooktops	138-139
/entilation	140-141
entilation Dimensional Drawings	142-143
Commercial-Style Ranges	144-145
anges	146-149
Over-the-Range Microwave Ovens	150
Countertop Microwave Ovens	151

MISCELLANEOUS

Warranty Information	122
ADA Requirements/UFAS Standards	123
Parts & Accessories	152-153
Nomenclature	154



GE Appliances helps you conserve energy and save money. We have been an ENERGY STAR® Partner since 2001. We are committed to creating energy-efficient, high-performance household appliances.



Compliant with the Americans with Disabilities Act



Compliant with the Uniform Federal Accessibility Standards



Chef Connect—For instant convenience, choose when to automatically sync clocks and the range elements with the microwave's or hood's surface light and vent.



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by GE Appliances is under license. Other trademarks and trade names are those of their respective owners.



National Sanitation Foundation



Appliances with built-in WiFi powered by SmartHQ $^{\text{\tiny M}}$ that offer remote monitoring and enhanced features are indicated by this icon.



This mark indicates that a product has voice assistance capabilities.



Appliances with this icon are Made in America and contain 70 to 90% U.S. content. Product content details at GEAppliances.com/USA.

Unparalleled choice.

Café lets style-conscious consumers choose from two bold collections of kitchen appliances. The Customizable Professional Collection boasts a distinct line of hardware options, and the Modern Glass Collection features a seamless, contemporary design.







Equal parts personality and performance.

Enjoy culinary-inspired features straight from professional kitchens, with a look that's ownable and authentic.

Accessible luxury.

Relish upscale appliances, fit for any style and available to all.

Exercise creative control.

Design the kitchen around a unique style, not appliances.

A private sous-chef.

Create unique dishes and unforgettable moments with Gourmet Guided Cooking powered by Hestan Cue™ technology. It's like having an extra set of hands.

Choices, choices.

Set the canvas with fingerprint resistant Matte Black, Matte White or Stainless finishes, and customize the hardware as a finishing touch. Or, reveal modern style with the reflective appearance of Modern Glass.





MODERN



Performance that entertains.

Adorning every appliance in the Customizable Professional Collection is the signature Copper Cuff, which reinforces our commitment to design, quality and performance in the kitchen and beyond.





Stainless

Classic, versatile and compatible with a range of styles.



Matte White

A bright, clean aesthetic that adds warmth and light.



Matte Black

Strong, deep tones that leave a lasting impression.





Change your mind and your hardware anytime.



Brushed Bronze

A new take on old-world charm, with warm, inviting hues.





Brushed Stainless

Clean and refreshing, a staple finish in the kitchen.





Brushed Copper

An unexpected way to warm up the kitchen with bold and earthy tones.





Brushed Black

Subtle and natural, to accent the kitchen with darkened notes.



The Copper Cuff.

Adorning every appliance in the Customizable Professional Collection is the signature Copper Cuff, which reinforces our commitment to design, quality and performance in the kitchen and beyond.





The Modern Glass Collection

Growing trends call for a forward-thinking approach to appliances—one that rethinks the use of materials. Café is pushing boundaries with the first glass appliance collection in its class.* Join the glass conversation, and discover the latest way to reflect personal style in the kitchen.



Modern appeal.

This collection exudes simplicity with its clean lines, integrated design and a glass finish overlay. But beneath the surface, cutting-edge features make these appliances undeniably sophisticated.





Refrigeration

FEATURES



HUMIDITY CONTROL SYSTEM

A Humidity Control System provides an environment for leafy green vegetables to last 2-1/2 times longer* than standard vegetable drawers.

*Based on internal testing vs. similar size vegetable drawers with humidity controls from a leading competitor.



LED LIGHT WALL

Relish the bright, uniform light of an LED light wall that spans the back wall of the refrigerator, illuminating the fresh food section so every item is easy to find.



UNIQUE STORAGE OPTIONS

Organize your freezer with ease, thanks to storage options that include five drawers, two tilt-out door bins, a slide-out shelf and more.



CONVERTIBLE DRAWER WITH SOFT FREEZE

Enjoy the flexibility of a convertible drawer with Soft Freeze with settings as low as 23 degrees or as high as 42°F, and keep items organized with sliding glass dividers.



KEURIG® K-CUP® BREWING SYSTEM

Brew your favorite morning latte or cappuccino from a Keurig K-Cup brewing system built directly into the refrigerator.



BUILT-IN WIFI POWERED BY SmartHQ™

Use your voice or smart device to schedule or preheat hot water, and receive notifications on your phone if the ice is empty or the door is ajar.



Under-Counter Entertainment

FEATURES



LED LIGHT WALL

Take lighting to the next level with an LED light wall that spans the back panel, illuminating the interior so every item is easy to find.



MAGNUM BOTTLE STORAGE

Chill up to eight 1.5 liter bottles of wine or prosecco without scratching the label.



BUILT-IN WIFI POWERED BY SmartHQ™

Control temperature settings and the LED light wall from anywhere and always get the latest connected home capabilities with updates.



FLUSH INSTALLATION

With built-in, flush-to-cabinet installation, this beverage center fits in perfectly with your home's overall design.



ADJUSTABLE DIVIDERS

Keep fresh foods and drinks organized with an adjustable divider that maximizes flexibility and storage capacity in both drawers.



SOFT-CLOSE DRAWERS

Never let grabbing a quick snack interrupt a conversation, thanks to soft-close drawers that slide quietly closed.



Built-In Wall Ovens

FEATURES



PRECISION COOKING MODES

Confidently try new recipes and perfectly execute favorites, using a smart system that automatically tracks progress, modifies temperatures and adjusts cook times.



NEVER-SCRUB, SMOOTH-GLIDE RACK

Easily remove heavy dishes with a roller rack that is specially designed to glide smoothly and stay in the oven during the self-clean cycle.



HOT-AIR FRYING

Make "fried" foods healthy, thanks to a mode that crisps without using oil.



7" FULL-COLOR DISPLAY

Easily navigate wall oven settings using a stunning full-color display that adds an unexpected touch of style to the kitchen.



TRUE EUROPEAN CONVECTION WITH DIRECT AIR

Achieve unrivaled performance with the only system that delivers true topdown convection, providing consistent results with roasts and more.



NO-PREHEAT OPTIONS

Save time with a variety of Precision Cooking Modes that eliminate the need for preheating.



FEATURES



FIVE-IN-ONE OVEN

Enjoy a whole new level of cooking flexibility with a single oven that can be used in five different ways. Use it as a Convection Oven, Microwave, Toaster Oven, Warming/Proofing Oven, and Precision Cook Oven with Advantium Technology.



CRISP REHEAT

Achieve crispy results at microwave speed with more than 20 reheat programs that make leftovers taste like new.



PRECISION COOKING MODES

Achieve oven-quality results in a fraction of the time as halogen light, microwave energy and True European Convection work together to provide the exact amount and type of heat your food needs, precisely when it needs it.



STEAM COOK BUTTON

Perfectly prepare fresh vegetables and rice with a steam cook option that simplifies the entire process.



7" FULL-COLOR DISPLAY

Easily navigate oven settings using a stunning full-color display that adds an unexpected touch of style to the kitchen.



BUILT-IN WIFI POWERED BY SmartHQ™

120V: Eliminate the need for preheating and cook two- to four-times faster than with a conventional oven.

240V: Eliminate the need for preheating and cook four- to eight-times faster than with a conventional oven.



Cooktops

FEATURES



GOURMET GUIDED COOKING

Take culinary skills to the next level with Gourmet Guided Cooking by Hestan Cue™, which combines video-guided recipes from chefs with a system that automatically adjusts the time, temperature and cooking pace for perfect results.



20.000-BTU TRI-RING

Sear, fry and sauté on a 20,000-BTU burner.



GLIDE TOUCH CONTROLS

Make the cooking process as stylish as the food itself with touch controls that adjust heat with just one swipe.



CONTROL MODE

Maintain a set temperature within one degree, thanks to a precise Control Mode that makes temperaturesensitive cooking methods simple.



CONTROL LOCK CAPABILITY

Prevent unintended burner activation with control lock capability.



SEALED COOKTOP BURNERS

Keep the kitchen sparkling even when there's a spill, with sealed cooktop burners that contain messes for easy cleanup.



Ranges

FEATURES



PRECISION COOKTOP SENSOR

Turn any pan into a smart pan and automatically maintain a set temperature within one degree, thanks to a cooktop sensor that provides total control from either the display or a smartphone.



EDGE-TO-EDGE, SIX-BURNER COOKTOP

Entertaining for large groups is easy with the industry's first double oven with a 30" six-burner, edge-to-edge cooktop that can accommodate cookware of all sizes, and a cast-iron integrated griddle that provides enough room to perfectly flip crab cakes, arepas and other crowd favorites.



IN-OVEN CAMERA

Monitor the progress of time-sensitive dishes without needing to open the oven door, using an in-oven camera that provides an interior view of cooking food from your smartphone via the SmartHQ™ app.



TRI-RING BURNER

Create an unforgettable dinner using a 21,000 tri-ring burner to do everything from searing scallops to simmering a lemon caper white wine sauce, plus a 15,000 Power Boil burner to boil water quickly for al dente angel hair pasta.



GOURMET GUIDED COOKING

Take culinary skills to the next level with Gourmet Guided Cooking by Hestan Cue™, which combines video-guided recipes from chefs with a system that automatically adjusts the time, temperature and cooking pace for perfect results.



7" FULL-COLOR DISPLAY

Easily navigate oven settings using a stunning full-color display that adds an unexpected touch of style to the kitchen.



Microwave Ovens & Ventilation

FEATURES



COOKTOP LIGHTING

Microwaves: Illuminate the cooking surface with crisp, energy-efficient LED cooktop lighting. Hoods: Watch the progress of every meal with bright, dual cooktop lighting that spotlights the cooking surface.



BUILT-IN WIFI POWERED BY SmartHQ™

Control the oven with a smartphone or voice commands through your home WiFi.



CFM VENTING SYSTEM

Microwaves: Remove smoke, odors and moisture with a three-speed, 300-CFM or 400-CFM venting system.

Hoods: Remove smoke, odors and moisture with a 350- to 610-CFM venting system.



SCAN-TO-COOK TECHNOLOGY

Delegate simple cooking tasks to family members thanks to scan-to-cook technology. With just a scan of a barcode from the SmartHQ app, the microwave automatically adjusts cook settings based on package instructions.



REMOVABLE FILTER

Microwaves: Keep the kitchen smelling fresh with an upfront charcoal filter, and know when to replace it with a helpful indicator light. Hoods: Eliminate hand-scrubbing with a removable, dishwasher-safe grease filter.



CHEF CONNECT

Simplify cooking steps by using Chef Connect to automatically activate vents and surface lights when a range element is turned on, as well as sync the microwave and range clocks.



Dishwashers

FEATURES



ULTRA WASH AND DRY PLUS

Expect precision cleaning and superior dryness on fine china, dinnerware and even dishwasher-safe plastics, with exceptional features like Variable-Pressure Jets and Dual-Convection Ultra Dry.



WASH ZONES

Save time and use less water when you don't have a full dish load with a fully customizable cycle that lets you wash a true half load in the upper or lower rack.



ULTRA WASH AND DRY

Unload sparkling clean, table-ready dishes thanks to 90+ cleaning jets and an Ultra Dry system that deliver excellent results.



STATUS CENTER

Continue conversations without interruption and easily know when extra dinnerware is available via an LCD screen that displays the dishwasher cycle status.



LOADING FLEXIBILITY

Load dishes in any manner: A lower wash arm provides excellent coverage for the largest loads. The fold-down tines accommodate wide or oddly shaped items, and a third rack provides extra space for silverware and kitchen utensils.



ADJUSTABLE UPPER RACKS

Have enough room for fine stemware and tall bakeware with a rack that can be moved two inches up or down, creating the ultimate loading flexibility.





Better when connected.

Experience the perfect blend of style and convenience with advanced home technologies that integrate Café™ appliances into a connected lifestyle.

Sophisticated systems allow owners to preheat the oven without ever leaving their party guests, automatically replenish their dishwasher pods, and receive notifications and important updates on a smart device. With connected appliances powered by SmartHQ™ from Café, there are endless ways to make home life effortless.

Café Appliances connected capabilities work with a variety of partners:



















SONOS





Modern Glass

Chic and sharp, the Modern Glass Collection gives kitchen design an edge. With clean lines and an ultra-reflective finish, it's a striking departure from the stainless standard.







27.6 CU. FT. SMART FOUR-DOOR, FRENCH-DOOR REFRIGERATOR CVE28DM5NS5

- Adjustable-temperature drawer with sliding glass dividers
- LED light wall
- Hands-free AutoFill
- Humidity-control system
- Flatbread freezer tray
- TwinChill[™] evaporators









27.6 CU. FT. SMART QUAD-DOOR, FRENCH-DOOR REFRIGERATOR

CQE28DM5NS5

- 3-Setting Convertible Zone
- · Slide-out wine rack
- LED light wall
- · Hands-free AutoFill
- · Humidity-control system
- · Tilt-out freezer door bins
- Triple evaporators







BUILT-IN WALL OVENS





30" SMART DOUBLE WALL OVEN WITH CONVECTION

CTD90DM2NS5*

- Touchless open
- In-oven camera
- Precision cooking
- 7" full-color display
- · No-preheat air fry
- Dehydrate mode No-preheat options
- True European Convection with Direct Air (both ovens)

by SmartHQ

- - Precision temperature probe

• Built-in WiFi powered



Perfect Match Cooktops: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)









• Built-in WiFi powered

temperature probe

by SmartHQ

Precision

CTS90DM2NS5*

SINGLE WALL OVEN

- Touchless open
- In-oven camera
- True European Precision cooking Convection with • 7" full-color display Direct Air
- No-preheat air fry
- Dehydrate mode
- No-preheat options



Perfect Match Cooktops: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)





• Built-in WiFi powered

by SmartHQ**

glide roller racks

Never-Scrub.

Clean option

30" SMART DOUBLE WALL OVEN WITH CONVECTION

CTD70DM2NS5

- Precision cooking
- 7" full-color display • True European Convection
- with Direct Air (upper oven)
- No-preheat options
- No-preheat air fry





WINE AND BEVERAGE CENTERS



5.1 CU. FT. BEVERAGE CENTER

- LED light wall
- Magnum 4-bottle storage
- Built-in WiFi powered by SmartHQ™
- Flush installation
- 14-bottle or 126-can capacity
- Quick Space shelf
- Articulating door hinges
- · Reversible door

























CCR06BM2PS5

- LED light wall
 - Built-in WiFi powered by SmartHQ
 - Flush installation

CCR06DM2PS5

- Dual zone temperature control
- 46-bottle capacity
- Articulating door hinges

4.7 CU. FT. WINE CENTER

• Magnum 8-bottle storage

Reversible door







WITH CONVECTION

CTS70DM2NS5

• True European

Direct Air

· Precision cooking

• 7" full-color display

Convection with

No-preheat options

• No-preheat air fry

30" SMART SINGLE WALL OVEN











by SmartHQ** · Never-Scrub, heavy-duty, smooth glide roller racks

• Built-in WiFi powered

• Self-clean with Steam Clean option









Precision

Clean option

• Scan-to-cook

temperature probe

• 8-pass broil element

• Self-clean with Steam

WITH CONVECTION CKD70DM2NS5

- 7" full-color display
- Built-in WiFi powered by SmartHQ**
- Hidden bake element
- Never-Scrub, heavy-duty,
 - smooth-glide racks

27" SMART DOUBLE WALL OVEN



Perfect Match Cooktops: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)







Precision

Clean option

· Scan-to-cook

• 8-pass broil element



27" SMART SINGLE WALL OVEN WITH CONVECTION

CKS70DM2NS5

- 7" full-color display • Built-in WiFi powered
- by SmartHQ** • True European
- Convection Never-Scrub,
- heavy-duty, smooth-glide rack





CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)









CTS92DM2NS5

- Two-in-one oven
- Built-in WiFi powered by SmartHQ™*
- Large-capacity oven
- True European Convection with Precise Air
- 7" full-color display
- Easy-glide, Never-Scrub rack
- Precision temperature probe







Perfect Match Cooktops: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)

COOKTOPS















36" SMART TOUCH-CONTROL INDUCTION COOKTOP

CHP95362MSS

- · Gourmet guided cooking
- · Pan presence sensor
- Five induction elements
- White LED glide touch controls
- 11" 3,700-watt induction element
- Two 7" synchronized elements
- Multi-element timer
- Hestan pan included



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)

36" TOUCH-CONTROL ELECTRIC COOKTOP CEP90362NSS

- 12"/9"/6" burner with Power Boil
- Two 7" synchronized elements
- Red LED glide touch controls
- 9"/7"/5" element with Power Boil
- Five radiant cooking elements
- Griddle included



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)

36" GAS COOKTOP CGP95362MS1

- 20,000 BTU tri-ring burner
- White LED backlit knobs
- Extra-large, integrated cooktop griddle
- Precise Simmer burner
- Heavy-cast, edge-to-edge grates
- Sealed cooktop burners



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)

ADVANTIUM® OVENS







30" SMART FIVE-IN-ONE OVEN WITH 240V ADVANTIUM TECHNOLOGY CSB923M2NS5

- Five-in-one oven
- Speedcook
- 7" full-color display
- Crisp reheat • 240V
- Steam cook



CSB913M2NS5

Speedcook

Crisp reheat

Steam cook

• 120V

• 7" full-color display

30" SMART FIVE-IN-ONE OVEN









WITH 120V ADVANTIUM TECHNOLOGY WITH 120V ADVANTIUM TECHNOLOGY CSB912M2NS5

- Five-in-one oven · Five-in-one oven
 - Speedcook
 - 7" full-color display

27" SMART FIVE-IN-ONE OVEN

- Crisp reheat
 - 120V
 - Steam cook

VENTILATION



36" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

CVW73612MSS

- 350-CFM venting system with boost
- Electronic backlit controls
- Dual halogen cooktop lighting
- Night light
- · Convertible venting options
- Optional remote control (UXRC70)



30" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

CVW73012MSS

- 350-CFM venting system with boost
- Electronic backlit controls
- Dual halogen cooktop lighting
- Night light
- · Convertible venting options
- Optional remote control (UXRC70)

MICROWAVE OVENS

2.1 CU. FT. SMART OVER-THE-RANGE

Built-in WiFi powered by SmartHQ

MICROWAVE OVEN

Scan-to-cook technology

Sensor cooking controls

• 400 CFM venting system

CVM721M2NS5

Chef Connect

Steam cook button

LED cooktop lighting



30" SMART SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION RANGE WITH IN-OVEN CAMERA

CHS90XM2NS5

- · Gourmet guided cooking*
- Precision cooktop sensor
- In-oven camera
- · Precision oven modes
- 7" full-color display
- Built-in WiFi powered by SmartHQ™**
- 11" 3,700W induction element
- Push-to-open storage drawer
- No-preheat air fry***













• 15,000-BTU Power Boil burner



30" SMART SLIDE-IN, FRONT-CONTROL,

DOUBLE-OVEN DUAL-FUEL RANGE

• Six-burner, edge-to-edge cooktop

• Built-in WiFi powered by SmartHQ**

· Cast-iron, integrated griddle

· Precision oven modes

• 21,000 BTU tri-ring burner

• 7" full-color display

No-preheat air fry***

WITH CONVECTION

C2S950M2NS5





30" SMART SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION RANGE WITH STORAGE DRAWER

CHS900M2NS5

- Gourmet guided cooking*
- Built-in WiFi powered by SmartHQ**
- Precision oven modes
- · Sous vide enabled
- 7" full-color display
- 11" 3,700-watt induction element
- Push-to-open storage drawer
- No-preheat air fry***













1.5 CU. FT. SMART COUNTERTOP **CONVECTION/MICROWAVE OVEN**

CEB515M2RS5

- Built-in WiFi powered by SmartHQ
- · Scan-to-cook technology
- Convection cooking
- · Sensor cooking controls
- · Warming oven
- Auto bake/auto roast

Optional built-in trim kit:

CX153M2NS5 (30"); CX152M2NS5 (27")







30" SMART SLIDE-IN, FRONT-CONTROL GAS RANGE WITH CONVECTION OVEN AND STORAGE DRAWER

CGS700M2NS5

- Six-burner, edge-to-edge cooktop
- Cast-iron, integrated griddle
- Built-in WiFi powered by SmartHQ**
- 21,000 BTU tri-ring burner
- 15,000 BTU Power Boil burner
- Push-to-open storage drawer

*Free cookware rebate may be available.

No-preheat air fry***







**See spec pages 146-148 for WiFi-enabled features.

***Feature upgrade will be available via the SmartHQ app.

Complete features and specifications on pages 127, 146-151.









Digital temperature display

Precision oven probe

No-preheat air fry***



30" SMART SLIDE-IN, FRONT-CONTROL

RADIANT AND CONVECTION RANGE

WITH STORAGE DRAWER

• Edge-to-edge glass cooktop

• 12"/9"/6" element with Power Boil

• True Convection with Precise Air

• Built-in WiFi powered by SmartHQ**

CES700M2NS5













DISHWASHERS



STAINLESS INTERIOR SMART DISHWASHER WITH DUAL-CONVECTION ULTRA DRY

CDT875M5NS5

- Ultra wash & dry plus
- · Loading flexibility
- Status center
- Adjustable upper racks
- Third rack
- Built-in WiFi powered by SmartHQ













STAINLESS INTERIOR SMART DISHWASHER WITH 90+ CLEANING JETS CDT845M5NS5

• Ultra wash with 90+ cleaning jets

- Ultra dry
- Deep Clean Silverware Jets
- Bottle Jets
- Reversing quad-blade wash arm
- Third rack
- WiFi optional**

[†]Only applicable under ADA-compliant installation. [†]SmartHQ Connect Module is required and sold separately. It is available for order on geappliances.com, part number PBX23WOOYO.













WITH ULTRA DRY

CDT805M5NS5

Ultra wash

Ultra dry

• Bottle Jets

• Third rack

Fold-down tines

• WiFi optional**



• Reversing quad-blade wash arm



STAINLESS INTERIOR SMART DISHWASHER







For definitions of logos, see page 3.

50

Ω



Stainless & Brushed Stainless

Brilliant Stainless invites a new approach to the classic appliance finish. Now you have the opportunity to mix metals, beginning with your hardware selection, to create an updated, layered look.





27.6 CU. FT. SMART FOUR-DOOR. FRENCH-DOOR REFRIGERATOR CVE28DP2NS1

- Adjustable-temperature drawer with sliding glass dividers
- · Humidity-control system
- LED light wall
- Hands-free AutoFill
- · Flatbread freezer tray
- Built-in WiFi powered by SmartHQ™









27.8 CU. FT. SMART FRENCH-DOOR REFRIGERATOR WITH KEURIG® K-CUP® **BREWING SYSTEM**

CFE28UP2MS1

- Keurig® K-Cup® brewing system
- Hot water dispenser
- Preheat water via smart device
- Precise Fill setting
- Full-width, electronic temperature-controlled drawer with LED lights
- TwinChill™ evaporators















27.8 CU. FT. SMART FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER

CFE28TP2MS1

- Hot water dispenser
- Precise Fill setting
- Full-width, electronic temperature-controlled drawer with LED lights
- TwinChill evaporators
- Showcase LED lighting
- · Stainless steel dispenser















22.2 CU. FT. SMART COUNTER-DEPTH. FRENCH-DOOR REFRIGERATOR WITH **KEURIG® K-CUP® BREWING SYSTEM**

CYE22UP2MS1

- · Counter-depth design
- Keurig® K-Cup® brewing system
- · Hot water dispenser
- Built-in WiFi powered by SmartHQ
- · Counter-depth design
- Precise Fill setting





For definitions of logos, see page 3.



Complete features and specifications on pages 124-125.







*U+ Connect Module is required and sold separately. It is available for order on geappliances.com, part number PBX23W00Y0









22.2 CU. FT. SMART COUNTER-DEPTH. FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER

CYE22TP2MS1

- Counter-depth design
- Hot water dispenser
- Precise Fill setting
- Full-width, electronic temperature-controlled
- drawer with LED lights
- TwinChill evaporators
- Showcase LED lighting











23.1 CU. FT. SMART COUNTER-DEPTH. FRENCH-DOOR REFRIGERATOR

CWE23SP2MS1**

- · Counter-depth design
- Internal water dispenser
- Factory-installed icemaker
- Full-width, electronic, temperature-controlled drawer with LED lights
- TwinChill evaporators
- Showcase LED lighting
- WiFi optional







Sealed snack drawers

21.3 CU. FT. SMART BUILT-IN

CDB36RP2PS1 (Right hinged)

CDB36LP2PS1 (Left hinged)

• Interchangeable hardware

Advanced temperature control

• 36" built-in model

LED lighting

WiFi optional

BOTTOM-FREEZER REFRIGERATOR





18.6 CU. FT. SMART COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR

CWE19SP2NS1*

- Fits in a 33" opening
- Counter-depth design
- WiFi optional
- · Internal water dispenser
- Showcase LED lighting Humidity-controlled drawers
- Turbo Cool

Also available in Matte White and Matte Black









21.9 CU. FT. COUNTER-DEPTH, SIDE-BY-SIDE REFRIGERATOR CZS22MP2NS1

- · Counter-depth design
- · Showcase LED lighting
- · Quick Ice setting
- Turbo Cool
- · Advanced water filtration system
- Spillproof glass shelves



42" SMART BUILT-IN. SIDE-BY-SIDE REFRIGERATOR

CSB42WP2NS1

- Showcase LED lighting
- · Advanced temperature management system
- Upfront temperature controls
- Advanced water filtration system uses MWF replacement filter
- Select temp drawer
- Spillproof glass shelves

48" MODEL ALSO AVAILABLE CSB48WP2NS1









42" SMART BUILT-IN. SIDE-BY-SIDE REFRIGERATOR

CSB42YP2NS1

- · Showcase LED lighting
- Advanced temperature management system
- Upfront temperature controls
- Advanced water filtration system uses MWF replacement filter
- Select temp drawer
- Spillproof glass shelves

48" MODEL ALSO AVAILABLE CSB48YP2NS1







57



NUGGET **ICE MAKER**

UNC15NJII

- Nugget ice
- The options you need to make a statement
- 56 pounds of quality ice per day
- LED lighting
- Integrated scoop
- · Large-capacity ice bin
- · Holds 26 pounds of ice
- · Clean indicator light
- Optional drain pump kit (UPK3) available



CLEAR ICE MAKER

UCC15NJII

- Gourmet clear ice
- The options you need to make a statement
- 48 pounds of quality ice per day
- LED lighting
- Integrated scoop
- · Large-capacity ice bin
- · Holds 26 pounds of ice
- · Clean indicator light
- Optional drain pump kit (UPK3) available



STAINLESS DOOR PANEL KIT FOR 15" ICE MAKERS

CIP75S1

- Compatible with UNC15NJII and UCC15NJII ice makers
- Easy to install
- · Brushed stainless handle included
- Custom handle kits available (sold separately)





30" SMART FRENCH-DOOR, DOUBLE WALL OVEN WITH CONVECTION

by SmartHQ*

· Never-Scrub,

CTD90FP2NS1

- French-door design
- 7" full-color display
- True European Convection with Direct Air (both ovens)
- No-preheat air fry
- Precision cooking



Perfect Match Rangetops:

CGU366 (Gas), CGU486 (Gas)

heavy-duty roller racks (both ovens) Self-clean with

• Built-in WiFi powered

Steam Clean option



30" SMART FRENCH-DOOR, SINGLE

- 7" full-color display
- True European Convection with

Direct Air

- No-preheat air fry
- Precision cooking



CGU366 (Gas), CGU486 (Gas)

Perfect Match Rangetops



UFAS

ह्न

- heavy-duty roller racks Self-clean with
- Steam Clean option







30" SMART DOUBLE WALL OVEN WITH CONVECTION

CTD90DP2NS1

- · In-oven camera Precision cooking
- 7" full-color display No-preheat air fry
- Dehydrate mode

CGP9536 (Gas)

- No-preheat options
- Precision temperature probe

• Built-in WiFi powered

Direct Air (both ovens)

by SmartHQ*

• True European

Convection with







BUILT-IN REFRIGERATOR DRAWERS



5.7 CU. FT. BUILT-IN, **DUAL-DRAWER REFRIGERATOR**

CDE06RP2NS1

- Stainless steel interior
- · Soft-close drawers · Adjustable dividers
- LED lighting
- Chills between 34° and 45° F
- Flush installation
- · Door/Drawer ajar alarm



WINE AND BEVERAGE CENTERS



5.1 CU. FT. BEVERAGE CENTER CCP06BP2PS1

- · LED light wall
- Magnum 4-bottle storage
- Built-in WiFi powered by SmartHQ™
- Flush installation
- 14-bottle or 126-can capacity
- · Quick Space shelf
- Articulating door hinges
- Reversible door

















4.7 CU. FT. WINE CENTER CCP06DP2PS1

- LED light wall
- Magnum 8-bottle storage
- Built-in WiFi powered by SmartHQ
- Flush installation
- Dual zone temperature control • 46-bottle capacity
- Articulating door hinges









WITH CONVECTION

CTS90DP2NS1

• In-oven camera

• Soft-close door

• Dehydrate mode

30" SMART SINGLE WALL OVEN









- No-preheat air fry Built-in WiFi powered by SmartHQ*
- Precision cooking • 7" full-color display
- True European Convection with Direct Air



Perfect Match Cooktops: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)







by SmartHQ*

· Never-Scrub,

• Built-in WiFi powered

heavy-duty, smooth

Steam Clean option

glide roller racks

· Self-clean with

WITH CONVECTION CTD70DP2NS1

- Precision cooking • 7" full-color display
- True European Convection with Direct Air (upper oven)
- No-preheat options
- No-preheat air fry







Never-Scrub,

Self-clean with

Steam Clean option

30" SMART SINGLE WALL OVEN WITH CONVECTION

CTS70DP2NS1

Precision cooking

Direct Air

- 7" full-color display • True European Convection with
- No-preheat air fry
- Built-in WiFi powered by SmartHQ*





Perfect Match Cooktops: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)

Complete features and specifications on pages 125-126 and 128-131. For definitions of logos, see page 3.

*See spec pages 128-129 for WiFi-enabled features.

58





27" SMART DOUBLE WALL OVEN WITH CONVECTION CKD70DP2NS1

- 7" full-color display
- Built-in WiFi powered by SmartHQ*
- Hidden bake element
- Never-Scrub, heavy-duty, smooth glide racks
- Precision temperature probe
- Self-clean with Steam Clean option
- Scan-to-cook
- 8-pass broil element





Perfect Match Cooktons: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)







27" SMART SINGLE WALL OVEN WITH CONVECTION

CKS70DP2NS1

- 7" full-color display
- Built-in WiFi powered by SmartHQ*
- True European Convection
- Never-Scrub, heavy-duty, smooth-glide roller rack
- Precision temperature probe
- Self-clean with Steam Clean option
- Scan-to-cook
- 8-pass broil element









Perfect Match Cooktops: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)



30" COMBINATION DOUBLE WALL OVEN WITH CONVECTION AND ADVANTIUM® **TECHNOLOGY**

CTC912P2NS1

- Five-in-one oven
- Speedcook
- True European Convection (lower oven)
- Never-Scrub, heavy-duty, smooth glide roller rack
- Self-clean with Steam Clean option







Perfect Match Cooktops: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)



STEAM OVEN

30" STEAM OVEN

CMB903P2NS1

- Steam cooking
- Combination cooking
- Pre-programmed selections
- Recirculating water system
- True European Convection
- Temperature probe
- · LCD with touch controls
- Steam Clean

ADVANTIUM® OVENS





30" SMART FIVE-IN-ONE OVEN WITH 240V ADVANTIUM® TECHNOLOGY CSB923P2NS1

- Five-in-one oven
- Speedcook
- 7" full-color display
- Crisp reheat
- 240V

9

Steam cook



30" SMART FIVE-IN-ONE OVEN WITH 120V ADVANTIUM TECHNOLOGY CSB913P2NS1

- Speedcook
- Five-in-one oven
- 7" full-color display
- Crisp reheat
- 120V
- Steam cook







27" SMART FIVE-IN-ONE OVEN WITH 120V ADVANTIUM TECHNOLOGY CSB912P2NS1

- Speedcook
- Five-in-one oven
- Crisp reheat
- 7" full-color display
- 120V
- Steam cook

MICROWAVE OVEN



30" BUILT-IN MICROWAVE/ **CONVECTION OVEN** CWB713P2NS1

- 1.7 cu. ft. capacity
- Convection cooking
- Combination Fast Cook setting
- Steam cook
- Glass touch controls
- My Cycle

WARMING DRAWER



30" WARMING DRAWER CTW900P2PS1

- Variable-degree control
- · Variable-humidity control
- Frameless front
- "On" indicator light
- Half rack
- Customizable hardware

*See spec pages 128-129 for WiFi enabled features. Complete features and specifications on pages 128-135. For definitions of logos, see page 3.

UFAS



36" SMART TOUCH-CONTROL INDUCTION COOKTOP **CHP95362MSS**

- Gourmet guided cooking
- Pan presence sensor
- Five induction elements
- White LED glide touch controls
- 11" 3,700W induction element
- Two 7" synchronized elements
- · Multi-element timer
- · Hestan pan included



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)







30" SMART TOUCH-CONTROL INDUCTION COOKTOP CHP95302MSS

- Gourmet guided cooking
- · Pan presence sensor
- Four induction elements
- White LED glide touch controls
- 11" 3,700W induction element
- Two 7" synchronized elements
- Multi-element timer
- · Hestan pan included



CEP70362MS1

black glass surface

Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)





36" TOUCH-CONTROL ELECTRIC COOKTOP CEP90362NSS

- 12"/9"/6" burner with Power Boil
- Two 7" synchronized elements
- Red LED glide touch controls
- 9"/7"/5" element with Power Boil
- Five radiant cooking elements
- Griddle included

Also available in black: CEP90361NBB



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)



48" COMMERCIAL-STYLE GAS RANGETOP WITH 6 BURNERS AND GRIDDLE

COMMERCIAL-STYLE RANGETOPS

CGU486P2TS1

- Versatile cooktop
- Color-matched manifold
- Multi-ring burner
- Two griddle burners
- Two high-heat burners
- Inspiral[™] burner
- Inspiral[™] wok grate
- Built-in griddle with thermostat



Perfect Match Wall Ovens: CTS90FP (Single), CTD90FP (Double)



WITH 6 BURNERS CGU366P2TS1

- Versatile cooktop
- Color-matched manifold
- Multi-ring burner
- Two griddle burners
- Two high-heat burners
- Inspiral burner
- Inspiral wok grate





36" GAS COOKTOP

• 18,000-BTU burner

Sealed cooktop burners

Precise Simmer burner

• Continuous cast-iron grates

CGP70362NS1

Perfect Match Wall Ovens: CTS90FP (Single), CTD90FP (Double)





36" GAS COOKTOP CGP95362MS1

- 20,000 BTU tri-ring burner
- White LED backlit, heavy-duty knobs
- Extra-large, integrated cooktop griddle
- Precise Simmer burner
- Heavy-cast, edge-to-edge grates
- Sealed cooktop burners



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)





30" TOUCH-CONTROL ELECTRIC COOKTOP **CEP90302NSS**

- Five radiant cooking elements
- Two 7" synchronized elements
- Red LED glide touch controls
- 9"/7"/5" element with Power Boil
- 8"/5" dual element
- Griddle included

Also available in black: CEP90301NBB.



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)



• Five radiant cooking elements

• 12"/9"/6" burner with Power Boil

• 9"/7"/5" Power Boil element

• Two 7" sychronized elements

36" KNOB-CONTROL ELECTRIC COOKTOP

· White LED backlit knobs with beveled-edge

Perfect Match Wall Ovens:

CTD70DP (Double)

CTS70DP (Single),









30" KNOB-CONTROL ELECTRIC COOKTOP CEP70302MS1

- Five radiant cooking elements
- 9"/7"/5" Power Boil element
- White LED backlit knobs with beveled-edge black glass surface
- 8"/5" dual element
- Two 7" sychronized elements



Perfect Match Wall Ovens: CTS70DP (Single), CTD70DP (Double)





- 20,000 BTU tri-ring burner
- White LED backlit, heavy-duty knobs
- Extra-large, integrated cooktop griddle
- 30" cooktop with 5 burners
- Precise Simmer burner • Sealed cooktop burners



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)



• White LED backlit, heavy-duty knobs

Perfect Match Wall Ovens:

CTS70DP (Single),

CTD70DP (Double)









30" GAS COOKTOP CGP70302NS1

- 18,000-BTU burner
- White LED backlit, heavy-duty knobs
- 30" cooktop with 5 burners
- Precise Simmer burner
- · Continuous cast-iron grates



Perfect Match Wall Ovens: CTS70DP (Single), CTD70DP (Double)

Complete features and specifications on pages 136-139. For definitions of logos, see page 3.

63

48" PROFESSIONAL HOOD UVW9484SPSS

- 1200-CFM vertical exhaust with dual blowers
- LED lighting
- Removable, dishwasher-safe stainless steel baffle filters
- Variable-speed fan control
- QuietBoost





36" COMMERCIAL HOOD UVW93642PSS

- 600-CFM venting system
- Four-speed fan control
- Horizontal and vertical exhaust
- LED lighting
- Premium stainless steel baffle filters
- QuietBoost





30" COMMERCIAL HOOD UVW93042PSS

- 600-CFM venting system
- Four-speed fan control
- Horizontal and vertical exhaust
- LED lighting
- Premium stainless steel baffle filters
- QuietBoost





VENTILATION

30" SMART DESIGNER CUSTOM INSERT WITH DIMMABLE LED LIGHTING

UVC9300SLSS

- 610-CFM adjustable blower
- Triple-LED dimmable lighting bulbs included
- Premium stainless steel baffle filters
- Electronic backlit controls
- Chef Connect







36" DESIGNER WALL-MOUNT HOOD WITH DIMMABLE LED LIGHTING

UVW8364SPSS

- 600 CFM
- Four-speed fan control
- LED lighting
- Chef Connect







30" DESIGNER WALL-MOUNT HOOD WITH DIMMABLE LED LIGHTING

UVW8304SPSS

- 600 CFM
- Four-speed fan control
- LED lighting
- Chef Connect







36" SMART DESIGNER WALL-MOUNT HOOD WITH PERIMETER VENTING UVW9361SLSS

- 610-CFM blower with four-speed fan control
- Four-speed fan control
- · LED backlit glass touch control
- Perimeter venting
- Built-In WiFi powered by SmartHQ[™]
- 10-foot ceiling height

Also available in black stainless: UVW9361BLTS



64



30" SMART DESIGNER WALL-MOUNT HOOD WITH PERIMETER VENTING

UVW9301SLSS

- 610-CFM blower with four-speed fan control
- Four-speed fan control
- LED backlit glass touch control
- Perimeter venting
- Built-In WiFi powered by SmartHQ™
- 10-foot ceiling height

Also available in black stainless: UVW9301BLTS





36" SMART DESIGNER CUSTOM INSERT WITH DIMMABLE LED LIGHTING UVC9360SLSS

- 610-CFM adjustable blower
- Triple-LED dimmable lighting bulbs included
- Premium stainless steel baffle filters
- Electronic backlit controls
- Chef Connect







36" DESIGNER WALL-MOUNT HOOD WITH DIMMABLE LIGHTING

UVW8361SLSS

- 350-CFM blower
- Dual-LED dimmable-lighting (bulbs included)
- Electronic backlit controls
- · Convertible venting options
- 9-foot ceiling height
- Chef Connect





30" DESIGNER WALL-MOUNT HOOD WITH DIMMABLE LIGHTING

UVW8301SLSS

- 350-CFM blower
- Dual-LED dimmable-lighting (bulbs included)
- · Electronic backlit controls
- Convertible venting options • 9-foot ceiling height
- Chef Connect





STAINLESS

RANGES



36" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

CVW73612MSS

- 350-CFM venting system with boost
- Electronic backlit controls
- Dual halogen cooktop lighting
- Night light
- Convertible venting options
- Optional remote control (UXRC70)



30" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

CVW73012MSS

- 350-CFM venting system with boost
- Electronic backlit controls
- Dual halogen cooktop lighting
- Night light
- Convertible venting options
- Optional remote control (UXRC70)



30" SMART SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION RANGE WITH IN-OVEN CAMERA

CHS90XP2MS1

- Gourmet guided cooking*
- Precision cooktop sensor
- In-oven camera
- · Backlit glass touch-control panel
- Built-in WiFi powered by SmartHQ
- 11" 3.700-watt induction element
- No-preheat air fry**









No-preheat air fry**



30" SMART SLIDE-IN, FRONT-CONTROL,

DOUBLE-OVEN DUAL-FUEL RANGE

• Six-burner, edge-to-edge cooktop

• Built-in WiFi powered by SmartHQ

• Backlit glass touch-control panel

• 15,000-BTU Power Boil burner

· Cast-iron integrated griddle


• 21,000-BTU tri-ring burner

• Precision oven modes


WITH CONVECTION

C2S950P2MS1





30" SMART SLIDE-IN, FRONT-CONTROL,



• Six-burner, edge-to-edge cooktop

DUAL-FUEL, RANGE WITH

WARMING DRAWER

C2S900P2MS1











COMMERCIAL-STYLE RANGES



48" SMART DUAL-FUEL COMMERCIAL-STYLE **RANGE WITH 6 BURNERS AND GRIDDLE** (NATURAL GAS)

C2Y486P2TS1

- Caterer oven
- Second oven for everyday use
- Color-matched manifold with LCD
- Inspiral[™] burner
- Multi-ring burner
- Two griddle burners
- Built-in griddle with thermostat

*Free cookware rebate may be available.

Built-in WiFi powered by SmartHQ™











mmd

36" SMART DUAL-FUEL COMMERCIAL-STYLE

RANGE WITH 6 BURNERS (NATURAL GAS)

• Color-matched manifold with LCD

• Built-in WiFi powered by SmartHQ

C2Y366P2TS1

Caterer oven

Inspiral burner

Multi-ring burner

• Two griddle burners









36" SMART ALL-GAS COMMERCIAL-STYLE **RANGE WITH 6 BURNERS (NATURAL GAS)** CGY366P2TS1

Caterer oven

- Color-matched manifold with LCD
- Inspiral burner
- Multi-ring burner
- Two griddle burners
- Built-in WiFi powered by SmartHQ











trademarks owned by Bluetooth SIG, Inc. and any use of such

marks by GE Appliances is under license. Other trademarks

The Bluetooth® word mark and logos are registered

and trade names are those of their respective owners.



30" SMART SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION **DOUBLE-OVEN RANGE**

CHS950P2MS1

- Gourmet guided cooking*
- 6.7 cu. ft. total oven capacity
- True Convection with Precise Air (lower oven only)
- · Backlit glass touch-control panel
- 11" 3,700-watt induction element
- Sous vide probe*
- No-preheat air fry**















30" SMART SLIDE-IN, FRONT-CONTROL

INDUCTION AND CONVECTION RANGE

WITH WARMING DRAWER

· Gourmet guided cooking*

• Precision oven modes

• Sous-vide enabled

No-preheat air fry**

• Built-in WiFi powered by SmartHQ

• Backlit glass touch control panel

• 11" 3,700W induction element

• Two 8" synchronized elements

CHS900P2MS1







30" SMART SLIDE-IN, FRONT-CONTROL GAS DOUBLE-OVEN RANGE WITH CONVECTION

CGS750P2MS1

- 7.0 cu. ft. total oven capacity
- True Convection with Precise Air (lower oven only)
- Built-in WiFi powered by SmartHQ
- Six-burner, edge-to-edge cooktop
- Cast-iron integrated griddle
- 21,000-BTU tri-ring burner
- No-preheat air fry**













**Feature upgrade will be available via the SmartHQ app. Complete features and specifications on pages 141, 143-149. For definitions of logos, see page 3.

99

STAINLESS

30" SMART SLIDE-IN, FRONT-CONTROL GAS RANGE WITH CONVECTION OVEN AND STORAGE DRAWER

CGS700P2MS1

- Six-burner, edge-to-edge cooktop
- Cast-iron integrated griddle
- Built-in WiFi powered by SmartHQ™
- 21,000-BTU tri-ring burner
- 15,000-BTU Power Boil burner
- True Convection with Precise Air
- No-preheat air fry*











30" SMART SLIDE-IN, FRONT-CONTROL **RADIANT AND CONVECTION DOUBLE-OVEN RANGE**

CES750P2MS1

- Edge-to-edge glass cooktop
- 12"/9"/6" 3,600-watt Power Boil
- 6.7 cu. ft. total oven capacity
- True Convection with Precise Air (lower oven only)
- Built-in WiFi powered by SmartHQ
- Precision oven probe
- Backlit glass touch-control panel
- No-preheat air fry*















30" SMART SLIDE-IN, FRONT-CONTROL RADIANT AND CONVECTION RANGE WITH WARMING DRAWER

CES700P2MS1

- Edge-to-edge glass cooktop
- 12"/9"/6" 3,600-watt Power Boil burner
- True Convection with Precise Air
- Precision oven probe
- Built-in WiFi powered by SmartHQ
- Backlit glass touch-control panel
- No-preheat air fry*













DISHWASHERS

STAINLESS INTERIOR SMART DISHWASHER WITH DUAL-CONVECTION ULTRA DRY CDT875P2NS1

• Ultra wash & dry plus

- Status center
- · Loading flexibility Adjustable upper racks
- Third rack
- Built-in WiFi powered by SmartHQ











STAINLESS INTERIOR SMART DISHWASHER WITH 90+ CLEANING JETS

CDT845P2NS1

- Ultra wash with 90+ cleaning jets
- Ultra dry
- Bottle Jets
- Deep Clean Silverware Jets
- Reversing quad-blade wash arm
- Third rack
- WiFi optional***









STAINLESS INTERIOR SMART DISHWASHER WITH ULTRA DRY

CDT805P2NS1

- Ultra wash Ultra dry
- Bottle Jets
- Reversing quad-blade wash arm
- Third rack
- Fold-down tines
- WiFi optional***











MICROWAVE OVENS



2.1 CU. FT. OVER-THE-RANGE **MICROWAVE OVEN**

CVM521P2MS1

- Chef Connect
- Steam cook
- · Sensor cooking controls · LED cooktop lighting
- · Easy-clean interior
- 400-CFM venting system



89



1.7 CU. FT. CONVECTION OVER-THE-RANGE MICROWAVE OVEN

- Fast Cook setting
- LED cooktop lighting





CVM517P2MS1 Chef Connect

- Steam cook
- Sensor cooking controls
- Convection cooking





1.5 CU. FT. SMART COUNTERTOP CONVECTION/MICROWAVE OVEN CEB515P2RSS

- Built-in WiFi powered by SmartHQ
- Scan-to-cook technology
- Convection cooking Sensor cooking controls
- Warming oven
- Auto bake/auto roast


Optional built-in trim kit: CX153P2MSS (30") CX152P2MSS (27")











**Only applicable under ADA-compliant installation Complete features and specifications on pages 127, 146-151.



Matte White & Brushed Bronze

The Matte White finish complements premium cabinetry and works well with warm-toned fixtures, resulting in a layered space that feels connected, clean and timeless.





ICE MAKERS AND DOOR PANEL



27.6 CU. FT. SMART FOUR-DOOR, FRENCH-DOOR REFRIGERATOR CVE28DP4NW2

- Adjustable-temperature drawer with sliding glass dividers
- Humidity-control system
- LED Light Wall
- Hands-free AutoFill
- Flatbread freezer tray
- Built-in WiFi powered by SmartHQ[™]









23.1 CU. FT. SMART COUNTER-DEPTH.

FRENCH-DOOR REFRIGERATOR

- CWE23SP4MW2
- · Counter-depth design
- Internal water dispenser
- WiFi optional
- Factory-installed icemaker
- Full-width, electronic temperature-controlled drawer with LED lights
- TwinChill evaporators
- Showcase LED lighting











27.8 CU. FT. SMART FRENCH-DOOR REFRIGERATOR WITH HOT WATER **DISPENSER**

CFE28TP4MW2

- Hot water dispenser
- Precise Fill setting
- Full-width, electronic temperature-controlled drawer with LED lights
- TwinChill[™] evaporators
- Showcase LED lighting
- Built-in WiFi powered by SmartHQ







18.6 CU. FT. SMART COUNTER-DEPTH,

FRENCH-DOOR REFRIGERATOR

CWE19SP4NW2*

WiFi optional

Turbo Cool

• Fits in a 33" opening

· Counter-depth design

Internal water dispenser

• Showcase LED lighting

Humidity-controlled drawers















22.2 CU. FT. SMART COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER

CYE22TP4MW2

- Counter-depth design
- Hot water dispenser
- Precise Fill setting
- TwinChill evaporators
- Full-width, electronic temperature-controlled drawer with LED lights
- Showcase LED lighting









UNC15NJII

- Nugget ice
- The options you need to make a statement
- 56 pounds of quality ice per day
- LED lighting
- Integrated scoop
- Large-capacity ice bin
- Holds 26 pounds of ice
- Clean indicator light
- Optional drain pump kit (UPK3) available



UCC15NJII

- Gourmet clear ice
- The options you need to make a statement
- 48 pounds of quality ice per day
- LED lighting
- Integrated scoop
- · Large-capacity ice bin
- Holds 26 pounds of ice • Clean indicator light
- Optional drain pump kit (UPK3) available



MATTE WHITE DOOR PANEL KIT **FOR 15" ICE MAKERS**

CIP75W2

- Compatible with UNC15NJII and UCC15NJII ice makers
- Easy to install
- Brushed bronze handle included
- · Custom handle kits available (sold separately)

BUILT-IN REFRIGERATOR DRAWERS



5.7 CU. FT. BUILT-IN, DUAL-DRAWER REFRIGERATOR CDE06RP4NW2

- Stainless steel interior
- Soft-close drawers
- Adjustable dividers

LED lighting

- Chills between 34° and 45° F
- Flush installation
- Door/Drawer ajar alarm



WINE AND BEVERAGE CENTERS



5.1 CU. FT. BEVERAGE CENTER CCP06BP4PW2

- LED light wall
- Magnum 4-bottle storage
- Built-in WiFi powered by SmartHQ
- Flush installation
- 14-bottle or 126-can capacity
- Quick Space shelf • Articulating door hinges
- Reversible door









4.7 CU. FT. WINE CENTER CCP06DP4PW2

- LED light wall
- Magnum 8-bottle storage
- Built-in WiFi powered by SmartHQ Flush installation
- Dual zone temperature control
- 46-bottle capacity
- · Articulating door hinges · Reversible door









UFAS





• Built-in WiFi powered

by SmartHQ™*

Self-clean with

heavy-duty roller

racks (both ovens)

Steam Clean option

· Never-Scrub,

30" SMART FRENCH-DOOR, DOUBLE WALL OVEN WITH CONVECTION

CTD90FP4NW2

- French-door design • 7" full-color display
- True European Convection with

Direct Air (both ovens)

- No-preheat air fry
- · Precision cooking



Perfect Match Cooktops: CGU366 (Gas), CGU486 (Gas)





WALL OVEN WITH CONVECTION

CTS90FP4NW2

- French-door design
- 7" full-color display • True European Convection with
- Direct Air No-preheat air fry
- Precision cooking





- heavy-duty roller racks
- Self-clean with Steam Clean option



Perfect Match Cooktops: CGU366 (Gas), CGU486 (Gas)





30" SMART DOUBLE WALL OVEN WITH CONVECTION

CTD90DP4NW2

- In-oven camera
- · Precision cooking
- 7" full-color display • No-preheat air fry
- Dehydrate mode
- · No preheat options
- Built-in WiFi powered by SmartHQ*
- True European Convection with Direct Air (both ovens)
- Precision temperature probe



Perfect Match Cooktops: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)

*See spec pages 128-129 for WiFi-enabled features. Complete features and specifications on pages 128-132, 135, 138. For definitions of logos, see page 3.



• Built-in WiFi powered

- · Never-Scrub,







No preheat air fry

by SmartHQ*

• Built-in WiFi powered






30" SMART SINGLE WALL OVEN WITH CONVECTION

CTS90DP4NW2

- In-oven camera
- Dehydrate mode
- Soft-close door
- Precision cooking
- 7" full-color display • True European
- Convection with Direct Air







Perfect Match Cooktops: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)



ADVANTIUM® OVENS

30" SMART FIVE-IN-ONE OVEN WITH 240V ADVANTIUM® TECHNOLOGY CSB923P4NW2

- Five-in-one oven
- Speedcook
- 7" full-color display
- Crisp reheat
- 240V
- Steam cook



CSB913P4NW2

• Five-in-one oven

• 7" full-color display

Speedcook

Crisp reheat

Steam cook

• 120V

30" SMART FIVE-IN-ONE OVEN

WITH 120V ADVANTIUM TECHNOLOGY









- Variable-degree control
- · Variable-humidity control
- Frameless front
- "On" indicator light
- Half rack
- Customizable hardware

ELECTRIC COOKTOPS



36" SMART TOUCH-CONTROL

INDUCTION COOKTOP

Gourmet guided cooking

• Five induction elements

• White LED glide touch controls

• 11" 3,700-watt induction element

• Two 7" synchronized elements

Perfect Match Wall Ovens:

CTS90DP (Single),

CTD90DP (Double)

· Pan presence sensor

Multi-element timer

Hestan pan included

CHP95362MSS













30" SMART TOUCH-CONTROL INDUCTION COOKTOP CHP95302MSS

Gourmet guided cooking

- Pan presence sensor
- Four induction elements
- White LED glide touch controls
- 11" 3,700-watt induction element
- Two 7" synchronized elements
- Multi-element timer
- Hestan pan included



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)



36" TOUCH-CONTROL ELECTRIC COOKTOP

CEP90362NSS

- 12"/9"/6" burner with Power Boil • Two 7" synchronized elements
- Red LED glide touch controls
- 9"/7"/5" element with Power Boil
- · Five radiant cooking elements Griddle included
- Also available in black: CEP90361NBB



CTS90DP (Single), CTD90DP (Double)



9/





30" TOUCH-CONTROL ELECTRIC COOKTOP **CEP90302NSS**

- Five radiant cooking elements
- Two 7" synchronized elements
- Red LED glide touch controls
- 9"/7"/5" element with Power Boil
- 8"/5" dual element
- Griddle included

Also available in black: CEP90301NBB



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)



• Five radiant cooking elements

• 9"/7"/5" Power Boil element

Two 7" sychronized elements

• 12"/9"/6" burner with Power Boil

CEP70363MS2

black glass surface

36" KNOB-CONTROL ELECTRIC COOKTOP

• White LED backlit knobs with beveled-edge

Perfect Match Wall Ovens:

CTD70DP (Double)

CTS70DP (Single),







CEP70303MS2

- Five radiant cooking elements
- black glass surface
- Two 7" sychronized elements



CTD70DP (Double)

30" KNOB-CONTROL ELECTRIC COOKTOP

- 20,000-BTU tri-ring burner
- 9"/7"/5" Power Boil element
- White LED backlit knobs with beveled-edge
- 8"/5" dual element

Perfect Match Wall Ovens: CTS70DP (Single),





30" GAS COOKTOP CGP95303MS2

• 20,000-BTU tri-ring burner

- White LED backlit, heavy-duty knobs
- Extra-large, integrated cooktop griddle
- 30" cooktop with 5 burners
- Precise Simmer burner
- Heavy-cast, edge-to-edge grates



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)

COMMERCIAL-STYLE RANGETOPS



WITH 6 BURNERS AND GRIDDLE

CGU486P4TW2

Versatile cooktop

• Multi-ring burner

Inspiral[™] burner

Inspiral wok grate

• Two griddle burners

• Two high-heat burners

· Built-in griddle with thermostat

Perfect Match Wall Ovens:

CTS90FP (Single),

CTD90FP (Double)

• Color-matched manifold

48" COMMERCIAL-STYLE GAS RANGETOP











CGU366P4TW2

- Inspiral burner



Perfect Match Wall Ovens: CTD90FP (Double)

36" COMMERCIAL-STYLE GAS RANGETOP WITH 6 BURNERS

- Versatile cooktop
- Color-matched manifold
- Multi-ring burner
- Two griddle burners
- Two high-heat burners
- Inspiral wok grate



CTS90FP (Single),



36" GAS COOKTOP CGP70362NS1

- 18,000-BTU burner
- Sealed cooktop burners

GAS COOKTOPS

36" GAS COOKTOP

• Precise Simmer burner

• Sealed cooktop burners

White LED backlit, heavy-duty knobs

• Heavy-cast, edge-to-edge grates

• Extra-large, integrated cooktop griddle

Perfect Match Wall Ovens:

CTS90DP (Single), CTD90DP (Double)

CGP95363MS2

- White LED backlit, heavy-duty knobs
- Precise Simmer burner
- Continuous cast-iron grates



Perfect Match Wall Ovens: CTS70DP (Single), CTD70DP (Double)





30" GAS COOKTOP CGP70302NS1

- 18,000-BTU burner
- White LED backlit, heavy-duty knobs
- 30" cooktop with 5 burners
- Precise Simmer burner • Continuous cast-iron grates



Perfect Match Wall Ovens: CTS70DP (Single), CTD70DP (Double)

Complete features and specifications on pages 136-139. For definitions of logos, see page 3.

COMMERCIAL-STYLE RANGES



36" COMMERCIAL HOOD CVW93644PWM


600-CFM venting system

- Four-speed fan control Horizontal and vertical exhaust
- Dual LED cooktop lighting
- Removable and dishwasher-safe baffle filter
- QuietBoost









30" COMMERCIAL HOOD

CVW93044PWM

- 600-CFM venting system
- Four-speed fan control
- Horizontal and vertical exhaust
- Dual LED cooktop lighting
- Removable and dishwasher-safe baffle filter
- QuietBoost










36" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

CVW73614MWM

- 350-CFM venting system with boost
- Electronic backlit controls
- Dual halogen cooktop lighting
- Night light
- Convertible venting options
- Optional remote control (UXRC70)







30" WALL-MOUNT GLASS CANOPY **CHIMNEY HOOD**

CVW73014MWM

- 350-CFM venting system with boost
- Electronic backlit controls
- Dual halogen cooktop lighting
- Night light
- Convertible venting options
- Optional remote control (UXRC70)



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by GE Appliances is under license. Other trademarks and trade names are those of their respective owners.



48" SMART COMMERCIAL-STYLE DUAL-FUEL RANGE WITH 6 BURNERS AND GRIDDLE C2Y486P4TW2

- Caterer oven
- Second oven for everyday use
- Color-matched manifold with LCD
- Inspiral[™] burner
- Multi-ring burner
- Two griddle burners
- Two high-heat burners
- Built-in griddle with thermostat
- Built-in WiFi powered by SmartHQ™









36" SMART DUAL-FUEL COMMERCIAL-STYLE **RANGE WITH 6 BURNERS (NATURAL GAS)** C2Y366P4TW2

- Caterer oven
- Color-matched manifold with LCD
- Inspiral burner
- Multi-ring burner
- Two griddle burners
- Built-in WiFi powered by SmartHQ











RANGE WITH 6 BURNERS (NATURAL GAS) CGY366P4TW2

- Caterer oven
- Color-matched manifold with LCD
- Inspiral burner
- Multi-ring burner
- Two griddle burners
- Built-in WiFi powered by SmartHQ











RANGES



30" SMART SLIDE-IN, FRONT-CONTROL, **DOUBLE-OVEN DUAL-FUEL RANGE** WITH CONVECTION

C2S950P4MW2

- Six-burner, edge-to-edge cooktop
- · Cast-iron, integrated griddle
- Built-in WiFi powered by SmartHQ
- Precision oven modes
- Backlit glass touch-control panel
- 21,000-BTU tri-ring burner • 15,000-BTU Power Boil burner
- No-preheat air fry*

















30" SMART SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION **DOUBLE-OVEN RANGE**

CHS950P4MW2

- Gourmet guided cooking**
- 6.7 cu. ft. total oven capacity
- True Convection with Precise Air (lower oven only)
- Backlit glass touch-control panel
- 11" 3,700-watt induction element
- Sous vide probe**
- No-preheat air fry*









30" SMART SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION RANGE WITH WARMING DRAWER

CHS900P4MW2 Gourmet guided cooking**

- Built-in WiFi powered by SmartHQ
- Precision oven modes
- Sous-vide enabled
- Backlit glass touch-control panel
- 11" 3,700W induction element
- Two 8" synchronized elements No-preheat air fry*











30" SMART SLIDE-IN, FRONT-CONTROL GAS DOUBLE-OVEN RANGE WITH CONVECTION

CGS750P4MW2

- 7.0 cu. ft. total oven capacity
- True Convection with Precise Air (lower oven only)
- Built-in WiFi powered by SmartHQ™
- Six-burner, edge-to-edge cooktop
- · Cast-iron, integrated griddle • 21,000-BTU tri-ring burner
- No-preheat air fry*

















30" SMART SLIDE-IN, FRONT-CONTROL

GAS RANGE WITH CONVECTION OVEN

Six-burner, edge-to-edge cooktop

• Built-in WiFi powered by SmartHQ

AND STORAGE DRAWER

· Cast-iron, integrated griddle

• 21,000-BTU tri-ring burner

No-preheat air fry*

• 15,000-BTU Power Boil burner

• True Convection with Precise Air

CGS700P4MW2





30" SMART SLIDE-IN, FRONT-CONTROL **RADIANT AND CONVECTION DOUBLE-OVEN RANGE**

CES750P4MW2

- Edge-to-edge glass cooktop
- 12"/9"/6" 3,600 watt Power Boil Burner
- 6.7 cu. ft. total double-oven capacity
- True Convection and Precise Air (lower oven only)
- Built-in WiFi powered by SmartHQ
- Precision oven probe
- Backlit glass touch-control panel
- No-preheat air fry*













MICROWAVE OVENS

1.7 CU. FT. CONVECTION OVER-THE-RANGE **MICROWAVE OVEN**

CVM517P4MW2

- · Convection cooking
- Steam cook button
- Fast Cook
- Sensor cooking controls
- Chef Connect
- LED cooktop lighting





1.5 CU. FT. SMART COUNTERTOP **CONVECTION/MICROWAVE OVEN**

CEB515P4RWM

- Built-in WiFi powered by SmartHQ
- Scan-to-cook technology
- · Convection cooking
- Auto Bake/Auto Roast
- Warming oven
- Sensor cooking controls

Optional built-in trim kit: CX153P4MWM (30") CX152P4MWM (27")











STAINLESS INTERIOR SMART DISHWASHER WITH DUAL-CONVECTION ULTRA DRY

CDT875P4NW2

- Ultra wash & dry plus
- Status center
- · Loading flexibility
- Adjustable upper racks
- Third rack
- Built-in WiFi powered by SmartHQ











STAINLESS INTERIOR SMART DISHWASHER **WITH 90+ CLEANING JETS**

CDT845P4NW2

- Ultra wash with 90+ cleaning jets
- Ultra dry
- Bottle Jets
- Deep Clean Silverware Jets
- Reversing quad-blade wash arm
- Third rack
- WiFi optional***











30" SMART SLIDE-IN, FRONT-CONTROL

RADIANT AND CONVECTION RANGE

• 12"/9"/6" 3,600-watt Power Boil burner

WITH WARMING DRAWER

• Edge-to-edge glass cooktop

• True Convection with Precise Air

• Backlit glass touch-control panel


• Built-in WiFi powered by SmartHQ

• Precision oven probe

No-preheat air fry*

For definitions of logos, see page 3.

CES700P4MW2






Matte Black & Brushed Stainless

The Matte Black finish is inspired by the natural deep tones of wood and stone.

Create a crisp, bold statement with room for thoughtfully added details.







27.6 CU. FT. SMART FOUR-DOOR. FRENCH-DOOR REFRIGERATOR CVE28DP3ND1

- Adjustable-temperature drawer with sliding glass dividers
- · Humidity-control system
- LED Light Wall
- Hands-free AutoFill
- Flatbread freezer tray
- Built-in WiFi powered by SmartHQ™







23.1 CU. FT. SMART COUNTER-DEPTH.

• Full-width, electronic temperature-controlled

FRENCH-DOOR REFRIGERATOR

CWE23SP3MD1

· Counter-depth design

Internal water dispenser

drawer with LED lights

TwinChill™ evaporators

• Showcase LED lighting

80

• Factory-installed icemaker



27.8 CU. FT. SMART FRENCH-DOOR **REFRIGERATOR WITH HOT WATER** DISPENSER

CFE28TP3MD1

- · Hot water dispenser
- Precise Fill setting
- Full-width, electronic temperature-controlled drawer with colored LED lights
- TwinChill[™] evaporators
- Showcase LED lighting
- Built-in WiFi powered by SmartHQ







18.6 CU. FT. SMART COUNTER-DEPTH,

FRENCH-DOOR REFRIGERATOR

CWE19SP3ND1*

• Turbo Cool

• Fits in a 33" opening

· Counter-depth design

Internal water dispenser

Showcase LED lighting

• Humidity-controlled drawers







22.2 CU. FT. SMART COUNTER-DEPTH. FRENCH-DOOR REFRIGERATOR WITH HOT WATER DISPENSER

CYE22TP3MD1

- · Counter-depth design
- Hot water dispenser
- Precise Fill setting
- TwinChill evaporators
- Full-width, electronic temperature-controlled drawer with LED lights
- Showcase LED lighting











UNC15NJII

- Nugget ice
- The options you need to make a statement
- 56 pounds of quality ice per day
- LED lighting
- Integrated scoop
- Large-capacity ice bin
- Holds 26 pounds of ice
- Clean indicator light
- · Optional drain pump kit (UPK3) available



CLEAR ICE MAKER

UCC15NJII

- Gourmet clear ice
- The options you need to make a statement
- 48 pounds of quality ice per day
- LED lighting
- Integrated scoop
- Large-capacity ice bin
- Holds 26 pounds of ice
- Clean indicator light
- Optional drain pump kit (UPK3) available



MATTE BLACK DOOR PANEL KIT FOR 15" ICE MAKERS

CIP75D1

- Compatible with UNC15NJII and UCC15NJII ice makers
- Easy to install
- Brushed bronze handle included
- Custom handle kits available (sold separately)

BUILT-IN REFRIGERATOR DRAWERS



5.7 CU. FT. BUILT-IN, DUAL-DRAWER REFRIGERATOR

CDE06RP3ND1

- Stainless steel interior
- Soft-close drawers
- · Adjustable dividers LED lighting
- Chills between 34° and 45° F
- Flush installation
- Door/Drawer ajar alarm



WINE AND BEVERAGE CENTERS



5.1 CU. FT. BEVERAGE CENTER CCP06BP3PD1

- LED light wall
- Magnum 4-bottle storage
- Built-in WiFi powered by SmartHQ
- Flush installation
- 14-bottle or 126-can capacity
- Quick Space shelf
- Articulating door hinges
- Reversible door









4.7 CU. FT. WINE CENTER CCP06DP3PD1

- LED light wall
- Magnum 8-bottle storage
- Built-in WiFi powered by SmartHQ
- Flush installation • Dual zone temperature control
- 46-bottle capacity
- Articulating door hinges

Smart

• Reversible door









For definitions of logos, see page 3.

MATTE

BLACK





Built-in WiFi powered

by SmartHQ™*

Self-clean with

heavy-duty roller

racks (both ovens)

Steam Clean option

· Never-Scrub,

30" SMART FRENCH-DOOR, DOUBLE WALL OVEN WITH CONVECTION

CTD90FP3ND1

- French-door design • 7" full-color display
- True European Convection with
- Direct Air (both ovens) • No-preheat air fry
- Precision cooking



Perfect Match Cooktops: CGU366 (Gas), CGU486 (Gas)



30" SMART FRENCH-DOOR, SINGLE WALL OVEN WITH CONVECTION

CTS90FP3ND1

- French-door design
- 7" full-color display True European Convection with
- Precision cooking
- Direct Air • No-preheat air fry
- Built-in WiFi powered by SmartHQ*

UFAS

- · Never-Scrub, heavy-duty roller racks
- Self-clean with Steam Clean option



Perfect Match Cooktops: CGU366 (Gas), CGU486 (Gas)





30" SMART DOUBLE WALL OVEN

CTD90DP3ND1

WITH CONVECTION

- In-oven camera
- Precision cooking
- 7" full-color display • No-preheat air fry
- Dehydrate mode
- No-preheat options
- Built-in WiFi powered by SmartHQ*
 - True European Convection with
 - Direct Air (both ovens)
 - Precision temperature





CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)

*See spec pages 128-129 for WiFi-enabled features. Complete features and specifications on pages 128-132, 135, 138. For definitions of logos, see page 3.









No-preheat air fry

by SmartHQ*

• Built-in WiFi powered



Smart 🕝


30" SMART SINGLE WALL OVEN WITH CONVECTION

CTS90DP3ND1

- In-oven camera
- Dehydrate mode
- · Soft-close door
- Precision cooking
- 7" full-color display
- True European Convection with Direct Air







Perfect Match Cooktops: CHP9536 (Induction), CEP9036 (Electric), CGP9536 (Gas)



ADVANTIUM® OVENS



30" SMART FIVE-IN-ONE OVEN WITH 240V ADVANTIUM TECHNOLOGY CSB923P3ND1

- · Five-in-one oven
- Speedcook
- Crisp reheat
- 7" full-color display
- 240V
- Steam cook





WITH 120V ADVANTIUM® TECHNOLOGY





- CSB913P3ND1 Speedcook
- Five-in-one oven
- 7" full-color display
- Crisp reheat
- 120V
- Steam cook





30" WARMING DRAWER

- · Variable-degree control
- · Variable-humidity control
- Frameless front

CTW900P3PD1

- "On" indicator light
- Half rack
- Customizable hardware

ELECTRIC COOKTOPS



36" SMART TOUCH-CONTROL

INDUCTION COOKTOP

· Gourmet guided cooking

• Five induction elements

• White LED glide touch controls

• 11" 3,700-watt induction element

• Two 7" synchronized elements

Perfect Match Wall Ovens:

CTS90DP (Single),

CTD90DP (Double)

Pan presence sensor

• Multi-element timer

Hestan pan included

CHP95362MSS









CHP95302MSS



30" SMART TOUCH-CONTROL

INDUCTION COOKTOP

Gourmet guided cooking

• Four induction elements

• White LED glide touch controls

• 11" 3,700-watt induction element

Perfect Match Wall Ovens:

CTS90DP (Single),

CTD90DP (Double)

• Two 7" synchronized elements

• Pan presence sensor

• Multi-element timer

Hestan pan included







36" TOUCH-CONTROL ELECTRIC COOKTOP CEP90362NSS

- 12"/9"/6" burner with Power Boil
- Two 7" synchronized elements
- Red LED glide touch controls · Five radiant cooking elements
- 9"/7"/5" element with Power Boil
- Griddle included

Also available in black: CEP90361NBB



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)

91

ELECTRIC COOKTOPS GAS COOKTOPS





30" TOUCH-CONTROL ELECTRIC COOKTOP CEP90302NSS

- Five radiant cooking elements
- Two 7" synchronized elements
- Red LED glide touch controls
- 9"/7"/5" element with Power Boil
- 8"/5" dual element
- Griddle included

Also available in black: CEP90301NBB



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)



Five radiant cooking elements

• 9"/7"/5" Power Boil element

• Two 7" sychronized elements

• 12"/9"/6" burner with Power Boil

CEP70362MS1

black glass surface

36" KNOB-CONTROL ELECTRIC COOKTOP

• White LED backlit knobs with beveled-edge

Perfect Match Wall Ovens:

CTS70DP (Single),

CTD70DP (Double)







30" KNOB-CONTROL ELECTRIC COOKTOP CEP70302MS1

- Five radiant cooking elements
- 9"/7"/5" Power Boil element
- White LED backlit knobs with beveled-edge black glass surface
- 8"/5" dual element
- Two 7" sychronized elements



Perfect Match Wall Ovens: CTS70DP (Single), CTD70DP (Double)

36" GAS COOKTOP CGP95362MS1

- 20,000-BTU tri-ring burner
- White LED backlit, heavy-duty knobs
- Extra-large, integrated cooktop griddle • Precise Simmer burner
- Heavy-cast, edge-to-edge grates
- Sealed cooktop burners



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)





30" GAS COOKTOP CGP95302MS1

- 20,000-BTU tri-ring burner
- White LED backlit, heavy-duty knobs
- Extra-large, integrated cooktop griddle
- 30" cooktop with 5 burners
- Precise Simmer burner
- Heavy-cast, edge-to-edge grates



Perfect Match Wall Ovens: CTS90DP (Single), CTD90DP (Double)

COMMERCIAL-STYLE RANGETOPS





48" COMMERCIAL-STYLE GAS RANGETOP WITH 6 BURNERS AND GRIDDLE

CGU486P3TD1

- Versatile cooktop
- Color-matched manifold
- Multi-ring burner
- Two griddle burners
- Two high-heat burners
- Inspiral[™] burner Inspiral wok grate
- Built-in griddle with thermostat



CTS90FP (Single), CTD90FP (Double)





36" COMMERCIAL-STYLE GAS RANGETOP WITH 6 BURNERS

CGU366P3TD1

- Versatile cooktop
- Color-matched manifold
- Multi-ring burner
- Two griddle burners
- Two high-heat burners
- Inspiral burner
- · Inspiral wok grate



Perfect Match Wall Ovens: CTS90FP (Single), CTD90FP (Double)





36" GAS COOKTOP CGP70362NS1

- 18,000-BTU burner
- Sealed cooktop burners
- White LED backlit, heavy-duty knobs
- Precise Simmer burner
- Continuous cast-iron grates



Perfect Match Wall Ovens: CTS70DP (Single), CTD70DP (Double)





30" GAS COOKTOP

- CGP70302NS1
- 18,000-BTU burner • White LED backlit, heavy-duty knobs
- 30" cooktop with 5 burners
- Precise Simmer burner
- Continuous cast-iron grates



Perfect Match Wall Ovens: CTS70DP (Single), CTD70DP (Double)

Complete features and specifications on pages 136-139. For definitions of logos, see page 3.

COMMERCIAL-STYLE RANGES



36" COMMERCIAL HOOD CVW93643PDS

- 600-CFM venting system
- Four-speed fan control
- Horizontal and vertical exhaust
- Dual LED cooktop lighting
- Removable and dishwasher-safe baffle filter
- QuietBoost









30" COMMERCIAL HOOD

CVW93043PDS

- 600--CFM venting system
- Four-speed fan control
- · Horizontal and vertical exhaust
- Dual LED cooktop lighting
- Removable and dishwasher-safe baffle filter
- QuietBoost







36" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

CVW73613MDS

- 350-CFM venting system with boost
- Electronic backlit controls
- Dual halogen cooktop lighting
- Night light
- · Convertible venting options
- Optional remote control (UXRC70)







30" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

CVW73013MDS

- 350-CFM venting system with boost
- Electronic backlit controls
- Dual halogen cooktop lighting
- Night light
- Convertible venting options
- Optional remote control (UXRC70)



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by GE Appliances is under license. Other trademarks and trade names are those of their respective owners.



48" SMART COMMERCIAL-STYLE DUAL-FUEL **RANGE WITH 6 BURNERS AND GRIDDLE** C2Y486P3TD1

- Caterer oven
- Second oven for everyday use
- Color-matched manifold with LCD
- Inspiral[™] burner
- Multi-ring burner
- Two griddle burners
- Two high-heat burners
- Built-in griddle with thermostat
- Built-in WiFi powered by SmartHQ™







36" SMART DUAL-FUEL COMMERCIAL-STYLE **RANGE WITH 6 BURNERS (NATURAL GAS)** C2Y366P3TD1

Caterer oven

- · Color-matched manifold with LCD
- Inspiral burner
- Multi-ring burner
- Two griddle burners
- Built-in WiFi powered by SmartHQ











36" SMART ALL-GAS COMMERCIAL-STYLE **RANGE WITH 6 BURNERS (NATURAL GAS)** CGY366P3TD1

Caterer oven

- Color-matched manifold with LCD
- Inspiral burner
- Multi-ring burner
- Two griddle burners
- Built-in WiFi powered by SmartHQ











RANGES



30" SMART SLIDE-IN, FRONT-CONTROL, **DOUBLE-OVEN DUAL-FUEL RANGE** WITH CONVECTION

C2S950P3MD1

- Six-burner, edge-to-edge cooktop
- · Cast-iron, integrated griddle
- Built-in WiFi powered by SmartHQ
- Precision oven modes
- Backlit glass touch-control panel
- 21,000-BTU tri-ring burner • 15,000-BTU Power Boil burner
- No-preheat air fry*















DOUBLE-OVEN RANGE

CHS950P3MD1

- Gourmet guided cooking** • 6.7 cu. ft. total oven capacity
- True Convection with Precise Air
- (lower oven only)
- Backlit glass touch-control panel
- 11" 3,700-watt induction element
- Sous vide probe**
- No-preheat air fry*













30" SMART SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION RANGE WITH WARMING DRAWER CHS900P3MD1

Gourmet guided cooking**

- Built-in WiFi powered by SmartHQ
- Precision oven modes
- Sous-vide enabled
- Backlit glass touch control panel
- 11" 3,700W induction element
- Two 8" synchronized elements









95

94



30" SMART SLIDE-IN, FRONT-CONTROL GAS DOUBLE-OVEN RANGE WITH CONVECTION

CGS750P3MD1

- 7.0 cu. ft. total oven capacity
- True Convection with Precise Air (lower oven only)
- Built-in WiFi powered by SmartHQ™
- Six-burner, edge-to-edge cooktop
- · Cast-iron, integrated griddle
- 21,000-BTU tri-ring burner
- No-preheat air fry*







30" SMART SLIDE-IN. FRONT-CONTROL

RADIANT AND CONVECTION RANGE

• 12"/9"/6" 3,600-watt Power Boil burner

WITH WARMING DRAWER

• Edge-to-edge glass cooktop

• True Convection with Precise Air

• Backlit glass touch-control panel

• Built-in WiFi powered by SmartHQ

Precision oven probe

No-preheat air fry*

96

CES700P3MD1









30" SMART SLIDE-IN, FRONT-CONTROL

GAS RANGE WITH CONVECTION OVEN

• Six-burner, edge-to-edge cooktop

• Built-in WiFi powered by SmartHQ

AND STORAGE DRAWER

· Cast-iron, integrated griddle

• 21,000-BTU tri-ring burner

No-preheat air fry*

• 15,000-BTU Power Boil burner

• True Convection with Precise Air

CGS700P3MD1







30" SMART SLIDE-IN, FRONT-CONTROL RADIANT AND CONVECTION DOUBLE-OVEN RANGE

CES750P3MD1

- Edge-to-edge glass cooktop
- 12"/9"/6" 3,600watt Power Boil Burner
- 6.7 cu. ft. total double-oven capacity
- True Convection and Precise Air (lower oven only)
- Built-in WiFi powered by SmartHQ
- Precision oven probe
- Backlit glass touch-control panel
- No-preheat air fry*













1.7 CU. FT. CONVECTION OVER-THE-RANGE **MICROWAVE OVEN**

CVM517P3MD1

- · Convection cooking
- Steam cook button
- Fast Cook
- Sensor cooking controls
- Chef Connect
- LED cooktop lighting



1.5 CU. FT. SMART COUNTERTOP

CONVECTION/MICROWAVE OVEN

CEB515P3RDS

- Built-in WiFi powered by SmartHQ
- Scan-to-cook technology
- · Convection cooking
- · Auto Bake/Auto Roast
- · Warming oven
- Sensor cooking controls

Optional built-in trim kit: CX153P3MDS (30") CX152P3MDS (27")











STAINLESS INTERIOR SMART DISHWASHER WITH DUAL-CONVECTION ULTRA DRY

CDT875P3ND1

- Ultra wash & dry plus
- Status center
- Loading flexibility
- Adjustable upper racks
- Third rack
- Built-in WiFi powered by SmartHQ











STAINLESS INTERIOR SMART DISHWASHER **WITH 90+ CLEANING JETS**


CDT845P3ND1

- Ultra wash with 90+ cleaning jets
- Ultra dry
- Bottle Jets
- Deep Clean Silverware Jets
- Reversing quad-blade wash arm
- Third rack
- WiFi optional***











The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by GE Appliances is under license. Other trademarks and trade names are those of their respective owners.

The perfect kitchen, neatly packaged.

Options are a must when creating a dream kitchen. That's why Café assembled a host of striking combinations, each tailored to unique tastes and needs. Select a suite and handpick the appliances to create a one-of-a-kind package for any style.







ENERGY STAR® 27.6 CU. FT. SMART FOUR-DOOR, FRENCH-DOOR REFRIGERATOR

CVE28DM5NS5



30" SMART SLIDE-IN, FRONT-CONTROL GAS RANGE WITH CONVECTION OVEN AND STORAGE DRAWER

CGS700M2NS5



30" SMART SLIDE-IN, FRONT-CONTROL RADIANT AND CONVECTION RANGE WITH STORAGE DRAWER

CES700M2NS5



2.1 CU. FT. SMART OVER-THE-RANGE MICROWAVE OVEN

CVM721M2NS5



STAINLESS INTERIOR DISHWASHER WITH ULTRA DRY

CDT805M5NS5





ENERGY STAR® 27.6 CU. FT. SMART FOUR-DOOR, FRENCH-DOOR REFRIGERATOR

CVE28DM5NS5



BEVERAGE CENTER

CCR06BM2PS5



30" SMART SLIDE-IN, FRONT-CONTROL, DOUBLE-OVEN DUAL-FUEL RANGE WITH CONVECTION

C2S950M2NS5



30" SMART SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION RANGE WITH STORAGE DRAWER

CHS900M2NS5



2.1 CU. FT. SMART OVER-THE-RANGE MICROWAVE OVEN

CVM721M2NS5



STAINLESS INTERIOR DISHWASHER WITH HIDDEN CONTROLS

CDT845M5NS5



STAINLESS INTERIOR SMART DISHWASHER WITH DUAL-CONVECTION ULTRA DRY

CDT875M5NS5





ENERGY STAR® 27.6 CU. FT. SMART QUAD-DOOR, FRENCH-DOOR REFRIGERATOR

CQE28DM5NS5



WINE CENTER

✓ CCR06BM2PS5



30" SMART SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION RANGE WITH IN-OVEN CAMERA

CHS90XM2NS5



2.1 CU. FT. SMART OVER-THE-RANGE MICROWAVE OVEN

CVM721M2NS5



STAINLESS INTERIOR SMART DISHWASHER WITH DUAL-CONVECTION ULTRA DRY

CDT875M5NS5

MODERN GLASS COLLECTION BUILT-IN Refined Upgraded offerings with enhanced capabilities. Expect total convenience and inspired cooking experiences.



ENERGY STAR® 27.6 CU. FT. SMART FOUR-DOOR, FRENCH-DOOR **REFRIGERATOR***



BEVERAGE CENTER CCR06BM2PS5



30" SMART DOUBLE WALL OVEN WITH CONVECTION

CTD70DM2NS5

27" SMART DOUBLE WALL **OVEN WITH CONVECTION****

CKD70DM2NS5



30" SMART SINGLE WALL OVEN WITH CONVECTION

CTS70DM2NS5

27" SMART SINGLE WALL OVEN WITH CONVECTION**

CKS70DM2NS5



CVE28DM5NS5

30" SMART FIVE-IN-ONE OVEN WITH 240V ADVANTIUM® TECHNOLOGY

CSB923M2NS5



30" SMART FIVE-IN-ONE **OVEN WITH 120V ADVANTIUM TECHNOLOGY**

CSB913M2NS5

27" SMART FIVE-IN-ONE **OVEN WITH 120V ADVANTIUM TECHNOLOGY**

CSB912M2NS5



36" SMART TOUCH-CONTROL INDUCTION COOKTOP

CHP95362MSS

30" SMART TOUCH-CONTROL **INDUCTION COOKTOP**

CHP95302MSS



36" KNOB-CONTROL **ELECTRIC COOKTOP**

CEP70362MS1

30" KNOB-CONTROL **ELECTRIC COOKTOP**

CEP70302MS1



36" GAS COOKTOP

CGP70362NS1

30" GAS COOKTOP

CGP70302NS1



36" SMART DESIGNER CUSTOM INSERT WITH DIMMABLE LED LIGHTING

UVC9360SLSS

30" SMART DESIGNER CUSTOM INSERT WITH DIMMABLE LED LIGHTING

UVC9300SLSS



36" SMART DESIGNER WALL-MOUNT HOOD WITH PERIMETER VENTING UVW9361SLSS

UVW9361BLTS (Black Stainless) **30" SMART DESIGNER**

WALL-MOUNT HOOD WITH PERIMETER VENTING

UVW9301SLSS



1.5 CU. FT. SMART COUNTERTOP CONVECTION/ MICROWAVE OVEN

CEB515M2NS5 Optional 27" Built-in kit



STAINLESS INTERIOR DISHWASHER WITH **ULTRA DRY**

CDT845M5NS5

*Standard Depth
**Not all features available on all models.





UVW9301BLTS (Black Stainless)





ENERGY STAR® 27.6 CU. FT. SMART QUAD-DOOR, FRENCH-DOOR REFRIGERATOR

CQE28DM5NS5



WINE CENTER CCR06DM2PS5



30" SMART DOUBLE WALL OVEN WITH CONVECTION

CTD90DM2NS5

27" SMART DOUBLE WALL **OVEN WITH CONVECTION***

CKD70DM2NS5



30" SMART FIVE-IN-ONE OVEN WITH 240V **ADVANTIUM® TECHNOLOGY**

CSB923M2NS5



36" SMART TOUCH-CONTROL INDUCTION COOKTOP

CHP95362MSS

30" SMART TOUCH-CONTROL INDUCTION COOKTOP

CHP95302MSS



36" GAS COOKTOP

CGP95362MS1

30" GAS COOKTOP

CGP95302MS1



36" SMART DESIGNER CUSTOM INSERT WITH DIMMABLE LED LIGHTING

30" SMART DESIGNER **CUSTOM INSERT WITH** DIMMABLE LED LIGHTING

UVC9300SLSS



UVC9360SLSS



UVW9361SLSS UVW9361BLTS

30" SMART DESIGNER WALL-MOUNT HOOD WITH

UVW9301SLSS UVW9301BLTS (Black Stainless)



1.5 CU. FT. SMART COUNTERTOP CONVECTION/ MICROWAVE OVEN

CEB515M2NS5 Optional 27" Built-in kit CX152M2NS5 Optional 30" Built-in kit CX153M2NS5



CONVECTION ULTRA DRY

CDT875M5NS5



PERIMETER VENTING

(Black Stainless)

PERIMETER VENTING



STAINLESS INTERIOR SMART DISHWASHER WITH DUAL-





ENERGY STAR® 27.8 CU. FT. SMART FRENCH-DOOR REFRIGERATOR WITH **HOT WATER**

CFE28TP2MS1
■ CFE28TP3MD1
□ CFE28TP4MW2



30" SMART SLIDE-IN, FRONT-CONTROL RADIANT AND CONVECTION DOUBLE-OVEN RANGE

CES750P2MS1 ■ CES750P3MD1 CES750P4MW2



30" SMART SLIDE-IN, FRONT-CONTROL RADIANT AND CONVECTION RANGE WITH WARMING DRAWER

CES700P2MS1
CES700P3MD1 CES700P4MW2



30" SMART SLIDE-IN, FRONT-CONTROL, GAS RANGE WITH CONVECTION OVEN AND STORAGE DRAWER

CGS700P2MS1 CGS700P3MD1 CGS700P4MW2



30" SMART SLIDE-IN, FRONT-CONTROL, GAS DOUBLE-OVEN RANGE WITH CONVECTION

CGS750P2MS1 CGS750P3MD1 CGS750P4MW2



2.1 CU. FT OVER-THE-RANGE MICROWAVE OVEN

CVM521P2MS1



STAINLESS INTERIOR DISHWASHER WITH **ULTRA DRY**

CDT805P2NS1







ENERGY STAR® 22.1 CU. FT. SMART COUNTER-DEPTH FRENCH-DOOR **REFRIGERATOR WITH HOT** WATER DISPENSER

CYE22TP2MS1 CYE22TP3MD1 CYE22TP4MW2



ENERGY STAR 22.2 CU. FT. SMART COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR WITH KEURIG® K-CUP® **BREWING SYSTEM**

CYE22UP2MS1



BEVERAGE CENTER

CCP06BP2PS1 CCP06BP3PD1 CCP06BP4PW2



5.7 CU. FT. BUILT-IN, **DUAL-DRAWER** REFRIGERATOR

CDE06RP2NS1 CDE06RP3ND1 CDE06RP4NW2



30" SMART SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION **DOUBLE-OVEN RANGE**

CHS950P2MS1 CHS950P3MD1 CHS950P4MW2



30" SMART SLIDE-IN, FRONT-CONTROL INDUCTION AND CONVECTION RANGE WITH WARMING DRAWER

CHS900P2MS1 CHS900P3MD1 CHS900P4MW2



30" SMART SLIDE-IN, FRONT-CONTROL, GAS **DOUBLE-OVEN RANGE** WITH CONVECTION

C2S950P2MS1 C2S950P3MD1 C2S950P4MW2



30" SMART SLIDE-IN, FRONT-CONTROL, DUAL-FUEL RANGE WITH WARMING DRAWER

C2S900P2MS1



1.7 CU. FT CONVECTION **OVER-THE-RANGE MICROWAVE OVEN**

CVM517P2MS1 CVM517P3MD1 CVM517P4MW2



90+ CLEANING JETS

CDT845P2NS1



STAINLESS INTERIOR DISHWASHER WITH

CDT845P3ND1 CDT845P4NW2 FREE-STANDING

CUSTOMIZABLE PROFESSIONAL COLLECTION

Optimal

Premium selections with best-in-class features. Wow guests with cutting-edge technology and superior aesthetics.



27.8 CU. FT. SMART FRENCH-DOOR REFRIGERATOR WITH KEURIG® K-CUP® **BREWING SYSTEM**

CFE28UP2MS1



27.6 CU. FT. SMART FOUR-DOOR, FRENCH-DOOR REFRIGERATOR

CVE28DP2MS1 CVE28DP3MD1 CVE28DP4MW2



ENERGY STAR® 23.1 CU. FT. SMART COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR

CWE23SP2MS1 CWE23SP3MD1 CWE23SP4MW2



ENERGY STAR 22.2 CU. FT. SMART COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR
WITH KEURIG® K-CUP® **BREWING SYSTEM**

CYE22UP2MS1



WINE CENTER

CCP06DP2PS1 CCP06DP3PD1 CCP06DP4PW2



5.7 CU. FT. BUILT-IN, **DUAL-DRAWER REFRIGERATOR**

CDE06RP2NS1 CDE06RP3ND1 CDE06RP4NW2



STAINLESS DOOR PANEL KIT FOR 15" ICE MAKERS*

CIP75S1 CIP75D1 CIP75W2



48" PROFESSIONAL HOOD

UVW9484SPSS



36" COMMERCIAL HOOD

UVW93642PSS CVW93643PDS CVW93644PWM

30" COMMERCIAL HOOD

UVW93042PSS CVW93043PDS CVW93044PWM



COMMERCIAL-STYLE RANGE WITH 6 BURNERS AND GRIDDLE

C2Y486P2TS1 C2Y486P3TD1 C2Y486P4TW2



48" SMART DUAL-FUEL WITH 6 BURNERS



36" SMART DUAL-FUEL COMMERCIAL-STYLE RANGE

C2Y366P2TS1 C2Y366P3TD1 C2Y366P4TW2

36" SMART ALL-GAS COMMERCIAL-STYLE RANGE WITH 6 BURNERS

CGY366P2TS1 CGY366P3TD1 CGY366P4TW2



30" SMART SLIDE-IN, FRONT- CONTROL INDUCTION AND **CONVECTION RANGE** WITH IN-OVEN CAMERA



1.5 CU. FT. SMART COUNTERTOP CONVECTION/ **MICROWAVE OVEN****

CEB515P2NSS CEB515P3NDS CEB515P4NWM

*Pairs with UNC15NJII or UCC15NJII **Trim kit available



CDT875P2NS1 CDT875P3ND1 CDT875P4NW2



STAINLESS INTERIOR



SMART DISHWASHER WITH **DUAL-CONVECTION ULTRA DRY**



CHS90XP2MS1

BUILT-IN

CUSTOMIZABLE PROFESSIONAL COLLECTION

Primary

Stunning pairings, trusted features. Enjoy unlimited performance for everyday cooking.







23.1 CU. FT. SMART COUNTER-DEPTH, FRENCH-DOOR REFRIGERATOR

CWE23SP2NS1 CWE23SP3MD1 CWE23SP4MW2



BEVERAGE CENTER

CCP06BP2PS1 CCP06BP3PD1 CCP06BP4PW2



30" SMART DOUBLE WALL OVEN WITH CONVECTION

CTD70DP2NS1

27" SMART DOUBLE WALL **OVEN WITH CONVECTION***

CKD70DP2NS1



30" SMART SINGLE WALL OVEN WITH CONVECTION

CTS70DP2NS1

27" SMART SINGLE WALL **OVEN WITH CONVECTION***

CKS70DP2NS1



36" SMART TOUCH-CONTROL INDUCTION COOKTOP

CHP95362MSS

30" SMART TOUCH-CONTROL INDUCTION COOKTOP

CHP95302MSS



36" KNOB-CONTROL **ELECTRIC COOKTOP**

CEP70362MS1

30" KNOB-CONTROL **ELECTRIC COOKTOP**

CEP70302MS1



36" KNOB-CONTROL **ELECTRIC COOKTOP**

CEP70363MS2



36" GAS COOKTOP

30" KNOB-CONTROL **ELECTRIC COOKTOP**

CEP70303MS2



CGP70362NS1

30" GAS COOKTOP

CGP70302NS1



36" COMMERCIAL HOOD

UVW93642PSS CVW93643PDS

CVW93644PWM

30" COMMERCIAL HOOD

UVW93042PSS

CVW93044PWM



36" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

CVW73612MSS CVW73613MDS CVW73614MWM

30" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

CVW73012MSS CVW73013MDS CVW73014MWM



1.5 CU. FT. SMART COUNTERTOP CONVECTION/ MICROWAVE OVEN**

CEB515P2RSS CEB515P3RDS

CEB515P4RWM



STAINLESS INTERIOR DISHWASHER WITH **ULTRA DRY**

CDT805P2NS1





27.6 CU. FT. SMART **FOUR-DOOR, FRENCH-DOOR** REFRIGERATOR

- CVE28DP2NS1
- CVE28DP3ND1
- CVE28DP4NW2

5.7 CU. FT. BUILT-IN,

CDE06RP2NS1

CDE06RP3ND1

CDE06RP4NW2

30" SMART SINGLE WALL

OVEN WITH CONVECTION

CTS90DP2NS1

CTS90DP3ND1

CTS90DP4NW2

DUAL-DRAWER REFRIGERATOR



22.2 CU. FT. SMART COUNTER-**DEPTH, FRENCH-DOOR REFRIGERATOR WITH KEURIG®** K-CUP® BREWING SYSTEM

CYE22UP2MS1



22.2 CU. FT. SMART COUNTER-DEPTH, FRENCH-**DOOR REFRIGERATOR WITH HOT WATER DISPENSER**

CYE22TP2MS1 CYE22TP3MD1 CYE22TP4MW2



BEVERAGE CENTER

CCP06BP2PS1 CCP06BP3PD1 CCP06BP4PW2



30" SMART FRENCH-DOOR, **DOUBLE WALL OVEN** WITH CONVECTION

- CTD90FP2NS1
- CTD90FP3ND1 CTD90FP4NW2



30" SMART DOUBLE WALL OVEN WITH CONVECTION

- CTD90DP2NS1 CTD90DP3ND1
- CTD90DP4NW2



30" SMART FIVE-IN-ONE OVEN WITH 120V ADVANTIUM® **TECHNOLOGY**

- CSB913P2NS1 CSB913P3ND1
- CSB913P4NW2

27" SMART FIVE-IN-ONE OVEN **WITH 120V ADVANTIUM TECHNOLOGY**

CSB912P2NS1



30" BUILT-IN MICROWAVE/ **CONVECTION OVEN**

CWB713P2NS1



36" SMART TOUCH-CONTROL INDUCTION COOKTOP

30" SMART FRENCH-DOOR,

SINGLE WALL OVEN

WITH CONVECTION

CTS90FP2NS1 CTS90FP3ND1

CTS90FP4NW2

CHP95362MSS

30" SMART TOUCH-CONTROL INDUCTION COOKTOP

CHP95302MSS



36" TOUCH-CONTROL ELECTRIC COOKTOP

CEP90362NSS

30" TOUCH-CONTROL **ELECTRIC COOKTOP**

CEP90302NSS



36" GAS COOKTOP

CGP95362MS1

30" GAS COOKTOP

CGP95302MS1



36" GAS COOKTOP

CGP95363MS2

30" GAS COOKTOP

CGP95303MS2



CVW93644PWM



STAINLESS INTERIOR **DISHWASHER WITH** 90+ CLEANING JETS

- CDT845P2NS1
- CDT845P3ND1 CDT845P4NW2
- *Not all features available on all models.



UVW93642PSS

CVW93643PDS

30" COMMERCIAL HOOD

UVW93042PSS CVW93043PDS

CVW93044PWM







42" SMART BUILT-IN, SIDE-BY-SIDE REFRIGERATOR

CSB42WP2NS1

48" SMART BUILT-IN, SIDE-BY-SIDE REFRIGERATOR

CSB48WP2NS1

5.7 CU. FT. BUILT-IN,

CDE06RP2NS1

CDE06RP3ND1

CDE06RP4NW2

DUAL-DRAWER REFRIGERATOR

30" SMART FRENCH-DOOR,

36" SMART TOUCH-CONTROL INDUCTION COOKTOP

30" SMART TOUCH-CONTROL

SINGLE WALL OVEN

WITH CONVECTION

CTS90FP2NS1

CTS90FP3ND1

CTS90FP4NW2

CHP95362MSS

CHP95302MSS

INDUCTION COOKTOP

48" PROFESSIONAL HOOD

**Pairs with UNC15NJII or UCC15NJII

***Not all features available on all models.

UVW9484SPSS

*Not customizable



42" SMART BUILT-IN, SIDE-BY-SIDE REFRIGERATOR*

CSB42YP2NS1

48" SMART BUILT-IN, SIDE-BY-SIDE REFRIGERATOR

STAINLESS DOOR PANEL KIT

FOR 15" ICE MAKERS**

CIP75S1

CIP75D1

CIP75W2

CSB48YP2NS1



21.3 CU. FT. SMART BUILT-IN, **BOTTOM-FREEZER** REFRIGERATOR

CDB36RP2PS1 (Right-handed) CDB36LP2PS1 (Left-handed)



WINE CENTER

CCP06DP2PS1 CCP06DP3PD1 CCP06DP4PW2



30" SMART FRENCH-DOOR, **DOUBLE WALL OVEN** WITH CONVECTION

CTD90FP2NS1 CTD90FP3ND1

CTD90FP4NW2



30" SMART DOUBLE WALL OVEN WITH CONVECTION

CTD90DP2NS1 CTD90DP3ND1

CTD90DP4NW2



30" SMART SINGLE WALL 30" SMART FIVE-IN-ONE OVEN WITH 240V ADVANTIUM®

CTS90DP2NS1



OVEN WITH CONVECTION

CTS90DP3ND1 CTS90DP4NW2

48" COMMERCIAL-STYLE GAS

RANGETOP WITH 6 BURNERS

AND GRIDDLE

CGU486P2TS1

CGU486P3TD1

CGU486P4TW2

UVW93642PSS

CVW93643PDS CVW93644PWM

UVW93042PSS

CVW93043PDS

CVW93044PWM

30" COMMERCIAL HOOD



TECHNOLOGY

CSB923P2NS1 CSB923P3ND1

CSB923P4NW2 **30" SMART FIVE-IN-ONE OVEN**

WITH 120V ADVANTIUM TECHNOLOGY

CSB913P2NS1 CSB913P3ND1

CSB913P4NW2

CSB912P2NS1 (27")



36" COMMERCIAL-STYLE GAS

CGU366P2TS1

CGU366P3TD1 CGU366P4TW2



36" COMMERCIAL HOOD



RANGETOP WITH 6 BURNERS



CDT875P2NS1







CDT875P4NW2



CDT875P3ND1



Limited Warranty Information

(See written warranty for complete details)

The condensed list below is a convenient overview of the written warranties offered on various Café™ appliances described in this catalog for products manufactured on or after January 1, 2006. For complete warranty details on a specific Café Appliances model, contact your nearest Café Appliances supplier, or call Café Appliances Factory Service, toll-free, 800.GE.CARES (800-432-2737).

Refrigerators, Wine and Beverage Centers, 50 lb. / Refrigerator Ice Makers

ALL CAFÉ MODELS

For the period of	Café Appliances will replace				
One year	Any part in the refrigerator which fails due to a defect in				
From the date of the	materials or workmanship. During this limited one-year				
original purchase	warranty, Café Appliances will provide, free of charge, all				
	labor and related service costs to replace the defective part.				
Five years	Any part of the sealed refrigerating system (the				
From the date of the	compressor, condenser, evaporator and all connecting tubing)				
original purchase	which fails due to a defect in materials or workmanship. During				
	this limited five-year sealed refrigerating system warranty,				
	Café Appliances will also provide, free of charge, all labor				
	and related service costs to replace the defective part.				

Ice Makers

FOR REFRIGERATORS

For the period of	Café Appliances will replace
	Any part in the ice maker which fails due to a defect in
From the date of the	materials or workmanship. During this limited one-year
original purchase	warranty, Café Appliances will provide, free of charge, all
	labor and related service costs to replace the defective part.

Ranges, Cooktops, Wall Ovens, Warming Drawers and Hoods ALL CAFÉ MODELS

For the period of	Café Appliances will replace
One year	Any part in the cooking product which fails due to a defect
From the date of the	in materials or workmanship. During this limited one-year
original purchase	warranty Café Appliances will provide, free of charge, all
	labor and related service costs to replace the defective part.

Speedcook Ovens with Advantium® Technology

ALL CAFE MODEL	S
For the period of	Café Appliances will choose to replace or service
One year	Any part of the oven which fails due to a defect in materials
From the date of the	or workmanship. During this limited one-year warranty, Café
original purchase	Appliances will provide, free of charge, all labor and related
	service costs to replace the defective part.
Five years	The magnetron tube, if the magnetron tube fails due
From the date of the	to a defect in the materials or workmanship. During this
original purchase	five-year limited warranty, you will be responsible for
	any labor or in-home service costs.

EXCLUSION OF IMPLIED WARRANTIES - Your sole and exclusive remedy is product repair as provided in this Limited Warranty. Any implied warranties, including the implied warranties of merchantability or fitness for a particular purpose, are limited to one year or the shortest period allowed by law.

Over-The-Range and Countertop Microwave Ovens

ALL CAI L MODEL	5
For the period of	Café Appliances will choose to replace or service
One year	Any part in the microwave which fails due to a defect
From the date of the	in materials or workmanship. During this limited one-year
original purchase	warranty, Café Appliances will also provide, free of charge,
	all labor and in-home service costs to replace the defective part.
Five years	The magnetron tube, if the magnetron tube fails due to a
From the date of the	defect in the materials or workmanship. During this five-year
original purchase	limited warranty, you will be responsible for any labor or
	in-home service costs.

Dishwashers

ALL CAFÉ MODELS

For the period of	Café Appliances will replace
One year	Any part in the dishwasher which fails due to a defect in
From the date of the	materials or workmanship. During this limited one-year
original purchase	warranty, Café Appliances will provide, free of charge, all
	labor and related service costs to replace the defective part.

Parts and Accessories

I di to dila i lecc	20001160
For the period of	Café Appliances will replace
One year	Any part or accessory which fails due to a defect in materials
From the date of the	or workmanship. During this limited one-year warranty, Café
original purchase	Appliances will provide, free of charge, all labor and related
	service costs to replace the defective part or accessory.

For each product listed

What Café Appliances will not cover:

- Service trips to your home to teach you how to use the product
- Improper installation
- Replacement of house fuses or resetting of circuit breakers
- Failure of the product if it is abused, misused or used for anything other than the intended purpose or used commercially
- Damage to product caused by accident, fire, floods or acts of God
- Incidental or consequential damage caused by possible defects with this appliance

This warranty is extended to the original purchaser and any succeeding owner for products purchased for home use within the USA. In Alaska, the One-Year Warranty excludes the cost of shipping, or service calls to your home. Some states do not allow the exclusion or limitation of incidental or consequential damages. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. To know what your legal rights are, consult your local or state consumer affairs office or your state's Attorney General.

Accessibility Requirements

Refrigerators/Freezers

Uniform Federal Accessibility Standards (UFAS)

FRENCH-DOOR AND SIDE-BY-SIDES

Regulation #/ Description:

4.2.6 Side Reach—If the clear floor space allows parallel approach by a person in a wheelchair, the maximum high side reach allowed shall be 54" (1370mm) and the low side reach shall be no less than 9" (230mm) above the floor.

4.27.4 Operation—Controls and operating mechanisms shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no greater than 5lbf (22.2 N).

4.34.6.8 Refrigerators/Freezers—Refrigerators/freezers shall comply with 4.34.6.3. Provision shall be made for refrigerators which are: (1) Of the vertical side-by-side refrigerator/freezer type; OR (2) Of the over-and-under type and meet the following requirements: (a) Have at least 50 percent of the freezer space below 54" (1370mm) above the floor (b) Have 100 percent of the refrigerator space and controls below 54" (1370mm).

Americans with Disabilities Act (ADA)/ANSI Standard Requirements

TOP-FREEZERS AND FRENCH-DOOR BOTTOM-FREEZERS WITH EXTERNAL DISPENSER CONTROLS

Regulation #/ Description:

804.6.6 Refrigerators/Freezers—Combination refrigerators and freezers shall have at least 50 percent of the freezer space 54" (1370 mm) maximum above the finish floor or ground. The clear floor or ground space shall be positioned for a parallel approach to the space dedicated to a refrigerator/freezer with the centerline of the clear floor or ground space offset 24" (610 mm) maximum from the centerline of the dedicated space.

308.3.1 Unobstructed—Where a clear floor or ground space allows a parallel approach to an element and the side reach is unobstructed, the high side reach shall be 48" (1220 mm) maximum and the low side reach shall be 15" (380 mm) minimum above the finish floor or ground.

308.3.2 Obstructed High Reach—Where a clear floor or ground space allows a parallel approach to an element and the high side reach is over an obstruction, the height of the obstruction shall be 34" (865 mm) maximum and the depth of the obstruction shall be 24" (610 mm) maximum. The high side reach shall be 48" (1220 mm) maximum for a reach depth of 10" (255 mm) maximum. Where the reach depth exceeds 10" (255 mm), the high side reach shall be 46" (1170 mm) maximum for a reach depth of 24" (610 mm) maximum.

309.3 Height—Operable parts shall be placed within one or more of the reach ranges specified in 308.3.

309.4 Operation—Operable parts shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds (22.2 N) maximum.

The following appliance categories meet criteria for both the Uniform Federal Accessibility Standards (UFAS) and the Americans with Disabilities Act (ADA) requirements.

Wall Ovens

SINGLE SELF-CLEAN OVENS

Regulation #/ Description:

4.2.5—Maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".

4.27.4—Controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.

4.34.6.7—Ovens shall have controls on front panels; they may be located on either side of the door.

Slide-in Ranges

ELECTRIC AND GAS

Regulation #/ Description:

4.2.5—Maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".

4.27.4—Controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.

4.34.6.6—If ovens or cooktops have knee spaces underneath then they shall be insulated or otherwise protected on the exposed surfaces to prevent burns, abrasions, or electrical shock. The location of controls for ranges and cooktops shall not require reaching across burners.

Electric Cooktops

FRONT CONTROL

Regulation #/ Description:

4.2.5—Maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".

4.27.4—Controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.

4.34.6.6—If ovens or cooktops have knee spaces underneath then they shall be insulated or otherwise protected on the exposed surfaces to prevent burns, abrasions, or electrical shock. The location of controls for ranges and cooktops shall not require reaching across burners.

Gas Cooktops

Regulation #/ Description

 $4.\overline{2.5}$ —Maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".

4.27.4—Controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.

4.34.6.6—If ovens or cooktops have knee spaces underneath then they shall be insulated or otherwise protected on the exposed surfaces to prevent burns, abrasions, or electrical shock. The location of controls for ranges and cooktops shall not require reaching across burners.

Microwave Ovens

BUILT-IN CONFIGURATION

Regulation #/ Description:

4.2.5—Maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".

4.27.4—Controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.

Dishwashers

Regulation #/ Description:


4.2.5—Maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".


4.27.4—Controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.

4.34.6.9—All rack space shall be accessible from the front of the machine for loading and unloading dishes.

Refrigerators	CZS22MP2NS1	CWE19SP2NS1 CWE19SP3ND1 CWE19SP4NW2	CWE23SP2MS1 CWE23SP3MD1 CWE23SP4MW2	CFE28TP2MS1 CFE28TP3MD1 CFE28TP4MW2	CYE22TP2MS1 CYE22TP3MD1 CYE22TP4MW2	CFE28UP2MS1 CFE28UP3MD1	CYE22UP2MS1 CYE22UP3MD1	CVE28DM5NS5 CVE28DP2NS1 CVE28DP3ND1 CVE28DP4NW2	CQE28DM5NS5	CDB36RP2PS1 CDB36LP2PS1	CSB48WP2NS1 CSB42WP2NS1	CSB42YP2NS1 CSB48YP2NS1
NERGY STAR® certified		• Optional	•	•	•	•	•		•			
		(requires part no.								U+ Connect		
Fi Connect		PBX23W00Y0)	Built-in WiFi	Built-in WiFi	Built-in WiFi	Built-in WiFi	Built-in WiFi		Built-in WiFi	Module (optional)	Built-in WiFi	Built-in WiFi
abbath mode capable DA compliant		•	•					•	•	•	•	•
CAPACITY			1	1 -	-	1	-					
otal (cu. ft.)	21.9	18.6	23.1		22.2	27.8	22.2	27.6	27.6	21.3	29.5 / 25.1	24.5 / 28.7
resh food (cu. ft.)	14.24	13.57	15.93		15.06	18.67	15.06	15.47	15.47	15	17.2 / 15.8	15.82 / 17.23
eezer (cu. ft.)	7.7	5.01	7.16		7.16	9.17	7.16	8.44	8.44	6.3	12.3 / 9.3	8.65 / 11.44
RESH-FOOD FEATURES			,									
vinChill™ evaporators			•	•	•	•	•					
iple evaporators								•	•			
kternal controls with temperature splay and child lock					Color LCD		Color LCD					
urbo Cool setting					•		•	via app	via app		via app	via app
abinet shelves	4 glass	5 glass	5 glass	5 glass	5 glass	5 glass	5 glass	4 glass	4 glass	5 total	4 glass	4 glass
Adjustable	3 adjustable	4 split	4 split	4 split	4 split	4 split	4 split	4 split	4 split	4 glass	3	3
Full-width		1	1	1	1	1	1	1	1	•	4	4
Spillproof	3		3	3	3	3	3			5	4 spillproof	4 spillproof
Quick-Space shelf	1	1	1	1	1	1	1	1	1			
												Ice & water
kternal dispenser	Ice & water			Ice & water		Ice & water	Ice & water	Ice & water	Ice & water			with AutoFill
Keurig® K-Cup® Brewing System							•					
Hot Water Precise Fill						· .						
ternal water dispenser		1.		-	-	-	-					
dvanced filtration system	XWFE	XWFE	RPWFE	RPWFE	RPWFE	XWFE	RPWFE	MWF	XWFE	MWF	MWF	XWFE
and the state of t								1 humidity-control	1 humidity-control			
umidity-controlled drawers	1	2	2		2		2	system drawer	system drawer			
nterior snack/veggie drawer		1 full width, adj. temp.	1 full width, adj. temp		1 full width, adj. temp.		1 full width, adj. temp.	1 vented drawer	1 vented drawer	2	3 (1 Select Temp)	3 (1 Select Temp)
	4 bins Clear Look (2 adjustable with	8 bins (6 adjustable				6 bins (4 stainless				6 bins (4 adjustable,		
	gallon storage,	with gallon storage,	6 bins (4 adjustable	6 bins (2 adjustable	6 bins (2 adjustable	steel, 2 adjustable,	6 bins (2 adjustable,			2 with gallon	5 bins (adjustable,	5 bins (adjustable
resh-food door bins	1 fixed, 1 adjustable)	2 fixed)	with gallon storage)	with gallon storage)	with gallon storage)		3 with gallon storage)			storage)	1 with gallon storage)	
rop-down tray					•	•	•					
airy compartment	•		•	•	•	•	•	•	•			
Showcase LED lighting	•	•	•		7	7	7			•	•	•
Humidity-control system								•	•			
.ED light wall									•			
FREEZER FEATURES	1	1	1		I				1	1		T
pace-saving icemaker actory-installed icemaker & bin				•	•	•	•		1.			
	•	•	•					via ann	+	<u> </u>	via ann	via ann
urbo Freeze setting	•	1	2			•		via app	via app		via app	via app
urbo Freeze setting ull-width, full-extension plastic freezer bins		1	2	2	2	2	2		+			via app 4 adj. wire
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting		1	2	2	2	2	2		via app		via app	
		1	2	2	2	2	2	3	via app		via app	
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting		1 Stainless / Matte	2 . Stainless / Matte	• Stainless / Matte	2 . Stainless / Matte			Platinum/Stainless/ Matte Black/	via app 3		via app 4 adj. wire	4 adj. wire
urbo Freeze setting ull-width, full-extension plastic freezer bins showcase LED lighting EXTERIOR Color(s) available	• Stainless	Black / Matte White	Black / Matte White	Stainless / Matte Black / Matte White	Stainless / Matte Black / Matte White	Stainless / Matte Black	• 2 • Stainless / Matte Black	3 Platinum/Stainless/	via app	Stainless	via app 4 adj. wire Stainless	4 adj. wire Stainless
urbo Freeze setting ull-width, full-extension plastic freezer bins showcase LED lighting EXTERIOR Color(s) available landle color	Stainless	Black / Matte White Brushed Stainless	Black / Matte White Stainless	Stainless / Matte Black / Matte White Stainless	Black / Matte White	Stainless / Matte Black	• Stainless / Matte Black	Platinum / Stainless / Matte Black / Matte White	via app 3	Stainless	via app 4 adj. wire Stainless Stainless	4 adj. wire Stainless Stainless
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR Color(s) available landle color	Stainless Café™	Black / Matte White Brushed Stainless Café	Black / Matte White Stainless Café	Stainless / Matte Black / Matte White Stainless Café	Black / Matte White Café	Stainless / Matte Black Stainless Café	Stainless / Matte Black	Platinum/Stainless/ Matte Black/ Matte White	via app 3 Platinum	Stainless Café	via app 4 adj. wire Stainless Stainless Café	4 adj. wire Stainless Stainless Café
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR tolor(s) available landle color landle design	Stainless Café™ Contoured crown;	Black / Matte White Brushed Stainless Café Contoured crown;	Black / Matte White Stainless Café Contoured crown;	Stainless / Matte Black / Matte White Stainless Café Flat with hidden	Black / Matte White Café Flat with hidden	Stainless / Matte Black Stainless Café Contoured crown;	Stainless / Matte Black Café Flat with hidden	Platinum/Stainless/Matte Black/Matte White Café Modern Glass Flat with hidden	via app 3 Platinum Café Modern Glass Flat with hidden	Stainless Café Hinges on right/	via app 4 adj. wire Stainless Stainless Café Fiat with hidden	4 adj. wire Stainless Stainless Café Flat with hidden
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR Color(s) available landle color	Stainless Café™ Contoured crown; hidden hinges	Black / Matte White Brushed Stainless Café	Black / Matte White Stainless Café Contoured crown; hidden hinges	Stainless / Matte Black / Matte White Stainless Café	Black / Matte White Café	Stainless / Matte Black Stainless Café	Stainless / Matte Black	Platinum/Stainless/ Matte Black/ Matte White	via app 3 Platinum	Stainless Café	via app 4 adj. wire Stainless Stainless Café	4 adj. wire Stainless Stainless Café
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR Color(s) available landle color landle design	Stainless Café™ Contoured crown; hidden hinges	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges	Black / Matte White Stainless Café Contoured crown; hidden hinges	Stainless / Matte Black / Matte White Stainless Café Flat with hidden	Black / Matte White Café Flat with hidden	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges	Stainless / Matte Black Café Flat with hidden	Platinum/Stainless/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/	via app 3 Platinum Café Modern Glass Flat with hidden hinges	Stainless Café Hinges on right/	via app 4 adj. wire Stainless Stainless Café Fiat with hidden	4 adj. wire Stainless Stainless Café Flat with hidden
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR color(s) available landle color landle design oor design extured steel case color	Stainless Café" Contoured crown; hidden hinges Case Only—Dark Gray	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges / Case Only—Dark Gray Stainless / Matte	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte	Black / Matte White Café Flat with hidden hinges Stainless / Matte	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray	Stainless / Matte Black Café Flat with hidden hinges	Platinum/Stainless/ Matte Black/ Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/ Matte Black/	via app 3 Platinum Café Modern Glass Flat with hidden hinges	Stainless Café Hinges on right/ hinges on left	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges	4 adj. wire Stainless Stainless Café Flat with hidden hinges
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR olor(s) available andle color landle design oor design extured steel case color	Stainless Café™ Contoured crown; hidden hinges	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray	Black / Matte White Stainless Café Contoured crown; hidden hinges	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White	Black / Matte White Café Flat with hidden hinges	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray	Stainless / Matte Black Café Flat with hidden	Platinum/Stainless/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/	via app 3 Platinum Café Modern Glass Flat with hidden hinges Platinum	Stainless Café Hinges on right/ hinges on left Stainless	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless	4 adj. wire Stainless Stainless Café Flat with hidden
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR olor(s) available andle color andle design oor design extured steel case color oor color oor stops	Stainless Café" Contoured crown; hidden hinges Case Only—Dark Gray	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges / Case Only—Dark Gray Stainless / Matte	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte	Black / Matte White Café Flat with hidden hinges Stainless / Matte	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray	Stainless / Matte Black Café Flat with hidden hinges	Platinum/Stainless/ Matte Black/ Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/ Matte Black/	via app 3 Platinum Café Modern Glass Flat with hidden hinges	Stainless Café Hinges on right/ hinges on left	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges	4 adj. wire Stainless Stainless Café Flat with hidden hinges
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR olor(s) available andle color andle design oor design extured steel case color oor color oor stops VEIGHTS & DIMENSIONS	Stainless Café™ Contoured crown; hidden hinges Case Only—Dark Gray Stainless •	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White	Black / Matte White Café Flat with hidden hinges Stainless / Matte	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black •	Stainless / Matte Black Café Flat with hidden hinges	Platinum/Stainless/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White •	Platinum Café Modern Glass Flat with hidden hinges Platinum	Stainless Café Hinges on right/ hinges on left Stainless	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless	4 adj. wire Stainless Stainless Café Flat with hidden hinges
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR lolor(s) available landle color landle design loor design extured steel case color loor color loor stops WEIGHTS & DIMENSIONS leight to top of door (in.)	Stainless Café" Contoured crown; hidden hinges Case Only—Dark Gray	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White • 69-7/8	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White .	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White	Black / Matte White Café Flat with hidden hinges Stainless / Matte	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4	Stainless / Matte Black Café Flat with hidden hinges	Platinum/Stainless/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White • 69-7/8	Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8	Stainless Café Hinges on right/ hinges on left Stainless	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless	4 adj. wire Stainless Stainless Café Flat with hidden hinges
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR olor(s) available landle color landle design oor design extured steel case color oor color loor stops VEIGHTS & DIMENSIONS leight to top of door (in.) leight to top of hinge (in.)	Stainless Café™ Contoured crown; hidden hinges Case Only—Dark Gray Stainless • 69-7/8	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White •	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White • 69-7/8 69-3/4	Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4	Stainless Café Hinges on right/ hinges on left Stainless	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless	Stainless Stainless Café Flat with hidden hinges Stainless
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR color(s) available landle color landle design coor design extured steel case color coor stops VEIGHTS & DIMENSIONS leight to top of door (in.) leight to top of sase (in.)	Stainless Café [™] Contoured crown; hidden hinges Case Only—Dark Gray Stainless • 69-7/8	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8	Black / Matte White Café Flat with hidden hinges Stainless / Matte	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69	Stainless / Matte Black Café Flat with hidden hinges	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White • 69-7/8 69-3/4 68-5/8	Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8	Stainless Café Hinges on right/ hinges on left Stainless • 83-1/2	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • Stainless	Stainless Stainless Café Flat with hidden hinges Stainless •
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR olor(s) available andle color andle design oor design extured steel case color oor color oor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of hinge (in.) eight to top of case (in.) ase depth without door (in.)	Stainless Café™ Contoured crown; hidden hinges Case Only—Dark Gray Stainless • 69-7/8	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White •	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White • 69-7/8 69-3/4	Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4	Stainless Café Hinges on right/ hinges on left Stainless 83-1/2 23-1/2	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • Stainless 2 4 5 5 5 6 7 7 8 7 8 7 8 7 8 7 8 7 8 8 7 8 7 8	Stainless Stainless Café Flat with hidden hinges Stainless .
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR olor(s) available andle color andle design oor design extured steel case color oor color oor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of finge (in.) eight to top of case (in.) ase depth less door handle (in.)	Stainless Café [™] Contoured crown; hidden hinges Case Only—Dark Gray Stainless • 69-7/8	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 29-3/8	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White •	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White • 69-7/8 69-3/4 68-5/8	Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8	Stainless Café Hinges on right/ hinges on left Stainless • 83-1/2 23-1/2 25-3/4	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • Stainless 2 2 3-1/2 2 3-1/2 2 5-3/4	Stainless Stainless Café Flat with hidden hinges Stainless • Stainless 2 2 3-1/2 2 3-1/2 2 5-3/4
urbo Freeze setting ull-width, full-extension plastic freezer bins nowcase LED lighting XTERIOR blor(s) available andle color andle design poor design extured steel case color oor color oor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of fanse (in.) ase depth without door (in.) ase depth with odor handle (in.) ase depth with door handle (in.) ase depth with door handle (in.)	Stainless Café™ Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69 24-1/8	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White • 69	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 69	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White 69-7/8 69-3/4 68-5/8 29	Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8 29	Stainless Café Hinges on right/ hinges on left Stainless • 83-1/2 23-1/2 25-3/4 28-1/2	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless	Stainless Stainless Café Flat with hidden hinges Stainless - Stainless - Stainless - Stainless - Stainless - 23-1/2 23-1/2 25-3/4 28-1/2
urbo Freeze setting ull-width, full-extension plastic freezer bins nowcase LED lighting XTERIOR olor(s) available andle color andle design oor design extured steel case color oor color oor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of linge (in.) ase depth with door handle (in.) ase depth with door handle (in.) epth w/fresh-food door open 90° (in.)	Stainless Café [™] Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69 24-1/8	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2 42	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 29-3/8 36-1/4	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White 69 43-3/8	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8 33-7/16	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 69 43-3/8	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White 69-7/8 69-3/4 68-5/8 29 48-3/8	Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8 29	Stainless Café Hinges on right/ hinges on left Stainless • 83-1/2 23-1/2 25-3/4 28-1/2 60-1/4	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 55-1/4 / 49-1/4	Stainless Stainless Café Flat with hidden hinges Stainless • 83-1/2 23-1/2 25-3/4 28-1/2 50-1/2 / 52-1/2
urbo Freeze setting ull-width, full-extension plastic freezer bins nowcase LED lighting XTERIOR Dolor(s) available andle color andle design oor design extured steel case color oor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of case (in.) asse depth without door (in.) asse depth with door handle (in.) asse depth with door handle (in.) epth w/fresh-food door open 90° (in.) lidth (in.)	Stainless Café [™] Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69 24-1/8 46-1/4 35-3/4	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 29-3/8	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White • 69	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 69	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White 69-7/8 69-3/4 68-5/8 29	Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8 29	Stainless Café Hinges on right/ hinges on left Stainless • 83-1/2 23-1/2 25-3/4 28-1/2	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • Stainless 2a-l/2 23-l/2 23-l/2 25-l/4 / 49-l/4 48/42	Stainless Stainless Café Flat with hidden hinges Stainless Stainless - Stainless - Stainless - Stainless - Stainless - 83-1/2 23-1/2 25-3/4 28-1/2
urbo Freeze setting ull-width, full-extension plastic freezer bins nowcase LED lighting XTERIOR olor(s) available andle color andle design oor design extured steel case color oor color oor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of hinge (in.) ase depth without door (in.) ase depth without door handle (in.) ase depth with door handle (in.) eight wifresh-food door open 90° (in.) fidth (in.)	Stainless Café [™] Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69 24-1/8	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2 42 32-3/4	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4 43-3/8 32-3/4	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 29-3/8 36-1/4	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White • 69 43-3/8 35-3/4	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8 33-3/8 33-7/16	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 43-3/8 35-3/4	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White • 69-7/8 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8	Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8 29	Stainless Café Hinges on right/ hinges on left Stainless Stainless 83-1/2 23-1/2 25-3/4 28-1/2 60-1/4 36	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 55-1/4 / 49-1/4	Stainless Stainless Café Flat with hidden hinges Stainless Stainless • 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 50-1/2 / 52-1/2 42/48
urbo Freeze setting ult-width, fult-extension plastic freezer bins howcase LED lighting EXTERIOR olor(s) available andle color andle design oor design extured steel case color oor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of hinge (in.) eight to top of hinge (in.) ase depth without door (in.) ase depth without door fun.) ase depth with door handle (in.) epth w/fresh-food door open 90° (in.) fidth (in.) fidth with door handle open 90° (in.) ir clearances—each side (in.)	Stainless Café™ Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69 24-1/8 46-1/4 35-3/4 43-1/8	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2 42 32-3/4 42	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4 43-3/8 32-3/4 44-3/4	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 29-3/8 36-1/4 35-3/4 44-3/4	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White • 69 43-3/8 35-3/4 44-3/4	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8 36-7/16 35-3/4 44-3/4	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 69 43-3/8 35-3/4 44-3/4	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White • 69-7/8 69-3/4 68-5/8 29 29 48-3/8 35-5/8 44-7/8	Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8	Stainless Café Hinges on right/hinges on left Stainless * 83-1/2 23-1/2 25-3/4 28-1/2 60-1/4 36 39	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • Stainless 5 Stainless • Stainless 5 Stainless • Stainless 5 Stainless • 83-1/2 23-1/2 25-3/4 28-1/2 25-3/4 28-1/2 25-1/4 / 49-1/4 48/42 52-1/2 / 50-1/2	Stainless Stainless Café Flat with hidden hinges Stainless • Stainless • 83-1/2 23-1/2 25-3/4 28-1/2 50-1/2 / 52-1/2 42/48 49-1/4 / 55-1/4
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR olor(s) available andle color andle design oor design extured steel case color oor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of hinge (in.) eight to top of case (in.) ase depth without door (in.) ase depth without door fun.) epth wifresh-food door open 90° (in.) firdth with door handle open 90° (in.) iir clearances—each side (in.) iir clearances—top (in.)	Stainless Café™ Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69 24-1/8 46-1/4 35-3/4 43-1/8	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2 42 32-3/4 42 1/8	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4 43-3/8 32-3/4 44-3/4	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 29-3/8 36-1/4 35-3/4 44-3/4 1/8	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White • 69 43-3/8 35-3/4 44-3/4	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8 36-7/16 35-3/4 44-3/4	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 69 43-3/8 35-3/4 44-3/4	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White • 69-7/8 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8	Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8	Stainless Café Hinges on right/hinges on left Stainless Stainless 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 60-1/4 36 39 0	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • Stainless • Stainless • Stainless • Stainless • Stainles	Stainless Stainless Café Flat with hidden hinges Stainless Stainless • Stainless • Stainless • 4 adj. wire
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR olor(s) available andle color andle design oor design extured steel case color oor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of hinge (in.) eight to top of case (in.) ase depth with door handle (in.) ase depth with door handle (in.) epth w/fresh-food door open 90° (in.) fidth (in.) fidth with door handle open 90° (in.) iir clearances—each side (in.) iir clearances—back (in.)	Stainless Café™ Contoured crown; hidden hinges Case Only—Dark Gray Stainless • 69-7/8 69 24-1/8 46-1/4 35-3/4 43-1/8 1/8	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2 42 32-3/4 42 1/8	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4 43-3/8 32-3/4 44-3/4	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte White Black / Matte White 69-7/8 69 29-3/8 36-1/4 35-3/4 44-3/4 1/8	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White 69 43-3/8 35-3/4 44-3/4 1/8 1	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8 36-7/16 35-3/4 44-3/4 1/8	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 69 43-3/8 35-3/4 44-3/4 1/8 1	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1	Via app 3 Platinum Café Modern Glass Flat with hidden hinges Platinum	Stainless Café Hinges on right/hinges on left Stainless tainless 83-1/2 23-1/2 25-3/4 28-1/2 60-1/4 36 39 0 0	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • Stainless • Stainless • Stainless • Stainless • Stainless • Stainless • Stainless • Stainless • Stainless • Stainless • Stainless • Output Stainless • Output Stainless • Stainless • Stainless • Stainless • Stainless • Stainless • Output St	4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • 83-1/2 23-1/2 25-3/4 28-1/2 50-1/2 / 52-1/2 42/48 49-1/4 / 55-1/4 0 0
urbo Freeze setting ull-width, full-extension plastic freezer bins nowcase LED lighting XTERIOR Dolor(s) available andle color andle design oor design extured steel case color oor stops VEICHTS & DIMENSIONS eight to top of door (in.) eight to top of hinge (in.) eight to top of case (in.) ase depth without door (in.) ase depth without door fun.) eight wiffesh-food door open 90° (in.) idth (in.) idth with door handle (in.) r clearances—each side (in.) ir clearances—back (in.) prox. shipping wt. (lbs.)	Stainless Café ^M Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69 24-1/8 46-1/4 35-3/4 43-1/8 1/8 1	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2 42 32-3/4 42 1/8 1	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4 43-3/8 32-3/4 44-3/4 1/8 1	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 29-3/8 36-1/4 35-3/4 44-3/4 1/8 1	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White 69 43-3/8 35-3/4 44-3/4 1/8 1	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8 33-7/16 35-3/4 44-3/4 1/8 1	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 69 43-3/8 35-3/4 44-3/4 1/8 1	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1	Via app 3 Platinum Café Modern Glass Flat with hidden hinges Platinum • 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1	Stainless Café Hinges on right/ hinges on left Stainless Stainless 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 60-1/4 36 39 0 0 0	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • 83-1/2 23-1/2 25-3/4 28-1/2 25-1/4 / 49-1/4 48/42 52-1/2 / 50-1/2 0 0	4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 50-1/2 / 52-1/2 42/48 49-1/4 / 55-1/4 0 0 725/775
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR Color(s) available landle color landle design	Stainless Café ^M Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69-24-1/8 46-1/4 35-3/4 43-1/8 1/8 1/8 2 360	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2 42 32-3/4 42 1/8 1 2 252	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4 43-3/8 32-3/4 44-3/4 1/8 1 2 363	Stainless / Matte Black / Matte White Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8 69-29-3/8 36-1/4 35-3/4 44-3/4 1/8 1 2 423	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White 69 43-3/8 35-3/4 44-3/4 1/8 1 2 398	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8 33-3/8 36-7/16 35-3/4 44-3/4 1/8 1 2 423	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 43-3/8 35-3/4 44-3/4 1/8 1 2 398	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1 2 440	Via app 3 Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1 2 440	Stainless Café Hinges on right/ hinges on left Stainless Stainless 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 60-1/4 36 39 0 0 0 640	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 55-1/4 / 49-1/4 48/42 52-1/2 / 50-1/2 0 0 775/725	4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 50-1/2 / 52-1/2 42/48 49-1/4 / 55-1/4 0 0 0
urbo Freeze setting ull-width, full-extension plastic freezer bins howcase LED lighting EXTERIOR olor(s) available landle color landle design oor design extured steel case color oor stops WEIGHTS & DIMENSIONS leight to top of door (in.) leight to top of hinge (in.) leight to top of case (in.) lase depth without door (in.) ase depth with door handle (in.) leight with door handle (in.) lighth (in.) light	Stainless Café ^M Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69-24-1/8 46-1/4 35-3/4 43-1/8 1/8 1/8 2 360	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2 42 32-3/4 42 1/8 1 2 252 120V/60Hz/15A	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4 43-3/8 32-3/4 44-3/4 1/8 1 2 363 120V/60Hz/15A	Stainless / Matte Black / Matte White Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 29-3/8 36-1/4 35-3/4 44-3/4 1/8 1 2 423 120V/60Hz/15A	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White 69 43-3/8 35-3/4 44-3/4 1/8 1 2 398 120V/60Hz/15A CXLB3H3PMBT	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8 33-3/8 36-7/16 35-3/4 44-3/4 1/8 1 2 423 120V/60Hz/15A	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 69 43-3/8 35-3/4 44-3/4 1/8 1 2 398 120V/60Hz/15A CXLB3H3PMBT	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1 2 440	Via app 3 Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1 2 440	Stainless Café Hinges on right/ hinges on left Stainless Stainless 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 60-1/4 36 39 0 0 0 640	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 55-1/4 / 49-1/4 48/42 52-1/2 / 50-1/2 0 0 775/725	4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 50-1/2 / 52-1/2 42/48 49-1/4 / 55-1/4 0 0 725/775
urbo Freeze setting ull-width, full-extension plastic freezer bins nowcase LED lighting XTERIOR olor(s) available andle color andle design oor design extured steel case color oor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of hinge (in.) eight to top of case (in.) ase depth without door (in.) ase depth without door pen 90° (in.) fidth (in.) fidth with door handle open 90° (in.) ir clearances—each side (in.) ir clearances—each (in.) pprox. shipping wt. (lbs.) power/Rating	Stainless Café™ Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69-24-1/8 46-1/4 35-3/4 43-1/8 1/8 1 2 360 120v/60Hz/15A	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2 42 1/8 1 2 252 120V/60Hz/15A CXMA3H3PNBT (Brushed Black)	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4 43-3/8 32-3/4 44-3/4 1/8 1 2 363 120V/60Hz/15A CXLB3H3PMBT (Brushed Black)	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White - 69-7/8 69 29-3/8 36-1/4 35-3/4 44-3/4 1/8 1 2 423 120V/60Hz/15A CXLB3H3PMBT (Brushed Black)	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White • 69 43-3/8 35-3/4 44-3/4 1/8 1 2 398 120V/60Hz/15A CXLB3H3PMBT (Brushed Black)	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8 33-3/8 36-7/16 35-3/4 44-3/4 1/8 1 2 423 120V/60Hz/15A CXLB3H3PMBT (Brushed Black)	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 69 43-3/8 35-3/4 44-3/4 1/8 1 2 398 120V/60Hz/15A CXLB3H3PMBT (Brushed Black)	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1 2 440 120v/60Hz/15A	Via app 3 Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1 2 440	Stainless Café Hinges on right/ hinges on left Stainless * 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 60-1/4 36 39 0 0 0 0 640 115V/60Hz/20A	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • Stainless • Stainless • 52-1/2 23-1/2 25-3/4 28-1/2 55-1/4 / 49-1/4 48/42 52-1/2 / 50-1/2 0 0 0 775/725 115V/60Hz/20A	Stainless Stainless Café Flat with hidden hinges Stainless Stainless Stainless • Stainless • Stainless • 183-1/2 23-1/2 25-3/4 28-1/2 25-3/4 28-1/2 42/48 49-1/4 / 55-1/4 0 0 0 725/775 115V/60Hz/20A
urbo Freeze setting ull-width, full-extension plastic freezer bins nowcase LED lighting XTERIOR olor(s) available andle color andle design oor design extured steel case color oor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of hinge (in.) eight to top of case (in.) ase depth without door (in.) ase depth without door pen 90° (in.) fidth (in.) fidth with door handle open 90° (in.) ir clearances—each side (in.) ir clearances—each (in.) pprox. shipping wt. (lbs.) power/Rating	Stainless Café™ Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69-24-1/8 46-1/4 35-3/4 43-1/8 1/8 1/8 1 2 360 120v/60Hz/15A CXMS2H2PNBT (Brushed Black)	Black / Matte White Brushed Stainless Café Confoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2 42 1/8 1 2 252 120V/60Hz/15A CXMA3H3PNBT (Brushed Black) CXMA3H3PNBT (Brushed Black) CXMA3H3PNBZ (Brushed Black) CXMA3H3PNBZ	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4 43-3/8 32-3/4 44-3/4 1/8 1 2 363 120V/60Hz/15A CXLB3H3PMBT (Brushed Black) CXLB3H3PMBZ (Brushed Bronze)	Stainless / Matte Black / Matte White Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8 69-29-3/8 36-1/4 35-3/4 44-3/4 1/8 1 2 423 120V/60Hz/15A CXLB3H3PMBT (Brushed Black) CXLB3H3PMBZ (Brushed Black) CXLB3H3PMBZ (Brushed Black) CXLB3H3PMBZ	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White • 69 43-3/8 35-3/4 44-3/4 1/8 1 2 398 120V/60Hz/15A CXLB3H3PMBT (Brushed Black) CXLB3H3PMBZ (Brushed Bronze)	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8 33-3/8 36-7/16 35-3/4 44-3/4 1/8 1 2 423 120V/60Hz/15A CXLB3H3PMBT (Brushed Black) CXLB3H3PMBZ (Brushed Bloock)	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black Stainless / Matte Black 69 43-3/8 35-3/4 44-3/4 1/8 1 2 398 120V/60Hz/15A CXLB3H3PMBT (Brushed Black) CXLB3H3PMBZ (Brushed Bronze)	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White • 69-7/8 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1 2 440 120v/60Hz/15A CXOB4H4PNBT (Brushed Black)	Via app 3 Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1 2 440	Stainless Café Hinges on right/ hinges on left Stainless * 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 60-1/4 36 39 0 0 0 640 115V/60Hz/20A CXSB2H2PPBT (Brushed Black)	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • Stainless • Stainless • Stainless • Café Flat with 4000 hinges Care Café Flat with 4000 hinges Café F	4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless • Stainless 4 adj. wire Stainless 1 adj. with hidden hinges Stainless • 83-1/2 23-1/2 25-3/4 28-1/2 25-3/4 28-1/2 42/48 49-1/4 / 55-1/4 0 0 0 725/775 115V/60Hz/20A
urbo Freeze setting ull-width, full-extension plastic freezer bins nowcase LED lighting XTERIOR bolor(s) available andle color andle design boor design extured steel case color cor color cor stops VEIGHTS & DIMENSIONS eight to top of door (in.) eight to top of hinge (in.) eight to top of door (in.) ase depth without door (in.) ase depth without door handle (in.) ase depth with door handle (in.) idth (in.) idth with door handle open 90° (in.) if clearances—each side (in.) ir clearances—each (in.) prox. shipping wt. (lbs.) bower/Rating	Stainless Café [™] Contoured crown; hidden hinges Case Only—Dark Gray Stainless 69-7/8 69-7/8 46-1/4 35-3/4 43-1/8 1/8 1 2 360 120v/60Hz/15A	Black / Matte White Brushed Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black / Matte White 69-7/8 69-3/4 68-5/8 24-1/8 29 38-1/2 42 32-3/4 42 12 252 120V/60Hz/15A CXMA3H3PNBT (Brushed Black) CXMA3H3PNBT (Brushed Black) CXMA3H3PNBT (CXMA3H3PNBT	Black / Matte White Stainless Café Contoured crown; hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 24-3/8 28-3/4 43-3/8 32-3/4 44-3/4 1/8 1 2 363 120V/60Hz/15A CXLB3H3PMBT (Brushed Black) CXLB3H3PMBT (CXLB3H3PMBT (CXLB3H3PMBT	Stainless / Matte Black / Matte White Stainless Café Flat with hidden hinges Stainless / Matte Black / Matte White 69-7/8 69 29-3/8 36-1/4 35-3/4 44-3/4 1/8 1 2 423 120V/60Hz/15A CXLB3H3PMBT (Brushed Black) CXLB3H3PMBT (CXLB3H3PMBT (CXLB	Black / Matte White Café Flat with hidden hinges Stainless / Matte Black / Matte White 69 43-3/8 35-3/4 44-3/4 1/8 1 2 398 120V/60Hz/15A CXLB3H3PMBT (Brushed Black) CXLB3H3PMBT (CXLB3H3PMBT (CXLB3H3PMBT)	Stainless / Matte Black Stainless Café Contoured crown; hidden hinges Case Only—Dark Gray Stainless / Matte Black 69-3/4 68-5/8 69 29-3/8 33-3/8 33-3/8 36-7/16 35-3/4 44-3/4 1/8 1 2 423 120V/60Hz/15A CXLB3H3PMBT (Brushed Black) CXLB3H3PMBT (CXLB3H3PMBT	Stainless / Matte Black Café Flat with hidden hinges Stainless / Matte Black • 69 43-3/8 35-3/4 44-3/4 1/8 1 2 398 120V/60Hz/15A CXLB3H3PMBT (Brushed Black) CXLB3H3PMBT (CXLB3H3PMBT	Platinum/Stainless/Matte Black/Matte Black/Matte White Café Modern Glass Flat with hidden hinges Platinum/Stainless/Matte Black/Matte White 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1 2 440 120v/60Hz/15A	Via app 3 Platinum Café Modern Glass Flat with hidden hinges Platinum Platinum 69-7/8 69-3/4 68-5/8 29 48-3/8 35-5/8 44-7/8 1/8 1 2 440	Stainless Café Hinges on right/ hinges on left Stainless Stainless 83-1/2 23-1/2 23-1/2 25-3/4 28-1/2 60-1/4 36 39 0 0 0 640 115V/60Hz/20A	via app 4 adj. wire Stainless Stainless Café Flat with hidden hinges Stainless	Stainless Stainless Café Flat with hidden hinges Stainless Stainless Stainless - 83-1/2 23-1/2 25-3/4 28-1/2 25-3/4 28-1/2 50-1/2 / 52-1/2 42/48 49-1/4 / 55-1/4 0 0 0 725/775 115V/60Hz/20A

Built-in Refrigera Drawers	tor	CDE06RP2NS1 CDE06RP3ND1 CDE06RP4NW2		
Sabbath mode capable				
CAPACITY				
Total (cu. ft.)		5.7		
FRESH FOOD FEATURES				
Electronic controls with temperature display				
Soft-close drawers		•		
Drawer interior		Stainless		
Drawer dividers U	pper	Adjustable		
Lo	ower	Adjustable/removable		
Door alarm		•		
Showcase LED lighting		•		
FREEZER FEATURES				
Interior lighting		White LED		
EXTERIOR				
Color(s) available		Stainless Matte Black Matte White		
Handle color		Brushed Stainless Brushed Stainless Brushed Bronze		
Handle design		Café		
WEIGHTS & DIMENSIONS				
Height to top of case (in.)		33-7/8		
Width (in.)		23-7/8		
Case depth less door handle	(in.)	23-3/4		
Case depth with door handle	(in.)	26		
Approximate shipping wt. (lbs	.)	135		
Power/Rating		115V/60Hz		
ACCESSORIES				
Optional kits		CXQD2H2PNBT (Brushed Black) CXQD2H2PNBZ (Brushed Bronze) CXQD2H2PNCU (Brushed Copper) CXQD2H2PNSS (Brushed Stainless)		






120

Approx. shipping weight (lbs.) 160 / 165

ICE MAKERS

Ice Makers	GOURMET ICE UCC15NJII	NUGGET ICE UNC15NJII		
CAPACITY				
Daily ice production (lbs.)	48.0	56.0		
Storage bin capacity (lbs.)	26.0	26.0		
FEATURES				
Interior lighting	LED	LED		
Clean light	Yes	Yes		
Control type	Electronic LED	Electronic LED		
Ice scoop	Yes	Yes		
EXTERIOR				
Handle	Custom panel/handle or Café door panel kit required.	Custom panel/handle or Café door panel kit required.		
Panel capability	3/4" custom panel or Accessory door kit	3/4" custom panel or Accessory door kit		
Color appearance	Café door panel kits available in Brushed Stainless, Matte Black and Matte White (each sold separately)	Café door panel kits available in Brushed Stainless, Matte Black and Matte White (each sold separately)		
Door swing	Reversible hinges	Reversible hinges		
Installation	Built-in or free-standing indoor or outdoor	Built-in or free-standing indoor or outdoor		
Leveling system	4 leveling legs	4 leveling legs		
WEIGHTS & DIMENSIONS				
Width (in.)	14-7/8	14-7/8		
Height (in.)	33-7/8	33-7/8		
Depth (in.)	22-3/4	22-3/4		
Depth excluding panel (in.)	22	22		
Net weight (lbs.)	107	112		
Approx. shipping weight (lbs.)	115	124		
Power/Ratings	110V/60Hz/6.5A	110V/60Hz/6.5A		
ACCESSORIES				
Door panel kits	CIP75S1 (Stainless) CIP75D1 (Matte Black) CIP75W2 (Matte White)	CIP75S1 (Stainless) CIP75D1 (Matte Black) CIP75W2 (Matte White)		
Optional drain pump kit	UPK3	UPK3		



DISHWASHERS

Dishwashers	CDT875P2NS1 CDT875P4NW2 CDT875P3ND1 CDT875M5NS5	CDT845P2NS1 CDT845P4NW2 CDT845P3ND1 CDT845M5NS5	CDT805P2NS1 CDT805M5NS5		
ENERGY STAR® certified	•	•	•		
NSF® certified*	•	•	•		
FEATURES					
nterior	Stainless steel	Stainless steel	Stainless steel		
Tub and door liner	Stainless steel	Stainless steel	Stainless steel		
Place settings	Up to 16	Up to 16	Up to 16		
Front appearance	Top control	Top control	Top control		
Cleaning jet wash system	90+ Spray Jet Wash System	90+ Spray Jet Wash System			
	100% filtration with	100% filtration with	100% filtration with		
Water filtration	removable filter	removable filter	removable filter		
Hard-food disposer					
Wash levels	Lower—reversing quad-blade; Middle—quad-blade; Upper—wash impeller	Lower—reversing quad-blade; Middle—quad-blade; Upper—wash impeller	Lower—reversing quad-blade Middle—quad-blade; Upper—wash impeller		
Bottle Jets		•	•		
Jets	Deep Clean Silverware Jets & Variable pressure	Deep Clean Silverware Jets			
Automatic temperature control		•	•		
Sensor	Clean Sensor	Clean Sensor	Clean Sensor		
	With indicator and				
Rinse aid dispenser	adjustment with sensor	With indicator and adjustment	With indicator and adjustmen		
Electronic controls	•	•	•		
Exterior status LED		Bi-color	Bi-color		
Exterior LCD status	Status Center				
		Optional (requires	Optional (requires		
WiFi Connect	Built-in	part no. PBX23W00Y0)	part no. PBX23W00Y0)		
Touchpads	12	12	12		
Cycles and options	5/10	5/10	5/10		
3-digit countdown display	•		•		
Last cycle memory	•	•	•		
Audible end-of-cycle signal	•	•	•		
Cycles	Auto/China/Express/ Normal/Pots	Auto/China/Express/ Normal/Pots	Auto/China/Express/ Normal/Pots		
OPTIONS					
Bottle Jets	4	4	4		
Wash zones	•	•	•		
Steam PreWash/PreSoak	PreSoak	PreSoak	PreSoak		
Delay Start	1- to 12-hr.	1- to 12-hr.	1- to 12-hr.		
Wash Temp-Boost	•	•	•		
Wash Temp-Sanitize (NSF 184)	•	•	•		
Heated dry	Dual Convection Ultra Dry	Ultra Dry	Ultra Dry		
Lock controls		•			
RACKS					
Third Rack	•		•		
Rack finish	Black Pearl	Black Pearl	Black Pearl		
Ball-tip tines			•		
Upper rack	Premium height adjustable	Premium height adjustable	Premium height adjustable		
Fold-down-tine flexibility	1/2 fold-down tines, upper; 1/2 fold-down tines, lower	1/2 fold-down tines, upper; 1/2 fold-down tines, lower	1/2 fold-down tines, upper; 1/2 fold-down tines, lower		
Utility shelves	2 Stem Safe	2 Stem Safe	2 Stem Safe		
Silverware basket	3-pc.	3-pc.	3-pc.		
	Café/Café/Café/	Café/Café/Café/			
Handle design	Pocket handle	Pocket handle	Café/Pocket handle		
DRY					
Hidden heater	•				
QUIET					
***		45 dBA	45 dBA		
Sound insulation package**	39 dBA				
Sound insulation package** INSTALLATION					
Sound insulation package** INSTALLATION Flush cabinet		•	•		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable	•	•	•		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips					
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips	•	•	•		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips FLOOR PROTECTION Floor protection package	•	•	•		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips FLOOR PROTECTION Floor protection package WEIGHTS & DIMENSIONS	Leak Defense with Active Flood Protect	Active Flood Protect	Active Flood Protect		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips FLOOR PROTECTION Floor protection package WEIGHTS & DIMENSIONS Approx. shipping weight	Leak Defense with Active Flood Protect	Active Flood Protect	Active Flood Protect		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips FLOOR PROTECTION Floor protection package WEIGHTS & DIMENSIONS Approx. shipping weight Overall dimensions (WxHxD) (in.)	Leak Defense with Active Flood Protect	Active Flood Protect	Active Flood Protect		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips FLOOR PROTECTION Floor protection package WEIGHTS & DIMENSIONS Approx. shipping weight Overall dimensions (WxHxD) (in.) ACCESSORIES	Leak Defense with Active Flood Protect	Active Flood Protect	Active Flood Protect		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips FLOOR PROTECTION Floor protection package WEIGHTS & DIMENSIONS Approx. shipping weight Overall dimensions (WxHxD) (in.)	Leak Defense with Active Flood Protect 137 24 x 34 x 24 CXADTHIPMBT	Active Flood Protect 137 24 x 34 x 24 CXADTHIPMBT	Active Flood Protect 118 24 x 34 x 24 CXADTHIPMBT		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips FLOOR PROTECTION Floor protection package WEIGHTS & DIMENSIONS Approx. shipping weight Overall dimensions (WxHxD) (in.)	Leak Defense with Active Flood Protect 137 24 x 34 x 24 CXADTH1PMBT (Brushed Black)	Active Flood Protect 137 24 x 34 x 24 CXADTHIPMBT (Brushed Black)	Active Flood Protect 118 24 x 34 x 24 CXADTHIPMBT (Brushed Black)		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips FLOOR PROTECTION Floor protection package WEIGHTS & DIMENSIONS Approx. shipping weight Overall dimensions (WxHxD) (in.)	Leak Defense with Active Flood Protect 137 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ	Active Flood Protect 137 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ	Active Flood Protect 118 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips FLOOR PROTECTION Floor protection package WEIGHTS & DIMENSIONS Approx. shipping weight Overall dimensions (WxHxD) (in.)	Leak Defense with Active Flood Protect 137 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ (Brushed Bronze)	Active Flood Protect 137 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ (Brushed Bronze)	Active Flood Protect 118 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ (Brushed Bronze)		
Sound insulation package** INSTALLATION Flush cabinet Side trim installation strips FLOOR PROTECTION Floor protection package WEIGHTS & DIMENSIONS Approx. shipping weight Overall dimensions (WxHxD) (in.)	Leak Defense with Active Flood Protect 137 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ	Active Flood Protect 137 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ	Active Flood Protect 118 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ		
Sound insulation package** INSTALLATION Flush cabinet Built-up-floor capable Side trim installation strips FLOOR PROTECTION Floor protection package WEIGHTS & DIMENSIONS Approx. shipping weight Overall dimensions (WxHxD) (in.)	Leak Defense with Active Flood Protect 137 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ (Brushed Bronze) CXADTHIPMCU	Active Flood Protect 137 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ (Brushed Bronze) CXADTHIPMCU	Active Flood Protect 118 24 x 34 x 24 CXADTHIPMBT (Brushed Black) CXADTHIPMBZ (Brushed Bronze) CXADTHIPMCU		

MODERN GLASS

^{*}Certified to NSF/ANSI 184 standard for residential dishwashers (National Sanitation Foundation).

**dBA levels based on IEC-60704 lab testing.

*Not for use with Modern Glass models (CDT875M5NS5, CDT855M5NS5, CDT845M5NS5, CDT805M5NS5).

COOKING


Built-l	ln Ì	Wal	l Ovens

	CTS92DM2NS5	CTS90FP2NS1 CTS90FP4NW2 CTS90FP3ND1	CTS90DM2NS5	CTS90DP2NS1 CTS90DP4NW2 CTS90DP3ND1	CTS70DM2NS5 CTS70DP2NS1	CKS70DM2NS5 CKS70DP2NS1	CTD90FP2NS1 CTD90FP4NW2 CTD90FP3ND1	CTD90DM2NS5	CTD90DP2NS1 CTD90DP4NW2 CTD90DP3ND1	CTD70DM2NS5 CTD70DP2NS1	CKD70DM2NS5 CKD70DP2NS1
aims & Certification	ADA Compliant; Star-K; California	ADA Compliant; Star-K; California Prop 65; UL	ADA Compliant; Star-K; California Prop 65; UL	ADA Compliant; Star-K; California Prop 65; UL	ADA Compliant; Star-K; California Prop 65; UL	ADA Compliant; Star-K; California Prop 65; UL	Star-K; California Prop 65; UL	Star-K; California Prop 65; UL	Star-K; California Prop 65; UL	Star-K; California Prop 65; UL	Star-K; California Prop 65; UL
pacity (cu. ft.)	2.2 upper/2.8 lower	5.0	5.0	5.0	5.0	4.3	5.0 upper/5.0 lower	5.0 upper/5.0 lower	5.0 upper/5.0 lower	5.0 upper/5.0 lower	4.3 upper/4.3 lower
EATURES	Z.Z dppci/Z.o iovici	0.0	0.0			1.0	оло арреполочен	o.o appeiro.o iorrei	оло аррентоло полтен	оло аррелоло тоттел	is appear is letter
ontrol Type	7" full-color touch LCD screen	7" full-color touch LCD screen	7" full-color touch LCD screen	7" full-color touch LCD screen	7" full-color touch LCD screen	7" full-color touch LCD screen	7" full-color touch LCD screen	7" full-color touch LCD screen	7" full-color touch LCD screen	7" full-color touch LCD screen	7" full-color touch LCD screen
ooking system	True European Convection with Precise Air (Lower)	True European Convection with Direct Air	True European Convection with Direct Air	True European Convection with Direct Air	True European Convection with Direct Air	True European Convection	True European Convection with Direct Air (both ovens)	True European Convection with Direct Air (both ovens)	True European Convection with Direct Air (both ovens)	True European Convection with Direct Air (upper); True European Convection (lower	True European (Convection (upper)
elf-clean with Steam Clean option	, ,					•	•			•	•
elay clean option	Variable	Variable	Variable	Variable	Variable	Variable	Variable	Variable	Variable	Variable	Variable
utomatic self-clean door lock		•					•				
oice control	•*	•*	.*	.*	•*	.*	•*	•*	•*	•*	•*
can-to-cook technology	.*	•*	.*	.*	•*	.*	•*	•*	•*	.*	•*
n-oven camera			•*	•*				•*	•*		
ehydrate			•*	•*			*	•*	•*		
o-preheat air fry		•*	•*	•*	•*			•*	•*	•*	
recision cooking	•	•*	•*	•*	•*		•*	•*	•*	•*	
onvection bake		•	•*		•*		•	•*			
Convection roast	.*	•*	•*	•*	•*	•*	•*	•*	•*	•*	•*
onvection broil		•*	•*	•*	•*	•*	•*	•*	•*	•*	•*
en-pass bake element			•*	•				•*		•	
ight-pass broil element			•*					•*		•	
lidden bake oven interior		•		•	•	•		•	•	•	
ViFi Connect	•*	•*	•*	.*	.*	•*	•*	•*	•*	•*	•*
uto Recipe Conversion								•*			
roof mode	•		•*				Both ovens	Both ovens	Both ovens	Both ovens	Both ovens
recision temperature probe											
Varm mode		•					Both ovens	Both ovens	Both ovens	Both ovens	Both ovens
° or F° programmable	•	•					•				
udible preheat signal	•	•					•	•	•		
lectronic clock & kitchen timer	•	•									
ontrol lock capability	•		•					•	•		
lalogen interior oven lighting	•		•					•	•		•
Certified Sabbath Mode	•	•	•	•	•	•	•	•	•	•	•
Never-Scrub oven racks	3	•	•	•	•	•	•	•	•	•	•
leavy-duty oven racks	2	2	2	2	2	1	1 upper/1 lower 6-ladder rack positions	1 upper/1 lower 6-ladder rack positions	1 upper/1 lower 6-ladder rack positions	1 upper/1 lower 6 embossed	1 upper/1 lower 6 embossed
ack positions	5 2 halogen interior oven	6-ladder 3 halogen interior	6-ladder 2 halogen interior	6-ladder 2 halogen interior	6 embossed 2 halogen interior	6 embossed 2 halogen interior	(both ovens) 3 halogen interior	(both ovens) 3 halogen interior	(both ovens) 3 halogen interior	(both ovens) 2 halogen interior	(both ovens) 2 halogen interior
Oven interior	lights (both ovens) Black Gloss Finish Hidden Bake	oven lights Black Gloss Finish Hidden Bake	oven lights Black Gloss Finish Hidden Bake	oven lights Black Gloss Finish Hidden Bake	oven lights Black Gloss Finish Hidden Bake	oven lights Black Gloss Finish Hidden Bake	oven lights Black Gloss Finish Hidden Bake	oven lights Black Gloss Finish Hidden Bake	oven lights Black Gloss Finish Hidden Bake	oven lights Black Gloss Finish Hidden Bake	oven lights Black Gloss Finish Hidden Bake
APPEARANCE	Tilddell bake	Tilddell bake	Tilddell bake	Tilddell bake	Tilddell bake	Tilddell bake	Hiddell bake	Hiddell Bake	Tilddell bake	Tilddell bake	Tilddell bake
		Stainless		Stainless			Stainless		Stainless		
'alar annaaranaa	Platinum	Stainless Matte White Matte Black	Diatinum	Matte White Matte Black	<u>Platinum</u> Stainless	Platinum Stainless	Stainless Matte White Matte Black	Diatioum	Matte White Matte Black	Platinum Stainless	Platinum Stainless
Color appearance Frameless oven door(s)	Piduliulii	Stainless	Platinum Stainless		Stalliless	Stalliless	Stainless	Platinum	Matte DidCk	Stalliless	Stainless
rameless oven door(s)		Stamess	Stamess	Stainless			Dual window, French-				Stamiess
oven door with window	Big View	Dual window French-door	Big View Drop-down	Big View Drop-down	Big View Soft-close hinges	Big View Soft-close hinges	door (upper)/Big view, drop-down (lower)	Big View Drop-down	Big View Drop-down	Big View Soft-close hinges	Big View Soft-close hinges
Handle color	Brushed Stainless	Brushed Stainless Brushed Bronze Brushed Stainless	No handle	Brushed Stainless Brushed Bronze Brushed Stainless	Brushed Stainless Brushed Stainless	Brushed Stainless Brushed Stainless	Brushed Stainless Brushed Bronze Brushed Stainless	No handle	Brushed Stainless Brushed Bronze Brushed Stainless	Brushed Stainless Brushed Stainless	Brushed Stainless Brushed Stainless
VEIGHTS & DIMENSIONS	Drastica Statilless	Stabiled Statilless	1.10 Harlaic	Diagned Stalliness	_ S.asiica Stalliless	Diagned Stalliless	5. doi: led ottail liebs	1.10 Harraic	B. dorice stalliless	5. doned oldiness	Stadiled Stalliess
pprox. shipping wt. (lbs.)	212	208	177	177	177	135	398	308	308	278	245
ven cabinet width required (in.)	30	30	30	30	30	27	30	30	30	30	27
verall dimensions (WxHxD) (in.)	29-3/4 x 28-1/8 x 26-3/4	28-5/8 x 27-5/16 x 23-1/2	28-5/8 x 27-5/16 x 23-1/2	28-5/8 x 27-5/16 x 23-1/2	28-5/8 x 27-5/16 x 23-1/2	25-1/4 x 27-5/8 x 23-1/2	28-5/8 x 51-15/16 x 23-1/2 (both ovens)	28-5/8 x 51-15/16 x 23-1/2 (both ovens)	28-5/8 x 51-15/16 x 23-1/2 (both ovens)	28-1/2 x 51-13/16 x 23-1/2 (both ovens)	25-1/4 x 50-1/8 x 23 (both ovens)
verall oven interior imensions (WxHxD) (in.)	Upper: 24 x 8-3/4 x 17-7/8 Lower: 24 x 12-1/2 x 16		25 x 17-3/8 x 20-1/4	25 x 17-3/8 x 20-1/4	25 x 17-3/8 x 20-1/4	21-1/2 × 17-1/4 × 20	25 x 17-3/8 x 20-1/4 (both ovens)	21-1/2 x 17-1/4 x 20 (both ovens)			
OWER / RATINGS											
V rating @ 240V/208V	/ 4.5/3.4	4.2/3.2	4.2/3.2	4.2/3.2	4.2/3.2	3.6/2.7	9/6.8	9/6.8	9/6.8	9/6.8	7.2/5.4
mps @ 240V/208\		20/20	20/20	20/20	20/20	20/20	40/40	40/40	40/40	40/40	30/30
onvection Wattage	1,300W 1,700W Upper /	2,400W	2,400W	2,400W	2,400W	2,400W	2,400W	2,400W	2,400W	2,400W	2,400W
ske Wattage	2,200W Lower 2,750W Upper /	2,850W	2,850W	2,850W	2,850W	2,600W	2,850W	2,850W	2,850W	2,850W	2,600W
oiler Wattage	2,950W Lower	4,300W dual element	4,300W dual element	4,300W dual element	4,300W	3,400W	4,300W dual element	4,300W dual element	4,300W dual element	4,300W dual element	3,400W
ACCESSODIES		CXWSFHKPMSS		CXWS0H0PMSS	CXWS0H0PMSS	CVWS7HODMSS	CXWDFHKPMSS		CVMS7HODMCC	CYMCOHODMCC	CXWD7H0PMSS
ACCESSORIES				1 1 A W 3 U D U E W 3 3	CVM20UULINI22	CXWS7H0PMSS			CXWS7H0PMSS	CXWS0H0PMSS	
ACCESSORIES		(Brushed Stainless)		(Brushed Stainless)	(Brushed Stainless)	(Brushed Stainless)	(Brushed Stainless)		(Brushed Stainless)	(Brushed Stainless)	(Brushed Stainless)
ACCESSORIES		(Brushed Stainless) CXWSFHKPMBT		(Brushed Stainless) CXWS0H0PMBT	CXWS0H0PMBT	CXWS7H0PMBT	CXWDFHKPMBT		CXWS7H0PMBT	CXWS0H0PMBT	CXWD7H0PMBT
ACCESSORIES		(Brushed Stainless) CXWSFHKPMBT (Brushed Black) CXWSFHKPMBZ		(Brushed Stainless) CXWS0H0PMBT (Brushed Black) CXWS0H0PMBZ	CXWS0H0PMBT (Brushed Black) CXWS0H0PMBZ	CXWS7H0PMBT (Brushed Black) CXWS7H0PMBZ	CXWDFHKPMBT (Brushed Black) CXWDFHKPMBZ		CXWS7H0PMBT (Brushed Black) CXWS7H0PMBZ	CXWS0H0PMBT (Brushed Black) CXWS0H0PMBZ	(Brushed Black) CXWD7H0PMBZ
ACCESSORIES		(Brushed Stainless) CXWSFHKPMBT (Brushed Black)		(Brushed Stainless) CXWSOH0PMBT (Brushed Black)	CXWS0H0PMBT (Brushed Black)	CXWS7H0PMBT (Brushed Black)	CXWDFHKPMBT (Brushed Black)		CXWS7H0PMBT (Brushed Black)	CXWS0H0PMBT (Brushed Black)	CXWD7H0PMBT (Brushed Black)


^{*}WIFI-enabled feature.

**Not for use on Modern Glass models (CKS70DM2NS5, CTS70DM2NS5, CKD70DM2NS5, CTD70DM2NS5, CTS90DM2NS5, CTD90DM2NS5, CTS92DM2NS5).

30" BUILT-IN SINGLE OVEN DIMENSIONS (IN INCHES)




30" CAFÉ FRENCH-DOOR BUILT-IN SINGLE **OVEN DIMENSIONS (IN INCHES)**



CABINET	CTS90FP, CTS70DP
A – Overlap of oven at top of cutout	1-1/4"
B – Overlap of oven other side of edge of cutout	3/4"
C – Overlap of oven at bottom of cutout	1-1/4"
OVEN	
D – Install depth	23-1/2"
E – Overall height with trim	28-5/8"
F – Overall width	29-3/4"

OPTIONAL UNDERCOUNTER INSTALLATION DIMENSIONS (IN INCHES) WITH GAS COOKTOP






130

2 x 4 or equivalent runners level with bottom of cutout and flush with sides of cutout (must support 200 lbs.)

27" BUILT-IN SINGLE OVEN DIMENSIONS (IN INCHES)




CABINET	CKS70	OVEN	CKS70
A – Overlap of oven at top of cutout	1"	D – Overall depth	23-1/2
B – Overlap of oven other side of edge	1"	E – Overall height with trim	28-7/8
C – Overlap of oven at bottom of cutout	1"	F – Overall width	26-3/4

OPTIONAL UNDERCOUNTER INSTALLATION DIMENSIONS (IN INCHES) WITH ELECTRIC COOKTOP

MODELS CTS90DM, CTS90DP, CTS70DM, CTS70DP

Note: For this installation, the bottom trim will not be flush with a typical 4" toe kick.


Note: Cabinets installed adjacent to wall ovens must have an adhesion spec of at least a 194°F temperature rating.



UNDERCOUNTER INSTALLATION DIMENSIONS (IN INCHES)

Gas or electric cooktops may be installed over this

SINGLE OVEN MODELS




are approved for use over Café 30" single wall ovens and warming drawers. 30" ribbon cooktops are approved for use over Café 30" and Café 27" single wall and wall oven installation information packed with products for current dimensional data.

Note: 36" ribbon cooktops

Note: Oven is rated for use only under Café 30" standard or sealed burner gas and selected Café 30" smoothtop and Calrod® electric cooktops.


Installation information: Before installing, consult installation instructions packed with product for current dimensional data.

Electric wall ovens are not approved for installation with a plug and receptacle. They must be hard wired in ccordance with installation instructions.






27" BUILT-IN DOUBLE OVEN DIMENSIONS (IN INCHES)




CABINET	27"
A – Overlap of oven at top of cutout	1"
B – Overlap of oven other side of edge of cutout	1"
C – Overlap of oven at bottom of cutout	1"
OVEN	
D – Install depth	23-1/2"
E – Overall height with trim	51-1/8"
F – Overall width	26-3/4"




Note: These ovens are not approved for stackable installations.

30" BUILT-IN DOUBLE OVEN DIMENSIONS (IN INCHES)




Visit CafeAppliances.com for complete specifications.

Above illustrations intended for dimensional reference only. Refer to photography for actual product appearance.



CABINET	CTD90FP	CTD70DM CTD70DP
A – Overlap of oven at top of cutout	1-1/4"	1"
B – Overlap of oven other side of edge of cutout	3/4"	11/16"
C – Overlap of oven at bottom of cutout	1-1/4"	1-1/4"
OVEN		
D – Install depth	27-1/2"	27-3/16"
E – Overall height with trim	53"	52-5/8"
F – Overall width	29-3/4"	29-3/4"




30" BUILT-IN DOUBLE OVEN


Note: Cabinets installed adjacent to wall ovens must have an adhesion spec of at least a 194°F temperature rating.

Note: If marks, blemishes or the cutout opening are visible above the installed oven, it may be necessary to add wood shims under the runners and front trim until the marks or openings are covered.

Note: Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.

30" BUILT-IN TWIN FLEX DIMENSIONS (IN INCHES)





Above illustrations intended for dimensional reference only. Refer to photography for actual product appearance.

Color appearance

Advantium® Ovens CSB923M2NS5


		CSB923P4NW2 CSB923P3ND1	CSB913P4NW2 CSB913P3ND1	CSB912M2NS5 CSB912P2NS1	CTC912P2NS1
Claims & Certifications		California Prop 65	California Prop 65	California Prop 65	
FEATURE	S & CONTROLS				
Family-size	e oven	1.7 cu. ft.	1.7 cu. ft.	1.7 cu. ft.	Upper: 1.7 cu. ft. Lower: 5.0 cu. ft.
WiFi Conn	ect	Built-in	Built-in	Built-in	Built-in
Stainless s	teel oven interior		•	•	•
Cooking	Broil		•	•	Lower
modes	Convection			•	Lower
	Microwave		•	•	Upper
	Proof		•	•	Lower
	Precision Cook			•	Lower
	Warm			•	Lower
Oven	Glass Touch & LCD		•	•	Glass touch
controls	Preprogrammed menu items	175+	175+	175+	175+
	Help pad			•	•
	Interior oven light		•	•	•
Custom re	cipe saver		•	•	
Microwave	e Cook		•	•	•
sensor	Crisp Reheat		•	•	
cooking controls	Defrost				
CONTROLS	Express		•	•	•
	Reheat		•	•	•
Microwave	power output watts	950	950	950	1000
27"/30" ap	pearance	30"	30"	27"	30"
APPEARA	NCE				
		Platinum	<u>Platinum</u>		

CSB913M2NS5

Handle color	Brushed Stainless Brushed Bronze Brushed Stainless	Brushed Stainless Brushed Bronze Brushed Stainless	Brushed Stainless Brushed Stainless	Brushed Stainless
Handle design	Café™ Pro Style Cafe™ Minimal	Café Pro Style Cafe Minimal	Cafe Minimal Café Pro Style	Café Pro Style
WEIGHTS & DIMENSIONS				
Overall oven interior dimensions (WxHxD) (in.)	20-1/16 x 8-1/2 x 17	20-1/16 x 8-1/2 x 17	20-1/16 x 8-1/2 x 17	Upper: 20-1/16 x 8-1/2 x 17 Lower: 25 x 17-3/8 x 26-3/4
Overall dimensions (WxHxD) (in.)	29-3/4 x 20-1/8 x 21-1/2	29-3/4 x 20-1/8 x 21-1/2	29-3/4 x 20-1/8 x 21-1/2	29-3/4 x 43-3/8 x 26-3/4
Oven cabinet width required (in.)	30	30	30	30
Approx. shipping weight (lbs.)	92	92	92	235
POWER/RATINGS				


Oven cabinet width required (in.	30	30	30	30
pprox. shipping weight (lbs.)	92	92	92	235
POWER/RATINGS				
nput Volts/Hertz	240V/208V/60Hz	120V/60Hz	120V/60Hz	240V/208V/60Hz
Optional kits*	CXWS0H0PMSS (Brushed Stainless) CXWS0H0PMBT (Brushed Black) CXWS0H0PMBZ (Brushed Bronze) CXWS0H0PMCU (Brushed Copper)			CXWD0H0PMSS (Brushed Stainless) CXWD0H0PMBT (Brushed Black) CXWD0H0PMBZ (Brushed Bronze) CXWD0H0PMCU (Brushed Copper)

^{*}Not for use with Modern Glass models (CSB923M2NS5, CSB913M2NS5, CSB912M2NS5).




DIMENSIONS AND CABINET INSTALLATION (IN INCHES

MODELS CSB923, CSB913, CSB912



				D				
				DEPTH	x	Y	z	
	CABINET	w	н	(to back of	CUTOUT	CUTOUT	CUTOUT	
	WIDTH	WIDTH	HEIGHT	control)	WIDTH	HEIGHT	DEPTH	
CSB923,								
CSB913	30"	29-3/4"	19-1/8"	21-1/2"	25-1/4"	17-1/2"	23-1/2"	
CSB912	27"	26-3/4"	19-1/8"	21-1/2"	25-1/4"	17-1/2"	23-1/2"	

Note: See wall oven and warming drawer section for complete product and cutout dimensions.



240-volt electric wall ovens are not approved for installation with a plug and receptacle. They must be hard wired in accordance with installation instructions.

Important: Before installing, consult installation instructions packed with product for current dimensional data.

Note: Cabinets installed adjacent to wall ovens must have an adhesion spec of at least a $194^{\circ}F$ temperature rating.




Visit CafeAppliances.com for complete specifications. Above illustrations intended for dimensional reference only. Refer to photography for actual product appearance.

Built-In Steam Oven


		CMB903P2NS1	
FEATURE	S & CONTROLS		
Family-size	e oven	1.3 cu ft	
Cooking te	echnology	Steam	
Cooking	Broil	•	
Modes	Convection Broil	•	
	Convection Roast	•	
	Steam Convection	•	
	Steam Cook	•	
	Steam Reheat	•	
	Steam-Assist	•	
Oven	Baked Goods	•	
Cooking	Eggs	•	
Modes	Meat and fish	•	
	Reheat	•	
	Rice and grains	•	
	Vegetables	•	
Oven	Glass touch & LCD	•	
controls	Preprogrammed menu items	•	
	Help pad	•	
	Interior oven light	•	
Delay start	:	•	
Electronic	clock and timer	•	
Record rec	cipes	•	
Sound volu	ume control	•	
Interior ligh	nting	Halogen	
APPEARA	NCE		
Color appe	earance	Stainless	
Handle col	lor	Brushed Stainless	
Handle de	sign	Café Pro Style	
WEIGHTS	& DIMENSIONS	,	
	en interior dimensions (WxHxD) (in.)	16 x 8 x 13	
	nensions (WxHxD) (in.)	29-3/4 x 18-5/8 x 25-1/4	
	ipping wt. (lbs.)	87	
POWER /			
Input Amp	s 240V/208V	20	
Input Volts		240V/60Hz	
		CXWS0H0PMSS (Brushed Stainless) CXWS0H0PMBT (Brushed Black) CXWS0H0PMBZ (Brushed Bronze) CXWS0H0PMCU (Brushed Copper)	
Optional ki	its	CXWSUH0PMCU (Brushed Copper)	

30" BUILT-IN STEAM OVEN DIMENSIONS (IN INCHES)

MODEL CMB903



A= Allow 1" overlap of oven over top edge of cutout, and allow 3/4" below bottom edge of cutout for door swing clearance. B= Allow 2-1/4" for overlap of oven over side edges of cutout.



POWER / RATINGS

Input Volts/Hertz

Optional kits

Input Amps/Watts (max.)

Built-In Microwave Oven CWB713P2NS1 FEATURES & CONTROLS Family-size oven 1.7 cu ft Control type Glass Touch

oona or type		Oldso Toddii			
Cooking technolo	gy	Convection			
Microwave Watts (IEC-705)	975			
Power levels		10			
Combination Fast	Cook	•			
Convection Bake/	Broil	•			
Warm/Proof		•			
Sensor cooking	Auto Cook				
controls	Popcorn				
Convenience	Time Cook	•			
cooking controls	Defrost	•			
Add 30 seconds		•			
Control lockout		•			
Timer on/off		•			
Cooking complete	reminder	•			
Demo mode					
Microwave oven in	nterior	Stainless steel			
Electronic digital o	lisplay with clock	•			
Interior lighting		Halogen			
Oven racks		Pedestal			
Turntable		•			
Turntable diamete	r (in.)	16			
APPEARANCE					
Color appearance		Stainless			
Handle		•			
WEIGHTS & DIM	ENSIONS				
Approx. shipping	wt. (lbs.)	92			
Overall oven inter	ior dimensions	20-1/16 v 8-1/2 v 17			

14.0/1.600


120V/60Hz

CXB30HKPNBT (Brushed Black) CXB30HKPNBZ (Brushed Bronze)


CXB30HKPNCU (Brushed Copper) CXB30HKPNSS (Brushed Stainless)


30" BUILT-IN MICROWAVE/CONVECTION OVEN **DIMENSIONS (IN INCHES)**

MODEL CWB713



A = Allow clearance of 5/8" from the top and 1-1/8" from the bottom. B = Allow clearance of 2-3/8" from the sides.






Warming Drawers

	CTW900P4PW2 CTW900P3PD1
Claims & Certification	ADA Compliant; California Prop 65; UL
FEATURES & CONTROLS	
Capacity (cubic feet)	1.9 cu. ft.
Control location	Hidden
Operation	On/Off rocker switch
Indicator light	"On"
Variable-temperature control	Proof(80) / Low(140) / Med(170) / High(210)
Variable-humidity control	Crisp—moist
Rack configuration	Half rack
Drawer glide	Full-extension, ball-bearing glides
APPEARANCE	
Color appearance	Stainless_ Matte White Matte Black
Handle color	Brushed Stainless Brushed Stainless Brushed Bronze
Handle design	Café™ Pro Café™ Pro Café™ Pro
WEIGHTS & DIMENSIONS	
Approx. ship. weight (lbs.)	65
Net weight (lbs.)	59
Cabinet width compatibility (in.)	30
Interior dimensions (WxHxD) (in.)	23-7/8 x 6-1/4 x 22-1/16
Exterior dimensions (WxHxD) (in.)	29-3/4 x 10-1/2 x 23-1/4
Cutout dimensions (WxHxD) (in.)	28-1/2 x 9-1/4 x 23-1/2
POWER / RATINGS	
Volts/Hertz/Amps	120V/60Hz/15Amps
Element power (watts)	450
Power cord length	4' 8"
Outlet type	3-prong grounding
Optional kits	CXWD0H0PMSS (Brushed Stainless) CXWD0H0PMBT (Brushed Black) CXWD0H0PMBZ (Brushed Bronze) CXWD0H0PMCU (Brushed Copper)

CTW900P2PS1

UNDERCOUNTER INSTALLATION **DIMENSIONS (IN INCHES)**

MODEL CTW900



When installed under a cookton

Warming drawers are suitable for installation below only certain specified cooktop models. See the label attached to the top of the warming drawer for suitable models. A solid barrier and air gap between cooktop and warming drawer are required.

Note: When installing the warming drawer below a cooktop, a solid barrier must be installed at least 1" from the lowest point of the bottom of cooktop burner box to the top of the cutout. Use any solid material such as 1/4"-thick plywood. Allow at least 1/4" air gap between the barrier and the top of the warming drawer. See label on top of the warming drawer for approved cooktop models.


Note: Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.

 $\textbf{Installation information:} \ \textbf{Before installing, consult installation instructions packed with product for}$ current dimensional data.

Note: Use of drawer with ZXD30B custom panel kit will result in the panel not being flush with adjacent cabinet doors and drawers.

INSTALLATION BELOW A SINGLE OR DOUBLE WALL OVEN (IN INCHES)

MODEL CTW900



(Must support 150 lbs.)

Visit CafeAppliances.com for complete specifications.

Above illustrations intended for dimensional reference only. Refer to photography for actual product appearance.



COOKING


Commercial-Style Rangetops CGU486P2TS1

	CGU486P4TW2 CGU486P3TD1	CGU366P4TW2 CGU366P3TD1
Claims & Certification	ADA Compliant California Prop 65	ADA Compliant California Prop 65
FEATURES & CONTROLS		
Number of burners	6	6
Burner type	Sealed	Sealed
Control type	Knob	Knob
Control location	Front	Front
Ignition	Electronic	Electronic
СООКТОР		
Burner—left front	21,000 BTU	21,000 BTU
Burner—left rear	18,000 BTU	18,000 BTU
Burner—center front	12,000 BTU	12,000 BTU
Burner—center rear	12,000 BTU	12,000 BTU
Burner—right front	10,000 BTU	10,000 BTU
Burner—right rear	18,000 BTU	18,000 BTU
Griddle	Stainless steel and aluminum clad	
Cooktop burners	Sealed	Sealed
Deep-recessed	•	
APPEARANCE		
Color appearance	Stainless Matte White Matte Black	Stainless Matte White Matte Black
Cooktop	Porcelain enamel	Porcelain enamel
Grates	6 with integrated griddle	6 separate
Grate material	Heavy-cast	Heavy-cast
Knob color	Brushed Stainless Brushed Bronze Brushed Stainless	Brushed Stainless Brushed Bronze Brushed Stainless
WEIGHTS & DIMENSIONS		
Approx. shipping weight (lbs.)	227	163
Cabinet width (in.)	48	36
Overall dimensions (WxHxD) (in.)	47-7/8 x 8-1/2 x 27-1/2	35-7/8 x 8-1/2 x 27-1/2
POWER / RATINGS		
Voltage	120V	120V
ACCESSORIES		
Optional kits	CXPR8HKPMBT (Brushed Bla CXPR8HKPTBZ (Brushed Bro CXPR8HKPMCU (Brushed Co	nze)
Griddle	18,000-BTU Stainless steel and aluminium clad	


CGU366P2TS1

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

MODEL CGU366



Front of deep cabinets can align with control panel beveled edge. Control panel projects forward from standard-depth cabinets. /2" Above Adjacent





the back of the rear trim to the back finished edge of the control panel typically, the minimum cabinet depth (front to back). Maximum cabinet cutout depth is 26" minus the countertop overhang.

 † Include the overhang of the rear trim when countertop continues behind the product. The overhang is decorative only. The weight of the rangetop is fully supported by the side trims.

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

MODEL CGU486





* Minimum cabinet cutout depth from the back of the rear trim to the back finished edge of the control panel typically, the minimum cabinet depth (front to back). Maximum cabinet cutout depth is 26" minus the countertop overhang.

 † Include the overhang of the rear trim when countertop continues behind the product. The overhang is decorative only. The weight of the rangetop is fully supported by the side trims.

26-7/8"

To front of control panel

installing, consult installation instructions packed with product for current dimensional data.

Above illustrations intended for dimensional reference only. Refer to photography for actual product appearance.

	CEP90361NBB CEP90362NSS	CEP90301NBB CEP90302NSS	CEP70362MS1 CEP70363MS2	CEP70302MS1 CEP70303MS2	CHP95302MSS	CHP95362MS
	ADA Compliant; UL: California	ADA Compliant UL: California				
Claims & Certification	Prop 65	Prop 65				
FEATURES					•	
Element type	Ribbon	Ribbon	Ribbon	Ribbon	Induction	Induction
Number of elements	5	5	5	5	4	5
SyncBurners	•					
Hot surface indicators	•		•			
Cooktop "On" indicators	•		•			
Pan presence & size sensor						
Custom Settings	•					
Multi-element timer	•	•				
Kitchen timer						
Keep Warm setting	•					
Melt setting	•					
CONTROLS						
Type	Glide Touch	Glide Touch	Knob	Knob	Glide Touch	Glide Touch
Location	Front	Front	Front	Front	Front	Front
Control lock	•		•			
Knob cleaning	N/A	N/A	Dishwasher-safe	Dishwasher-safe	N/A	N/A
All-Off	•	•				
COOKTOP						
Element—left front	7" 1,500W	7" 1,500W	7" 1,500W	7" 1,500W	7" 2,500W	7" 2,500W
Element—left rear	7" 1,500W	7" 1,500W	7" 1,500W	7" 1,500W	7" 2,500W	7" 2,500W
Element—right front	9"/7"/5" 3,000W Power Boil	8"/5" 2,200W Dual	9"/7"/5" 3,000W Power Boil	8"/5" 2,200W Dual	11" 3,700W	8" 3,200W
Element—right rear	6" 1,200W	6" 1,200W	6" 1,200W	6" 1,200W	6" 1,800W	6" 1,800W
Element—center	12"/9"/6" 3,600W Power Boil	9"/7"/5" 3,000W Power Boil	12"/9"/6" 3,600W Power Boil	9"/7"/5" 3,000W Power Boil		11" 3,700W
Griddle	Included	Included			Optional	Optional
APPEARANCE				<u>'</u>		
Color appearance	<u>Stainless</u> Black	Stainless Black	<u>Stainless</u> Stainless	<u>Stainless</u> Stainless	Stainless	Stainless
Cooktop color	Stainless	Stainless	Black	Black	Flagstone Gray	Flagstone Gray
	Black ceramic- glass with	Black ceramic- glass with	Black ceramic- glass with	Black ceramic- glass with	Gray ceramic- glass with	Gray ceramic- glass with
Cooktop surface	beveled edge	beveled edge				
Cooktop frame	Frameless	Frameless	Frameless	Frameless		
Knob color	N/A	N/A	Stainless Brushed Bronze	Stainless Brushed Bronze	N/A	N/A
WEIGHTS & DIMENSIONS						
Approx. shipping weight (lbs.)	58	46	55	48	45	57
	36-1/8 x 3-3/8 x 20-3/8	29-7/8 x 3-3/8 x 21-1/2	36 x 5-9/16 x 20-3/8	29-3/4 x 5-9/16 x 20-7/8	29-3/4 x 4-5/8 x 20-7/8	36 x 4-5/8 x 20-3/8
Overall dimensions (WxHxD) (in.)		00 1/0 10 5/0	33-7/8 x 19-1/8	28-1/2 x 19-5/8	28-1/2 x 19-5/8	33-7/8 x 19-1/8
Overall dimensions (WxHxD) (in.) Cutout dimensions (WxD) (in.)	33-7/8 x 19-1/8	28-1/2 x 19-5/8	33-7/6 X 19-1/6	20-1/2 X 13-3/0	20-1/2 × 13-3/0	33-7/6 X 13-1/6
Cutout dimensions (WxD) (in.)	33-7/8 x 19-1/8	28-1/2 x 19-5/8	33-7/6 X 19-1/6	20-1/2 × 15-3/0	20-1/2 × 13-3/0	33-7/0 X 13-1/0
, , , ,	33-7/8 x 19-1/8 45/50	28-1/2 x 19-5/8 40/40	50/40	40/40	40/40	50/50

BUILT-IN SMOOTHTOP COOKTOPS

Requires a 5" free area between the bottom of the cooktop to any combustible material, e.g., shelving. Free area not required when installing wall oven underneath cooktop. Refer to installation instructions. Units are furnished with a 48" flexible armored cable.

36" ribbon cooktops are approved for use over GE 30" single wall ovens and warming drawers. 30" ribbon cooktops are approved for use over GE 30" and 27" single wall ovens and warming drawers. Refer to cooktop and wall oven installation instructions packed with product for current dimensional data.

BUILT-IN INDUCTION COOKTOPS

Requires a 3" min. free area between the bottom of the cooktop to any combustible material, e.g., shelving. Free area not required when installing wall oven underneath cooktop. Refer to installation instructions. Units are furnished with a 36" flexible armored cable. 30" and 36" induction cooktops are approved for use over GE, Profile™ and Monogram 30" and 27" single wall ovens. Refer to cooktop and wall oven installation instructions packed with product for current dimensional data.

FILLER TRIM KIT

When replacing an old GE 30" cooktop (with larger opening) with new 30" models, use the following one-piece trim kit to fill in the over-size hole. Available at

JXTR32B (Black) JXTR32W (White)

Installation information: Before installing, consult installation instructions packed with product for current dimensional data.

COUNTER INSTALLATION DIMENSIONS (IN INCHES)


36" ELECTRIC COOKTOPS


Optional kits

Hestan Cue™ Smart Pan



30" ELECTRIC COOKTOPS






Included

Included

13" MAX. depth of unprotected overhead cabinets (when no hood or microwave is installed)

CXCE1HKPMSS (Brushed Stainless) CXCE1HKPMBT (Brushed Black)

CXCE1HKPMBZ (Brushed Bronze) CXCE1HKPMCU (Brushed Copper)




Visit CafeAppliances.com for complete specifications.

Above illustrations intended for dimensional reference only. Refer to photography for actual product appearance.

Gas Cooktops


	CGP95362MS1 CGP95363MS2	CGP95302MS1 CGP95302MS2	CGP70362NS1	CGP70302NS1
	ADA Compliant	ADA Compliant;	ADA Compliant:	ADA Compliant:
Claims & Certification	California Prop 65	California Prop 65	California Prop 65	California Prop 65
FEATURES & CONTROLS				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
lumber of burners	5	5	5	5
Control location	Front	Front	Front	Front
Control lock				
Heavy-duty knobs				
Backlit knobs	•			
BURNER CONFIGURATION				
Burner type	Sealed	Sealed	Sealed	Sealed
gnition type	Electronic	Electronic	Electronic	Electronic
Burner—left front	9,500 BTU	9,500 BTU	9,500 BTU	9,500 BTU
Burner—left rear	9,500 BTU	9,500 BTU	9,500 BTU	9,500 BTU
Burner—right front	15,000 BTU / Power Boil	12,000 BTU	15,000 BTU / Power Boil	12,000 BTU
Burner—right rear	5,000 BTU	5,000 BTU	5,000 BTU	5,000 BTU
Burner—center	20,000 BTU Tri-ring Power Boil	20,000 BTU Tri-ring Power Boil	18,000 BTU	18,000 BTU
GRATES				
Number of grates	1	1	1	1
Grate construction	Matte black, heavy-cast	Matte black, heavy-cast	Matte black, porcelain	Matte black, porcelain
Grate configuration	Continuous	Continuous	Continuous	Continuous
Cast-iron griddle	Included	Included		
APPEARANCE				
	Stainless	Stainless		
Color appearance	Stainless	Stainless	Stainless	Stainless
Cooktop color	Stainless	Stainless	Stainless	Stainless
Cooktop surface	Deep-recessed	Deep-recessed	Deep-recessed	Deep-recessed
Knob color	SS appearance/Brushed Bronze	SS appearance/Brushed Bronze	SS appearance	SS appearance
WEIGHTS & DIMENSIONS	T ==	1	T ==	T = -
Approx. shipping weight (lbs.)	57	51	57	50
Net weight (lbs.)	51	45	51	44
Cabinet width compatibility (in.)	36	30	36	30
Overall dimensions (WxHxD) (in.)	36 x 5-1/2 x 21	30 x 5-1/2 x 21	36 x 5-1/2 x 21	30 x 3-1/4 x 21
Cutout dimensions (WxD) (in.)	33-7/8 x 19-1/8	28-1/2 x 19-5/8	33-7/8 x 19-1/8	28-1/2 x 19-5/8
POWER / RATINGS				
mps Rating @ 120V, 60 Hz	5	5	5	5
ACCESSORIES	T	1	1	Taxaaa aa a
Optional kits	CXCG1K0PMSS (Brushed Stainless) CXCG1K0PMBT (Brushed Black) CXCG1K0PMBZ (Brushed Bronze) CXCG1K0PMCU (Brushed Copper)	CXCG1K0PMSS (Brushed Stainless) CXCG1K0PMBT (Brushed Black) CXCG1K0PMBZ (Brushed Bronze) CXCG1K0PMCU (Brushed Copper)	CXCG1K0PMSS (Brushed Stainless) CXCG1K0PMBT (Brushed Black) CXCG1K0PMBZ (Brushed Bronze) CXCG1K0PMCU (Brushed Copper)	CXCG1K0PMSS (Brushed Stainless) CXCG1K0PMBT (Brushed Black) CXCG1K0PMBZ (Brushed Bronze) CXCG1K0PMCU (Brushed Copper)
LP conversion kit	Included	Included	Included	Included

COUNTER INSTALLATION DIMENSIONS (IN INCHES)




		OVERA	ALL		ситои	IT	COMBUST		ALL	COUNTER
	MODEL	w	H*	D	А	В	С	L	R	F
R MIN.	CGP9536	36	5-1/2	21	33-7/8	19-1/8	3-3/8	12	12	2-1/2
earance to	CGP7036	36	5-1/2	21	33-7/8	19-1/8	3-3/8	12	12	2-1/2
ide wall om cutout	CGP9530	30	5-1/2	21	28-1/2	19-5/8	2-7/8	12	12	2-1/2
	CGP7030	30	3-1/4	21	28-1/2	19-5/8	2-7/8	12	12	2-1/2
	*Allow 5-3 **Raised bu interferen	Ilnose c	ountert	ops may			nnections. 8" additional	clearar	nce t	o prevent

DIMENSIONS (IN INCHES)



Visit CafeAppliances.com for complete specifications. Above illustrations intended for dimensional reference only. Refer to photography for actual product appearance.



MINIMUM SPACING TO EDGE

OF FRONT

139


T 7	. •1	. •	
Ven	tıla	ıtıc	r

	UVW9484SPSS
	AHAM;
01: 0.0 115 11	California Title 24
Claims & Certification	compliant
FEATURES & CONTROLS	1
Control type	Backlit push buttor
Control location	Hidden
Auto-on heat-sensor feature	•
Number of fan speeds	4
Number of blowers	2
FILTERS	
Number of filters	4
Included grease filter type	Baffle
Filter cleaning	Dishwasher-safe
LIGHTING	
Number of cooktop lights	3
Lighting control	Off/High/Night light
Type of lighting	LED
Light bulbs	Included
INSTALLATION	•
Mounting	Wall
Venting type	Vented
Exhaust direction	Top/horizontal
Round duct diameter (in.)	10
Maximum equivalent duct length (ft.)	100
CFM/SONES RATING	
Top round (high speed)	1220/11
APPEARANCE	
Color appearance	Stainless
WEIGHTS & DIMENSIONS	•
Approx. shipping weight (lbs.)	130
Net weight (lbs.)	120
Cabinet width compatibility (in.)	48
Overall dimensions (WxHxD) (in.)	48 x 18 x 25
POWER / RATINGS	1.5 % 10 % 20
Amp rating @ 120V	12.5
OPTIONAL ACCESSORIES	1.2.0
Makeup air accessory kit— 8"/6" duct	JXMUA8/JXMUA6
	CX10DC9SPSS
Duct cover kit	CX12DC9SPSS


	UVW93642SPSS CVW93644PWM	<u>UVW93042PSS</u> <u>CVW93044PWM</u>					CVW73612MSS CVW73614MWM	CVW73012MSS CVW73014MWM				
	CVW93643PDS	CVW93043PDS	UVW9361SLSS	UVW9301SLSS	UVW8361SLSS	UVW8301SLSS	CVW73613MDS	CVW73013MDS	UVC9300SLSS	UVC9360SLSS	UVW8304SPSS	UVW8364SPSS
	AHAM; UL;	AHAM: UL:	AHAM; UL; ADA capable;	AHAM; UL; ADA capable;	AHAM; UL; ADA capable;	AHAM; UL; ADA capable;	AHAM; UL;	AHAM: UL:	AHAM: UL:	AHAM; UL;	AHAM: UL:	AHAM; UL;
Claims & Certification	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65	California Prop 65
FEATURES & CONTROLS												
Control type	Backlit push button	Backlit push button	Electronic Touch	Electronic Touch	Electronic backlit	Electronic backlit	Backlit	Backlit	Push-button	Push-button	Backlit push-button	Backlit push-button
Control location	Hidden	Hidden	Front	Front	Front	Front	Front	Front	Hidden	Hidden	Hidden	Hidden
Chef Connect		•						•	•			
Number of fan speeds	4	4	4	4	3	4	4	4	4	4	4	4
Number of blowers	1	1	1	1	1	1	1	1	1	1	1	1
FILTERS		<u>'</u>	<u>'</u>		•		•			·	·	
Filter cleaning	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe
LIGHTING												
Number of cooktop lights	2	2	3	3	 2	2	2	2	3	3	2	2
Lighting control	Off/High/Night	Off/High/Night	Off/High/Night	Off/High/Night	Off/High/Night	Off/High/Night	On/Off/Night	On/Off/Night	On/Off/Night	On/Off/Night	On/Off/Night	On/Off/Night
Type of lighting	LED	LED	LED	LED	LED	LED	Halogen	Halogen	LED	LED	LED	LED
Light bulbs	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included
INSTALLATION							•			<u>'</u>	•	
Mounting	Wall	Wall	Wall	Wall	Wall	Wall	Wall	Wall	Wall	Wall	Wall	Wall
Venting type	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible
Exhaust direction	Top/horizontal	Top/horizontal	Тор	Тор	Тор	Тор	Тор	Тор	Тор	Тор	Тор	Тор
Round duct diam. (in.)	8	8	8	8	8	8	6	6	8	8	8	8
CFM/SONES RATING	1-		1-	1-		1-	1-				1-	1-
Top round (boost speed)			610/-	610/-	N/A	N/A	350/6.1	350/6.1	620/-	610/-	390/9.0	390/9.0
Top round (high speed)	590/7.5	590/7.5	290/4	290/4	350/3.1	350/3.1	330/5.4	330/5.4	288/4.9	288/4.9	300/4.0	300/4.0
Top round (working speed)	160/0.4	160/0.4					160/0.9	160/0.9			100/1.0	100/1.0
APPEARANCE	1.2.07.07.1	1.00.00					1.2.2.2.2	1.00.010			1.2.2.1.2	1.22,
Color appearance	Stainless Matte White Matte Black	Stainless Matte White Matte Black	Stainless Black Stainless	Stainless Black Stainless	Stainless	Stainless	Stainless Matte White Matte Black	Stainless Matte White Matte Black	Stainless	Stainless	Stainless	Stainless
WEIGHTS & DIMENSIONS					 							
Approx. shipping weight (lbs.)	77	68	84	79	76	73	60	60	48.5	52	68	77
Net weight (lbs.)	54	54	73	71	65	65	46	43	43	45	54	60
Cabinet width compatibility (in.)	36	30	36	30	36	30	36	30	30	36	30	36
Overall dimensions (WxHxD) (in.)	36 x 18 x 21	30 x 18 x 21	40-1/6 x 29-1/8 x 22-5/6	34-1/4 x 29-1/8 x 22-5/6	40-1/6 x 29-1/8 x 22-5/6	34-1/4 x 29-1/8 x 22-5/6	36 x 1-3/4 x 18-1/2	30 x 1-3/4 x 18-1/2	31-8/9 x 16-1/2 x 22	37-4/5 x 16-1/2 x 22	30 x 10 x 21	36 x 10 x 21
POWER / RATINGS		<u> </u>			<u> </u>						<u> </u>	
Amp rating @ 120V	3.9	3.9	3.0	3.0	2.5	2.5	5.3	5.3	3.0	3.0	5.3	5.3
OPTIONAL ACCESSORIES												
Durkeyer	CX10DC9SPSS CX12DC9SPSS CX10DC9SPDS CX12DC9SPDS CX10DC9SPWM	CX10DC9SPSS CX12DC9SPSS CX10DC9SPDS CX12DC9SPDS CX10DC9SPWM	UX12DC9SLSS	UX12DC9SLSS	UX10DC8SLSS UX12DC9SLSS	UX10DC8SLSS UX12DC9SLSS	UXDC732MSS UXDC733MDS	UXDC732MSS UXDC733MDS			CX10DC9SPSS	CX10DC9SPSS
Duct cover	CX12DC9SPWM	CX12DC9SPWM	UX14DC9SLSS	UX14DC9SLSS	UX14DC9SLSS	UX14DC9SLSS	UXDC734MWM	UXDC734MWM	LINGEON	LINCEON	CX12DC9SPSS	CX12DC9SPSS
Charcoal filter							JXCF71	JXCF71	UXCF91	UXCF91	UXCF91	UXCF91
Remote control							UXRC70	UXRC70				




MODEL UVW9484



MODELS UVW9304, CVW9304, UVW9364, CVW9364






9' and 10' Hood Installation Height (24" to 36") (Standard 8 ft. ceiling 96")


UNIVERSAL HOODS

The vent hood must be installed 24" min. above the cooking surface. For optimal performance, installing the hood more than 36" above the cooking surface is not recommended. The hood installation height above the cooking surface depends upon ceiling height. The telescopic duct cover conceals the ductwork running from the top of the hood to the ceiling.

NOTE: Installation height should be measured from the cooking surface to the lowest part of the hood. This hood may be installed onto a wall and vented to the outdoors, or it can be installed for recirculating operation. Parts for recirculating operation are supplied with the hood.




MODEL UVW9361




The supplied duct cover fits 7-7" to 10*-6" ceiling heights
(12' ceiling height with optional high ceiling kit UX12DC93SS/UX12DC93TS)
(14' ceiling height with optional high ceiling kit UX14DC93SS/UX14DC93TS)

MODEL UVW9301




*The supplied duct cover fits 7'-7" to 10'-6" ceilling heights
(12' ceiling height with optional high ceiling kit UX12DC93SS/UX12DC93TS)
(14' ceiling height with optional high ceiling kit UX14DC93SS/UX14DC93TS)

MODEL UVW8361



*The supplied duct cover fits 7'-7" to 9'-6" ceiling heights (10' ceiling height with optional high ceiling kit UX10DC83SS)


MODEL UVW8301




30" models require a 30"-wide opening *The supplied duct cover fits 7'-7" to 9'-6" ceiling heights (10' ceiling height with optional high ceiling kit UX10DC83SS)


HOODS DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

The vent hood must be installed 24" min. above the cooking surface. For optimal performance, installing the hood more than 36" above the cooking surface is not recommended. The hood installation height above the cooking surface depends upon ceiling height. The telescopic duct cover conceals the ductwork running from the top of the hood to the ceiling. NOTE: Installation height should be measured from the cooking surface to the lowest part of the hood. This hood may be installed onto a wall and vented to the outdoors, or it can be installed for recirculating operation. Parts for recirculating operation are supplied with the hood. However, when installed for recirculating operation, the optional charcoal Filter JXCF71 will need to be purchased separately.






30" models require a 30"-wide opening *The supplied duct cover fits 7'-5" to 9'-3" ceiling heights (10' with optional high ceiling kit JXDC71, JX10DC73)




MODEL CVW7361


36" models require a 36"-wide opening
The supplied duct cover fits 7'-5" to 9'-3" ceiling heights (10' with optional high ceiling kit JX10DC73)


MODEL UVC9360






MODEL UVC9300






MODEL UVW8304



MODEL UVW8364






Commercial-Style Ranges


·	C2Y486P2TS1 C2Y486P4TW2 C2Y486P3TD1	C2Y366P2TS1 C2Y366P4TW2 C2Y366P3TD1	CGY366P2TS1 CGY366P4TW2 CGY366P3TD1
	ADA Compliant; CSA;	ADA Compliant; CSA;	ADA Compliant; CSA;
Claims & Certification FEATURES	California Prop 65	California Prop 65	California Prop 65
Capacity (cu. ft.) upper/	5.75 Caterer oven/		
lower	2.5 Everyday oven	5.75	6.2
WiFi Connect	Built-in	Built-in	Built-in
CONTROLS Electronic oven controls			
Delay bake	•	•	
Digital temperature display			•
Electronic timer	•	•	•
I 141	Electronic with	Electronic with	Electronic with
Ignition Self-clean latch	Auto Reignition	Auto Reignition Auto	Auto Reignition
СООКТОР	71010	7 (310)	
Burner—left front	21,000 BTU	21,000 BTU	21,000 BTU
Burner—left rear	18,000 BTU	18,000 BTU	18,000 BTU
Burner—right front	10,000 BTU	10,000 BTU	10,000 BTU
Burner—right rear	18,000 BTU	18,000 BTU	18,000 BTU
Burner—center	12,000 BTU front / 12,000 BTU rear	12,000 BTU front / 12,000 BTU rear	12,000 BTU front / 12,000 BTU rear
Cooktop burners	Sealed	Sealed	Sealed
occincip barriers	Stainless steel and	occioa	oculed
Griddle	aluminum clad		
OVEN			
Audible preheat signal	•	•	•
Convection bake	•	•	
Convection bake Convection roast	•	•	
In-oven broiling			
No-preheat air fry	•*	•*	
Precision oven modes	•*	•*	•*
Interior oven light	Halogen	Halogen	Halogen
Temperature probe Self-clean oven racks	•	•	•
	Caterer oven: 1 self-clean roller rack, 2 self-clean flat oven racks, 5 rack positions Everyday oven: 1 flat rack, 1 roller rack,	1 self-clean roller rack, 2 self-clean flat oven racks,	1 nickel roller rack, 1 nickel flat oven rack,
Oven racks	4 rack positions	5 rack positions	5 rack positions
APPEARANCE		T	T =
Color appearance	Stainless Matte White Matte Black	Stainless Matte White Matte Black	Stainless Matte White Matte Black
Cooktop	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel
Grates	6 with integrated griddle	6 separate	6 separate
Grate material	Heavy-cast	Heavy-cast	Heavy-cast
Handle color	Brushed Stainless Brushed Bronze Brushed Stainless	Brushed Stainless Brushed Bronze Brushed Stainless	Brushed Stainless Brushed Bronze Brushed Stainless
	<u>Café™ Pro</u>	Café Pro	Café Pro
Handle design	Café™ Pro Café™ Pro Brushed Stainless	Café Pro Café Pro Brushed Stainless	Café Pro Café Pro Brushed Stainless
Knobs	Brushed Stainless Brushed Stainless	Brushed Stainless Brushed Stainless	Brushed Stainless Brushed Stainless
Oven interior	Black	Black	Black
WEIGHTS & DIMENSIONS	670	400	400
Approx. shipping weight (lbs.) Overall oven interior dimensions (WxHxD) (in.)	672 28-1/4 x 16-3/8 x 21-3/8 (Caterer oven) 12-1/4 x 16-3/8 x 21-3/8 (Everyday oven)	28-1/4 × 16-3/8 × 21-3/8	28-1/4 × 16-3/8 × 19
POWER / RATINGS	21-3/0 (Everyddy Overl)	20-1/4 × 10-3/0 × 21-3/0	20-1/4 × 10-3/6 × 13
	2,700W (Caterer oven);		
Bake wattage	1,600W (Everyday oven) 4,000W (Caterer oven);	2,700W	23,500 BTU
Broil wattage	2,750W (Everyday oven) (1) 10.0; (2) 12.0;	4,000W (1) 10.0; (2) 12.0;	1,050W, 18,000 BTU (1) 10.0; (2) 12.0;
Burners (000's BTU) Nat/LP	(2) 15.0; (1) 21.0	(2) 15.0; (1) 21.0	(2) 15.0; (1) 21.0
Gas range electrical rating	240V/50A	240V/30A	120V/60Hz/15A
LP Conversion Kit	Included	Included	Included
ACCESSORIES	CVDDOLIVDTDT	CXPR6HKPTBT	CVDDCLIKDTDT
Ontional kite	CXPR8HKPTBT (Brushed Black) CXPR8HKPTBZ (Brushed Bronze) CXPR8HKPTCU (Brushed Copper) CXPR8HKPTSS (Brushed Stainless)	(Brushed Black) CXPR6HKPTBZ (Brushed Bronze) CXPR6HKPTCU (Brushed Copper) CXPR6HKPTSS	CXPR6HKPTBT (Brushed Black) CXPR6HKPTBZ (Brushed Bronze) CXPR6HKPTCU (Brushed Copper) CXPR6HKPTSS (Brushed Stainless)
*WiFi-enabled feature	(Brushed Stainless)	(Brushed Stainless)	(Brushed Stainless)

Above illustrations intended for dimensional reference only. Refer to photography for actual product appearance.

DIMENSIONS AND INSTALLATION INFORMATION



NOTE: As defined in the National Fuel Gas Code (ANSI Z223.1/CSA B149.1, Current Edition). Clearances from non-combustible materials are not part of the ANSI Z21.1/CSA 1.1 scope and are not certified by CSA. Clearances less than 12" must be approved by local codes and/or the authority having jurisdiction.




UTILITY LOCATIONS

Locate gas and electric as shown

CGY366 **--4-5/8"** 12-3/4" 14" G/E

C2Y486



NOTE: As defined in the National Fuel Gas Code (ANSI Z223.1/CSA B149.1, Current Edition). Clearances rom non-combustible materials are not part of the ANSI Z21.1/CSA 1.1 scope and are not certified by CSA. Clearances less than 12" must be approved by local codes and/or the authority having jurisdiction.

12" Minimum to Adjacent Wall 12" Minimur Each Side

C2Y366


C2Y366


6-1/2"

4-5/8"


G/E


13-3/8" 11-3/8"





UTILITY LOCATIONS






Allow 12" minimum clearance to an adjacent wall on each side. Working areas adjacent to the rangetop should have 18" minimum clearance between countertop and the bottom of the wall cabinet.

to back edge of countertop and 3" minimum from cutout to side edges of countertop (See top view)



Installation information: Before installing, consult installation instructions packed with product for current dimensional data.



For island installation, maintain 2-1/2" minimum from cutout

Above illustrations intended for dimensional reference only. Refer to photography for actual product appearance.

Side Wall

30" min See note A

below cooktop

CES700M2NS5

CES700P2MS1

CES700P4MW2

CES700P3MD1

5.7

Built-in

8"/5" 1.900W

8" 2,000W

6" 1,200W

Hidden

8-pass

l incandescent

Stainless Matte White Matte Black

Brushed Stainless Brushed Stainless Brushed Bronze Brushed Stainless

24 x 19-7/8 x 20-5/8

CXFCEHKPMSS (Brushed Stainless CXECEHKPMRT (Brushed Black)

CXFCEHKPMBZ (Brushed Bronze)

CXFCEHKPMCU (Brushed Copper

Black

226

2,850W

4,000W

2.500W

13.8/10.4

40

1 roller rack, 2 heavy-duty

12"/9"/6" 3,600W Power Boil

6" 100W Warming Zone

ADA Compliant; Star-K; UL; California Prop 65

True European Convection with Precise Air


Self-clean with Steam Clean option

Note: 30" minimum to bare cabinet see installation instructions for heights less than 30"


recommend 6" space to

MODELS CHS90X, CHS900, CES700

7-1/2"



heights less than 30"



Underwriter

Above illustrations intended for dimensional reference only. Refer to photography for actual product appearance. Visit CafeAppliances.com for complete specifications.

Claims & Certification

Capacity (cu. ft.) upper/lower

Digital temperature display Hot surface lights

FEATURES

Cleaning system

CONTROLS Certified Sabbath Mode Control lock capability Electronic oven controls

Delay bake

WiFi Connect

Chef Connect СООКТОР

Flement-left front

Element-left rear

Element-right front

Element—right rear

Audible preheat signal Auto Recipe Conversion True Convection with Precise Air

Element-center

No-preheat air fry

Convection bake

Convection roast Bake element

Broil element

Fast preheat

Oven racks

APPEARANCE Ceramic-glass cooktop

Color appearance

Handle color Knobs-weighted

Knobs-color Oven interior

(WxHxD) (in.)

Bake wattage

Broil wattage

POWER / RATINGS

Convection wattage

Amp rating 240V/208V

KW rating 240V/208V

Precision cooking probe

Hestan Cue™ Smart Pan

Hestan Cue Chef's Pot

Hestan Cue Sauce Pot

ACCESSORIES

Optional kits**

Trim kit

WEIGHTS & DIMENSIONS

Approx. shipping weight (lbs.)

Overall oven interior dimensions

In-oven camera

Interior oven light Proof mode Warm mode Temperature probe Self-clean oven racks

OVEN

Cooking technology

Electric Ranges

CHS90XM2NS5

CHS90XP2MS1

5.7

Built-in

8" 2,500W Sync Element

11" 3.700W Power Boil

6" 100W Warming Zone

6" 1,800W

Hidden

8-pass

Black

2,850W

4,000W

2.500W

13.6/11.3

40

24-1/8 x 19-1/2 x 19-3/8

CXFCHHKPMSS (Brushed Stainless)

CXFCHHKPMBT (Brushed Black)

CXFCHHKPMCU (Brushed Copper

1 incandescent

1 roller rack, 2 heavy-duty

ADA Compliant; Star-K; UL; California Prop 65

True Convection with Precise Air

CHS900M2NS5

CHS900P2MS1

CHS900P4MW2

CHS900P3MD1

5.7

Built-in

8" 2.500W Sync Flemen

11" 3.700W Power Boil

6" 100W Warming Zone

6" 1,800W

Hidden

8-pass

1 incandescent

Stainless Matte White Matte Black

Black

256

2,850W

4,000W

2.500W

13.6/11.3

JXFILLR1SS

Optional

Optional

40

Brushed Stainless Brushed Stainless Brushed Bronze Brushed Stainless

24 x 19-7/8 x 20-5/8

CXFCHHKPMSS (Brushed Stainless) CXFCHHKPMBT (Brushed Black)

CXFCHHKPMBZ (Brushed Bronze)

CXECHHKPMCU (Brushed Copper

1 roller rack, 2 heavy-duty

8" 2,500W Sync Element

Upper: Traditional;
Lower: True Convection with Precise Air
True Convection with Precise Air

California Prop 65

ADA Compliant; Star-K; UL:

Self-clean with Steam Clean option

CES750P2MS1

CES750P4MW2

CES750P3MD1

2.4/4.3

Built-in

8"/5" 1,900W

12"/9"/6" 3,600W Power Boil

Upper: 6-pass, lower: 8-pass

2 incandescent

Black

267

2.500W

15.5/11.6

40

Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8

Upper: 2,650W/Lower: 2,650W

Upper: 3,000W/Lower: 3,600W

CXFCEHKPMSS (Brushed Stainless) CXFCEHKPMBT (Brushed Black)

CXFCEHKPMBZ (Brushed Bronze)

CXFCEHKPMCU (Brushed Copper

1 roller rack, 2 heavy-duty

6" 100W Warming Zone

8" 2,000W

6" 1,200W

ADA Compliant; Star-K; UL; California Prop 65

Upper: Traditional Lower: True Convection with Precise Air

CHS950P2MS1

CHS950P4MW2

CHS950P3MD1

2.4/4.3

Built-in

8" 2,500W Sync Element w/ Temp Sensor 8" 2,500W Sync Element

8" 2,500W Sync Elemen

11" 3,700W Power Boil

6" 100W Warming Zone

Upper: 6-pass, lower: 8-pass

1 roller rack, 2 heavy-duty

6" 1,800W

Hidden

Black

256

2.500W

15.2/12.6

JXFILLR1SS

Optional

Optional

40

Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8

Upper: 2,650W/Lower: 2,650W

Upper: 3,000W/Lower: 3,600W

CXFCHHKPMSS (Brushed Stainless)

CXFCHHKPMBT (Brushed Black) CXFCHHKPMBZ (Brushed Bronze)

CXECHHKPMCU (Brushed Coppe

2 incandescent

ADA Compliant; Star-K; UL; California Prop 65

**Not for use on Modern Glass models. (CHS90XM2NS5, CHS900M2NS5, CES700M2NS5).

JXFILLR1SS

Optional


Optional

MODELS C2S950, C2S900		
36" min Side Wall See note A See	1-1/8" 18"	1-1/8" 36-1/4" +/- 1/4" 26-7/8" 29-7/8" 29-7/8"

Gas Ranges				
	C2S950M2NS5 C2S950P2MS1 C2S950P4MW2 C2S950P3MD1	C2S900P2MS1	CGS750P2MS1 CGS750P4MW2 CGS750P3MD1	CGS700M2NS5 CGS700P2MS1 CGS700P4MW2 CGS700P3MD1
Claires 0 Carrettiane	ADA Compliant; CSA; Star-K;	ADA Compliant; CSA; Star-K;	ADA Compliant; CSA; Star-K;	ADA Compliant; CSA; Star-K;
Claims & Certification FEATURES	California Prop 65	California Prop 65	California Prop 65	California Prop 65
Capacity (cu. ft.) upper/lower	2.4/4.3	5.7	2.4/4.3	5.6
Cleaning system	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option	Self-clean with Steam Clean option
Cooking Technology	Upper: Traditional/Lower: Convection	Convection	Upper: Traditional/Lower: Convection	Convection
CONTROLS	- PP		- In the second	
Certified Sabbath Mode		•	•	•
Control lock capability	•	•	•	•
Electronic oven controls	•	•	•	•
Delay bake		•	•	•
Digital temperature display	•	•	•	•
Electronic clock and timer	•	•	•	•
Ignition	Electronic with Auto Reignition	Electronic with Auto Reignition	Electronic	Electronic
Self-clean latch	Automatic	Automatic	Automatic	Automatic
WiFi Connect	Built-in	Built-in	Built-in	Built-in
No-preheat air fry	•*	•*	•*	•*
Chef Connect	•	•	•	•
COOKTOP				
Burner—left front	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner	21,000 BTU Tri-ring burner
Burner—left rear	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer	5,000 BTU Precise Simmer
Burner—right front	15,000 BTU	15,000 BTU	15,000 BTU	15,000 BTU
Burner—right rear	12,000 BTU	12,000 BTU	12,000 BTU	12,000 BTU
Burner—center	9,500 BTU front/9,500 BTU rear	9,500 BTU front/9,500 BTU rear	9,500 BTU front/9,500 BTU rear	9,500 BTU front/9,500 BTU rear
Cooktop burners	Sealed	Sealed	Sealed	Sealed
Deep-recessed cooktop	•	•	•	•
6 3146 3 1 11	Included, integrated	Included, integrated	Included, integrated	Included, integrated
Grill/Griddle	cast-iron griddle	cast-iron griddle	cast-iron griddle	cast-iron griddle
Simmer OVEN	•	•	•	•
Audible preheat signal Convection	•	•	•	•
Convection bake	+ :	•	•	•
Convection roast			•	
Drawer	<u>'</u>	Warming	•	Storage
In-oven broiling		·		Storage
Interior oven light	2 interior oven lights	1 incandescent	2 interior oven lights	1 interior incandescent
Proof mode	2 Interior over rights	- Inicalidescent	• Titleflor Overriights	• Interior incaridescent
Warm mode		•	•	
Temperature probe	 			
Self-clean oven racks	 .	•		•
Oven racks	2 racks, 1 roller rack	2 racks, 1 roller rack	3 racks	3 racks
APPEARANCE				
	Platinum			Platinum
	Stainless		Stainless	Stainless
	Matte White	C	Matte White	Matte White
Color Appearance	Matte Black	Stainless	Matte Black	Matte Black
Grates	Matte Black	Matte Black	Matte Black	Matte Black
Grate material	Cast-iron	Cast-iron	Cast-iron	Cast-iron
	Brushed Stainless Brushed Stainless		Brushed Stainless	Brushed Stainless Brushed Stainless
	Brushed Bronze		Brushed Bronze	Brushed Bronze
Handle Color	Brushed Stainless	Brushed Stainless	Brushed Stainless	Brushed Stainless
	Cafe™ Minimal			<u>Cafe Minimal</u>
	Cafe [™] Pro Cafe [™] Pro		Cafe Pro Cafe Pro	Cafe Pro Cafe Pro
Handle Design	Cafe™ Pro	Cafe Pro	Cafe Pro	Cafe Pro
	Brushed Stainless			Brushed Stainless
	Brushed Stainless		Brushed Stainless	Brushed Stainless
Vb-	Brushed Bronze	Double of Chairles	Brushed Bronze	Brushed Bronze
Knobs Oven interior	Brushed Stainless	Brushed Stainless	Brushed Stainless	Brushed Stainless
Oven interior WEIGHTS & DIMENSIONS	Black	Black	Black	Black
	201	244	256	244
Approx. shipping weight (lbs.)	291 Happer 24 v 10 1/8 v 10 1/9	244	256 Upper: 24 x 9-1/8 x 19-1/8	244
Oven interior dimensions (WxHxD) (in.)	Upper: 24 x 10-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	24 x 19-7/8 x 20-5/8	Upper: 24 x 9-1/8 x 19-1/8 Lower: 24 x 15 x 20-5/8	24 x 19-1/2 x 20-5/8
POWER / RATINGS				
Bake wattage/BTU	Upper: 2,650W/Lower: 2,650W	2,850W	Upper: 7,000 BTU/Lower: 14,000 BTU	16,000 BTU
Broil wattage/BTU	Upper: 3,000W/Lower: 3,600W	4,000W	Upper: N/A /Lower: 16,500 BTU	16,500 BTU
Burners (000's BTU) LP	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0	(1) 18.0 Tri-ring; (1) 15.0; (1) 12.0; (2) 9.5; (1) 5.0
Gas range electrical rating	208/240V/60Hz/30A	208/240V/60Hz/30A	120V/60Hz/15A	120V/60Hz/15A
LP conversion kit (included)	•	*	•	•
ACCESSORIES				
JOEGG MEG	CXFCGHKPMSS (Brushed Stainless)	CXFCGHKPMSS (Brushed Stainless)	CXFCGHKPMSS (Brushed Stainless)	CXFCGHKPMSS (Brushed Stainless)
	CXFCGHKPMBT (Brushed Black)	CXFCGHKPMBT (Brushed Black)	CXFCGHKPMBT (Brushed Black)	CXFCGHKPMBT (Brushed Black)
0.11	CXFCGHKPMBZ (Brushed Bronze)	CXFCGHKPMBZ (Brushed Bronze)	CXFCGHKPMBZ (Brushed Bronze)	CXFCGHKPMBZ (Brushed Bronze)
Optional kits**	CXFCGHKPMCU (Brushed Copper)	CXFCGHKPMCU (Brushed Copper)	CXFCGHKPMCU (Brushed Copper)	CXFCGHKPMCU (Brushed Copper)
Trim kit	Optional: JXFILLR1SS	Optional: JXFILLR1SS	Optional: JXFILLR1SS	Optional: JXFILLR1SS
*WiFi-enabled feature	Optional: JXCGRILL1	Optional: JXCGRILL1	Optional: JXCGRILL1	Optional: JXCGRILL1
TAUL onabled teature				

MODEL CGS750 26-7/8" w/o handlr 29-3/8" w/handle 14-1/2" Note: 42" minimum to bare cabinet, see installation instructions for heights less than 42"

DIMENSIONS AND INSTALLATION INFORMATION



Above illustrations intended for dimensional reference only. Refer to photography for actual product appearance.



Visit CafeAppliances.com for complete specifications.

*WiFi-enabled feature.
**Not for use on Modern Glass models (C2S950M2NS5, CGS700M2NS5).


COOKING


Over-the-Range Microwave Ovens


	CVM721M2NS5	CVM521P2MS1	CVM517P4MW2 CVM517P3MD1
Claims & Certification	AHAM	California Prop 65 AHAM	California Prop 65 AHAM
FEATURES		·	
Capacity (cu. ft.)	2.1	2.1	1.7
Watts-microwave (IEC-705 test procedure)	1,000	1,000	950
WiFi Connect	Built-in		
CONTROLS			
Cook			
Reheat	•		
Popcorn	•		
Steam Cook			
Defrost			
CONTROLS TOUCHPAD			·
Add 30 seconds	•		
Control lockout			
Electronic touch controls			
Mute On/Off			
Convection Bake			
Convection Roast			
OVEN			
Interior/cooktop lighting	Halogen	Halogen	Halogen
Turntable	•		
Turntable diameter (in.)	14.25	14.25	13.5
APPEARANCE			
74.7.27.40.4102			Stainless Matte White
Color appearance	Platinum	Stainless	Matte Black
Case color	Gray	Gray	Graphite Gray
Handle color		SS	Brushed Stainless Brushed Bronze Brushed Stainless
Handle design	Pocket	Café™ Pro	Café Pro
Oven interior	Gray	Gray	Stainless
Touchpad	Stainless	Dorian Gray	Dorian Gray
WEIGHTS & DIMENSIONS			
Approx. shipping weight	95	74	95
Overall oven interior dimensions (WxHxD) (in.)	21-15/16 x 11-5/8 x 14-9/16	21-15/16 x 11-5/8 x 14-9/16	21-5/8 x 9-3/4 x 14-1/4
POWER / RATINGS			
Exhaust vent fan	400-CFM	400-CFM	300-CFM
Input Volts/Hertz	120V/60Hz	120V/60Hz	120V/60Hz
Electrical input 120V Amperage	15	15	13
Electrical input 120V Watts	1,700	1,700	1,500
ACCESSORIES			
Optional kits		CXOTRHKPMSS (Brushed Stainless) CXOTRHKPMBZ (Brushed Bronze) CXOTRHKPMBT (Brushed Black) CXOTRHKPMCU (Brushed Copper)	
Optional side filler panel kit	JX36B	JX36B	JX36B
Recirculating charcoal filter kit included	WB06X10807	WB06X10807	WB06X10807

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

CVM517P2MS1







CABINET OVERLAP REQUIREMENTS	30"	27"
A - Overlap of trim kit over top of cabinet	1"	1"
B - Overlap of trim kit over bottom of cabinet	1"	1"
C - Overlap of trim kit over sides of cabinet	3-5/16"	1-7/8"

NOTE:

Allow an additional inch of clearance beyond trim frame on all sides.

Countertop Microwave Ovens

	1					
		<u>CEB515M2RS5</u> <u>CEB515P2RSS</u> <u>CEB515P4RWM</u> <u>CEB515P3RDS</u>				
CI : 0 C	P. P.	ADA Compliant				
Claims & Ce	rtification	California Prop 65				
	#\	1.5				
Capacity (cu	. IL.)	1.5				
	05 test procedure)	1,000				
WiFi Connec		Built-in				
	k technology	• Built-III				
Electronic to		 				
	play with help					
	gital display with clock	•				
Display On/0		 :				
Convection/		· · · · · · · · · · · · · · · · · · ·				
Microwave						
	Roast	•				
Concor	Combination	· · · · · · · · · · · · · · · · · · ·				
Sensor cooking	Popcorn	 :				
controls	Beverage					
	Reheat	<u> • </u>				
	Cook	1-6 min.				
Express Coc		1-0 111111.				
Warming cor						
Instant On co	ontrois	•				
Time Cook Auto/Time D	-6	&				
Power levels		10				
Turntable		Recessed 13.5				
Turntable dia Timer On/Of						
		· · · · · · · · · · · · · · · · · · ·				
Control lock	nplete reminder	•				
		1.				
	TOUCHPAD					
Add 30 seco	onas	•				
Auto Bake		•				
Auto Roast		•				
Broil	D-I	<u> </u>				
Convection		<u> • </u>				
Cook time	KUdSt	•				
		•				
Mute On/Off		•				
Warm	CE	· .				
APPEARAN	CE	Distinum				
C-1		Platinum Stainless Matte White				
Color appea	Idilce	Matte Black				
Case color	DIMENCIONS	Black				
WEIGHTS &	DIMENSIONS	144				

Approx. shipping weight

POWER / RATINGS

Input Volts/Hertz


(WxHxD) (in.)

Overall oven exterior dimensions

Overall oven interior dimensions (WxHxD) (in.)

Electrical Input—120V Amps

Electrical Input—120V Watts



The wave guide cover is a thin specialized sheet consisting of mica material which covers the outlet where microwaves are emitted for cooking. Microwaves pass freely through this cover while it prevents steam and food particles from entering the magnetron area during cooking. This cover is not to be removed or altered. Doing so may void the product's warranty.

Location of wave guide cover will vary per model.

21-3/4 x 13 x 20

13

1,500

15-1/2 x 10-7/8 x 15-1/2

CAFÉ PARTS & ACCESSORIES

REFRIGERATION	PART NUMBER
Built-In Bottom-Freezer Refrigeration Handle Kit— Brushed Black	CXSB2H2PPBT
Built-In Bottom-Freezer Refrigeration Handle Kit—	CXSB2H2PPBZ
Built-In Bottom-Freezer Refrigeration Handle Kit—	
Brushed Copper 22, 23, and 28 Cu. Ft. 3-Door Bottom-Freezer Handle	CXSB2H2PPCU
Kit—Brushed Black	CXLB3H3PMBT
22, 23, and 28 Cu. Ft. 3-Door Bottom-Freezer Handle Kit—Brushed Bronze	CXLB3H3PMBZ
22, 23, and 28 Cu. Ft. 3-Door Bottom-Freezer Handle Kit—Brushed Copper	CXLB3H3PMCU
22, 23, and 28 Cu. Ft. 3-Door Bottom-Freezer Handle Kit—Brushed Stainless	CXLB3H3PMSS
19 Cu. Ft. Bottom-Freezer Handle Kit—Brushed Black	CXMA3H3PNBT
19 Cu. Ft. Bottom-Freezer Handle Kit—Brushed Bronze	CXMA3H3PNBZ
19 Cu. Ft. Bottom-Freezer Handle Kit—Brushed Copper	CXMA3H3PNCU
19 Cu. Ft. Bottom-Freezer Handle Kit—Brushed Stainless	CXMA3H3PNSS
26 Cu. Ft. Bottom-Freezer Handle Kit—Brushed Black	CXMB3H3PNBT
26 Cu. Ft. Bottom-Freezer Handle Kit—Brushed Bronze	CXMB3H3PNBZ
26 Cu. Ft. Bottom-Freezer Handle Kit—Brushed Copper	CXMB3H3PNCU
26 Cu. Ft. Bottom-Freezer Handle Kit—Brushed Stainless	CXMB3H3PNSS
Counter-Depth SxS Handle Kit—Brushed Black	CXMS2H2PNBT
Counter-Depth SxS Handle Kit—Brushed Bronze	CXMS2H2PNBZ
Counter-Depth SxS Handle Kit—Brushed Copper	CXMS2H2PNCU
Counter-Depth SxS Handle Kit—Brushed Stainless	CXMS2H2PNSS
4-Door Bottom-Freezer Handle Kit—Brushed Black	CXQB4H4PNBT
4-Door Bottom-Freezer Handle Kit—Brushed Bronze	CXQB4H4PNBZ
4-Door Bottom-Freezer Handle Kit—Brushed Copper	CXQB4H4PNCU
4-Door Bottom-Freezer Handle Kit—Brushed Stainless	CXQB4H4PNSS
Matte White Refrigerator Panel—Right Side, Full Depth	CKLBRSFNW2
Matte White Refrigerator Panel—Left Side, Full Depth	CKLBLSFNW2
Matte White Refrigerator Panel—Right Side, Counter-Depth	CKLBRSCNW2
Matte White Refrigerator Panel—Left Side, Counter-Depth	CKLBLSCNW2
Matte White Refrigerator Panel—Right Side, Multi-Door	CKQBRSFNW2
Matte White Refrigerator Panel—Left Side, Multi-Door	CKQBLSFNW2
Undercounter Refrigeration Handle Kit—Brushed Black	CXQD2H2PNBT
Undercounter Refrigeration Handle Kit—Brushed Bronze	CXQD2H2PNBZ
Undercounter Refrigeration Handle Kit—Brushed Copper	CXQD2H2PNCU
Undercounter Refrigeration Handle Kit—	CAGDZIIZI NCO
Brushed Stainless	CXQD2H2PNSS
Wine/Beverage Center Handle Kits—Brushed Black	CXQW1H1PPBT
Wine/Beverage Center Handle Kits—Brushed Bronze	CXQW1H1PPBZ
Wine/Beverage Center Handle Kits—Brushed Copper	CXQW1H1PPCU
Wine/Beverage Center Handle Kits—Brushed Stainless	CXQW1H1PPSS
Built-In SxS Handle Kit—Brushed Black	CXSS2H2PMBT
Built-In SxS Handle Kit—Brushed Bronze	CXSS2H2PMBZ
Built-In SxS Handle Kit—Brushed Copper	CXSS2H2PMCU
Built-In SxS Handle Kit—Brushed Stainless	CXSS2H2PMSS
Ice Maker Handle Kit—Brushed Black	CXXN1H1PNBT
Ice Maker Handle Kit—Brushed Bronze	CXXN1H1PNBZ
Ice Maker Handle Kit—Brushed Copper	CXXN1H1PNCU
Ice Maker Handle Kit—Brushed Stainless	CXXN1H1PNSS
Ice Maker Door Kit—Stainless	CIP75S1
Ice Maker Door Kit—Matte White	CIP75W2
Ice Maker Door Kit—Matte Black	CIP75D1
Drain Pump Kit	UPK3
Ice Cube Tray	WR30X311
Odor Filter Cartridge (2pk)	ODORFILTER

COOKING	
30" Double Wall Oven Handles (2)—Brushed Black	CXWD0H0PMBT
30" Double Wall Oven Handles (2)—Brushed Bronze	CXWD0H0PMBZ
30" Double Wall Oven Handles (2)—Brushed Copper	CXWD0H0PMCU
30" Double Wall Oven Handles (2)—Brushed Stainless	CXWD0H0PMSS
27" Handles (2)—Brushed Black	CXWD7H0PNBT
27" Handles (2)—Brushed Bronze	CXWD7H0PNBZ
27" Handles (2)—Brushed Copper	
27" Handles (2)—Brushed Stainless	CXWD7H0PNCU
French-Door Handles (2); 30" Handle (1); Knobs (4)—	CXWD7H0PNSS
Brushed Black	CXWDFHKPMBT
French-Door Handles (2); 30" Handle (1); Knobs (4)—	CANDITIKI IIIDI
Brushed Bronze	CXWDFHKPMBZ
French-Door Handles (2); 30" Handle (1); Knobs (4)—	
Brushed Copper	CXWDFHKPMCL
French-Door Handles (2); 30" Handle (1); Knobs (4)—	
Brushed Stainless	CXWDFHKPMSS
30" Single Wall Oven Handle—Brushed Black	CXWS0H0PMBT
30" Single Wall Oven Handle—Brushed Bronze	CXWS0H0PMBZ
30" Single Wall Oven Handle—Brushed Copper	CXWS0H0PMCL
30" Single Wall Oven Handle—Brushed Stainless	CXWS0H0PMSS
27" Wall Oven/Advantium® Oven Pro Handle Kit—	
Brushed Black	CXWS7H0PNBT
27" Wall Oven/Advantium Oven Pro Handle Kit—	0.4.407.10.0.107
Brushed Bronze	CXWS7H0PNBZ
27" Wall Oven/Advantium Oven Pro Handle Kit— Brushed Copper	CVMS7HODNICL
27" Wall Oven/Advantium Oven Pro Handle Kit—	CXWS7H0PNCU
Brushed Stainless	CXWS7H0PNSS
French-Door Handles (2); Knobs (2)—Brushed Black	CXWSFHKPMBT
French-Door Handles (2); Knobs (2)—Brushed Bronze	CXWSFHKPMBZ
French-Door Handles (2); Knobs (2)—Brushed Copper	CXWSFHKPMCU
French-Door Handles (2); Knobs (2)—Brushed Stainless	
Electric Cooktop Knobs (5)—Brushed Black	CXWSFHKPMSS
Electric Cooktop Knobs (5)—Brushed Bronze	CXCE1HKPMBT
	CXCE1HKPMBZ
Electric Cooktop Knobs (5)—Brushed Copper	CXCE1HKPMCU
Electric Cooktop Knobs (5)—Brushed Stainless	CXCE1HKPMSS
Gas Cooktop Knobs (5)—Brushed Black	CXCG1K0PMBT
Gas Cooktop Knobs (5)—Brushed Bronze	CXCG1K0PMBZ
Gas Cooktop Knobs (5)—Brushed Copper	CXCG1K0PMCU
Gas Cooktop Knobs (5)—Brushed Stainless	CXCG1K0PMSS
Front Control Induction Knobs and Handles—Brushed Black	CXFCHHKPMBT
Front Control Induction Knobs and Handles—	
Brushed Bronze	CXFCHHKPMBZ
Front Control Induction Knobs and Handles—	OVECLU IVENACI
Brushed Copper	CXFCHHKPMCU
Front Control Induction Knobs and Handles— Brushed Stainless	CXFCHHKPMSS
Front Control Electric Knobs and Handles—Brushed Black	CXFCEHKPMBT
Front Control Electric Knobs and Handles—	CAFCERREIVIBT
Brushed Bronze	CXFCEHKPMBZ
Front Control Electric Knobs and Handles—	OXI OLI IIXI IIIDZ
Brushed Copper	CXFCEHKPMCU
Front Control Electric Knobs and Handles—	
Brushed Stainless	CXFCEHKPMSS
Front Control Gas Knobs and Handles—Brushed Black	CXFCGHKPMBT
Front Control Gas Knobs and Handles—Brushed Bronze	CXFCGHKPMBZ
Front Control Gas Knobs and Handles—Brushed Copper	CXFCGHKPMCL
Front Control Gas Knobs and Handles—	
Brushed Stainless	CXFCGHKPMSS
Free-Standing Gas Knobs and Handles—Brushed Black	CXFSGHKPMBT
Free-Standing Gas Knobs and Handles—Brushed Bronze	CXFSGHKPMBZ
Free-Standing Gas Knobs and Handles—Brushed Copper	CXFSGHKPMCU


36" Commercial-Style Range and Rangetop Handle & Knob Set—Brushed Black	CXPR6HKPTBT
36" Commercial-Style Range and Rangetop Handle & Knob Set—Brushed Bronze	CXPR6HKPTBZ
36" Commercial-Style Range and Rangetop Handle & Knob Set—Brushed Copper	
36" Commercial-Style Range and Rangetop	CXPR6HKPTCU
Handle & Knob Set—Brushed Stainless 48" Commercial-Style Range and Rangetop	CXPR6HKPTSS
Handle & Knob Set—Brushed Black 48" Commercial-Style Range and Rangetop	CXPR8HKPTBT
Handle & Knob Set—Brushed Bronze 48" Commercial-Style Range and Rangetop	CXPR8HKPTBZ
Handle & Knob Set—Brushed Copper	CXPR8HKPTCU
48" Commercial-Style Range and Rangetop Handle & Knob Set—Brushed Stainless	CXPR8HKPTSS
30" Customizable Pro Collection Electric and Dual Fuel Optional Roller Rack	WB48X20990
30" Customizable Pro Collection and Modern Glass Gas Optional Roller Rack	WB48X21543
30" Modern Glass Collection Electric Single Oven Optional Roller Rack	WB48X20881
OTR Microwave Accessory Kit—Brushed Black	CXOTRHKPMBT
OTR Microwave Accessory Kit—Brushed Bronze	CXOTRHKPMBZ
OTR Microwave Accessory Kit—Brushed Copper	CXOTRHKPMCU
OTR Microwave Accessory Kit—Brushed Stainless	CXOTRHKPMSS
30" Never-Scrub, Heavy-Duty Roller Rack	UXWORXR30
27" Never-Scrub, Heavy-Duty Roller Rack	UXWORXR27
Stainless Steel Aluminum-Clad Griddle for Induction Cooktops	JXGRIDL1
30" Cast-Iron Griddle for Gas Cooktops	JXGRIDL230
36" Cast-Iron Griddle for Gas Cooktops	JJXGRIDL236
Hestan Cue™ 11" Smart Pan	WB32X32079
Chantal® Tri-Ply Griddle with Stainless Steel Surface	WB32X32285
Chantal $^{\otimes}$ 8-Qt. Stockpot with Custom Stainless "Cutout" Lid for Sous Vide Probe	WB32X32286
Chantal® 9-Piece Stainless Steel Cookware	WB02X30447
Chantal® 10" Ceramic-Coated Nonstick Fry Pan	
	WB32X32288
Chantal® 8" Ceramic-Coated Nonstick Fry Pan	
Chantal® 8" Ceramic-Coated Nonstick Fry Pan Sous Vide Cooking Probe	WB32X32288
	WB32X32288 WB32X32287
Sous Vide Cooking Probe Slide-In Range Filler Kit	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSS
Sous Vide Cooking Probe Slide-In Range Filler Kit	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSS CX10DC9SPWM CX12DC9SPWM
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSS CX10DC9SPWM CX12DC9SPWM CX10DC9SPDS
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSS CX10DC9SPWM CX12DC9SPWM CX12DC9SPDS CX10DC9SPDS CX10DC9SPDS CX12DC9SPDS
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSW CX12DC9SPWM CX12DC9SPWM CX12DC9SPDS CX10DC9SPDS CX12DC9SPDS UXDC732MSS
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSM CX12DC9SPWM CX12DC9SPWM CX12DC9SPDS CX10DC9SPDS CX12DC9SPDS UXDC732MSS UXDC734MWM
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless 10' Duct Cover—Matte White	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSW CX12DC9SPWM CX12DC9SPWM CX12DC9SPDS CX10DC9SPDS CX12DC9SPDS UXDC732MSS
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless 10' Duct Cover—Matte White 10' Duct Cover—Matte Black	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPWM CX12DC9SPWM CX12DC9SPDS CX10DC9SPDS CX12DC9SPDS UXDC732MSS UXDC734MWM UXDC733MDS
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless 10' Duct Cover—Matte White 10' Duct Cover—Matte Black Range Hood Charcoal Filter	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPWM CX12DC9SPWM CX12DC9SPDS CX10DC9SPDS CX12DC9SPDS UXDC732MSS UXDC733MDS JXCF71
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless 10' Duct Cover—Matte White 10' Duct Cover—Matte Black Range Hood Charcoal Filter 27" Modern Glass Collection Built-In Trim Kit	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPWM CX12DC9SPWM CX12DC9SPDS CX12DC9SPDS UXDC732MSS UXDC733MDS JXCF71 CX152M2NS5
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless 10' Duct Cover—Matte White 10' Duct Cover—Matte Black Range Hood Charcoal Filter 27" Modern Glass Collection Built-In Trim Kit 30" Modern Glass Collection Built-In Trim Kit	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPWM CX12DC9SPWM CX12DC9SPDS CX12DC9SPDS CX12DC9SPDS UXDC732MSS UXDC734MWM UXDC733MDS JXCF71 CX152M2NS5 CX153M2NS5
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless 10' Duct Cover—Matte White 10' Duct Cover—Matte Black Range Hood Charcoal Filter 27" Modern Glass Collection Built-In Trim Kit 30" Modern Glass Collection Built-In Trim Kit 27" Professional Collection Built-In Trim Kit—Stainless	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSS CX10DC9SPWM CX10DC9SPDS CX12DC9SPDS CX12DC9SPDS CX12DC9SPDS CX12DC9SPDS CX12DC9SPDS CX12DC9SPDS UXDC732MSS UXDC734MWM UXDC733MDS JXCF71 CX152M2NS5 CX153M2NS5 CX152P2MSS
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless 10' Duct Cover—Matte White 10' Duct Cover—Matte Black Range Hood Charcoal Filter 27" Modern Glass Collection Built-In Trim Kit 30" Modern Glass Collection Built-In Trim Kit 27" Professional Collection Built-In Trim Kit—Stainless 27" Professional Collection Built-In Trim Kit—Matte White	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSS CX10DC9SPWM CX10DC9SPDS CX12DC9SPDS CX152MSS UXDC734MWM UXDC733MDS JXCF71 CX152M2NS5 CX152P2MSS CX152P2MSS
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless 10' Duct Cover—Matte White 10' Duct Cover—Matte Black Range Hood Charcoal Filter 27" Modern Glass Collection Built-In Trim Kit 30" Modern Glass Collection Built-In Trim Kit 27" Professional Collection Built-In Trim Kit—Stainless 27" Professional Collection Built-In Trim Kit—Matte White 27" Professional Collection Built-In Trim Kit—Matte Black	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSS CX12DC9SPWM CX10DC9SPDS UXDC732MSS UXDC734MWM UXDC734MWM UXDC733MDS JXCF71 CX152M2NS5 CX152P2MSS CX152P2MSS CX152P3MDS
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless 10' Duct Cover—Matte White 10' Duct Cover—Matte Black Range Hood Charcoal Filter 27" Modern Glass Collection Built-In Trim Kit 30" Modern Glass Collection Built-In Trim Kit 27" Professional Collection Built-In Trim Kit—Stainless 27" Professional Collection Built-In Trim Kit—Matte White 27" Professional Collection Built-In Trim Kit—Matte Black 30" Professional Collection Built-In Trim Kit—Stainless	WB32X32288 WB32X32287 JXPROBE1 JXFILLRISS/BB CX10DC9SPSS CX12DC9SPSS CX12DC9SPWM CX10DC9SPDWM CX10DC9SPDS UXDC732MSS UXDC734MWM UXDC734MWM UXDC733MDS JXCF71 CX152M2NS5 CX152P2MSS CX152P2MSWM CX152P3MDS CX152P3MDS CX153P2MSS CX153P4MWM
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless 10' Duct Cover—Matte White 10' Duct Cover—Matte Black Range Hood Charcoal Filter 27" Modern Glass Collection Built-In Trim Kit 30" Modern Glass Collection Built-In Trim Kit—Stainless 27" Professional Collection Built-In Trim Kit—Matte White 27" Professional Collection Built-In Trim Kit—Matte Black 30" Professional Collection Built-In Trim Kit—Stainless 30" Professional Collection Built-In Trim Kit—Stainless	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSS CX12DC9SPWM CX12DC9SPWM CX12DC9SPDS UXDC732MSS UXDC734MWM UXDC733MDS JXCF71 CX152M2NS5 CX152P2MSS CX152P2MSS CX152P3MDS CX153P3MDS CX153P3MDS CX153P3MDS
Sous Vide Cooking Probe Slide-In Range Filler Kit Hood Duct Cover Extension—Stainless Hood Duct Cover Extension—Matte White Hood Duct Cover Extension—Matte Black 10' Duct Cover—Stainless 10' Duct Cover—Matte White 10' Duct Cover—Matte Black Range Hood Charcoal Filter 27" Modern Glass Collection Built-In Trim Kit 30" Modern Glass Collection Built-In Trim Kit—Stainless 27" Professional Collection Built-In Trim Kit—Matte White 27" Professional Collection Built-In Trim Kit—Matte Black 30" Professional Collection Built-In Trim Kit—Stainless 30" Professional Collection Built-In Trim Kit—Stainless 30" Professional Collection Built-In Trim Kit—Matte White	WB32X32288 WB32X32287 JXPROBE1 JXFILLR1SS/BB CX10DC9SPSS CX12DC9SPSS CX12DC9SPWM CX10DC9SPDS CX12DC9SPDS UXDC732MSS UXDC734MWM UXDC733MDS JXCF71 CX152M2NS5 CX152P2MSS CX152P2MSS CX152P3MDS CX152P3MDS CX153P2MSS CX153P4MWM

DISHWASHERS	
Dishwasher Handle Kit—Brushed Black	CXADTH1PMBT
Dishwasher Handle Kit—Brushed Bronze	CXADTH1PMBZ
Dishwasher Handle Kit—Brushed Copper	CXADTH1PMCU
Dishwasher Handle Kit—Brushed Stainless	CXADTH1PMSS
Power Cord for Built-In Dishwasher Installation	GPFCORD


 $\frac{1}{2}$

Nomenclatures






Built-In Refrigerator Drawers




Wine and Beverage Centers




Undercounter Ice Makers




Built-In Wall Ovens




Built-In Combination Oven




Advantium® Ovens




Microwave Ovens




Built-In Steam Oven



Warming Drawers



Commercial-Style Ranges and Rangetops



Ranges



Cooktops



Ventilation

C V	W	9		3 (6	4	4	Р	W	M
Brand U=Universal C=Café				Width 30=30" 36=36" 42=42"			Year Base Color		Finish SS=Stainless DS=Matte Black WM=Matte White	
Configuration V=Vented/ Convertible	B=Downdr	aft Series		48=48"				nless te Black te White	WWI-WG	tte winte
N=Non-vented		I-9=Ser	ries							

Dishwashers

С	D	T	8	7	5	Р	2	2 N	S	1
Brand C=Café	DT=Di	guration shwasher,	Fea	I ture Pack	P=Pro	earance ofessional		Model year	1=B	ndle Color rushed
	To	op Control	2=	se Color Stainless	4=N	Matte White	Ц	Door Finish D=Matte Black M=Matte White S=Stainless	2=E	tainless Brushed Bronze ntegrated

Build the kitchens homeowners love.

Café[™] is honored to be recognized with GE Appliances as the #1 Most-Used Appliance Brand Among Builders for both kitchen and laundry.* We look forward to strengthening our relationships within the building community for years to come.

See how we go the extra mile for builders at GEAppliances.com/pro.



