

Haier

Born for the city.™

2022
Appliance Catalog

**#1 major
appliance
brand in
the world***

*Euromonitor 2021





The city is where we belong.

Its energy and grit are what inspire us.

From the architecture to the fast-paced lifestyle.

It's what pushes us to engineer appliances
for a new way of living.

Appliances that combine technology,
international design and city hustle.

We're the only appliance brand
designed for this place.

We're Haier, and we're born for the city.

So advanced that everything becomes easier.

With a clean appearance and uncomplicated functions—like an LCD touchscreen on laundry pairs—these attractive appliances take all the guesswork out of your daily routine.






A look inspired by the world that surrounds us.


Experience appliances that capture the
architecture, energy and creativity that
define modern living.





Smart appliances that provide unexpected simplicity.

Don't let your daily routine hold you back. Life is better when connected with smart appliances that simplify everyday tasks, free you from the kitchen and put total control right at your fingertips.



BE IN THE KNOW

Get notifications and alerts without having to hover over appliances.



SMARTER, NOT HARDER

With features like voice activation or scan-to-cook, saving time is simple.



ANYWHERE CONTROL


Monitor and interact with appliances from anywhere.



UP-TO-DATE

Receive software updates that enhance performance and offer exciting new features.

Haier appliances connected capabilities work with a variety of partners:



Experience the #1 Brand of Major Appliances for 13 years in a row.*

These full-size appliances offer a worldly, contemporary appearance combined with the latest in convenient kitchen features.

Left to right:

QWR04DGRGB (wine center) — See pg. 23

QDP555SYNFS (dishwasher) — See pg. 35

QVM7167RNSS (microwave) — See pg. 30

QGSS740RNSS (range) — See pg. 27

QNE27JYMFS (refrigerator) — See pg. 21

*Euromonitor 2021





Discover new possibilities in a small-space kitchen.

These compact appliances are designed for creative individuals who would rather be exploring a vibrant city than sitting at home.

Left to right:

QHE16HYPFS (refrigerator) — See pg. 21

QDT125SSLSS (dishwasher) — See pg. 34

HMV1472BHS (microwave) — See pg. 30

QAS740RMSS (range) — See pg. 28

Kitchen conveniences, wherever you spend time.

Now you can add simple, stylish appliances anywhere, even in the most unexpected places.

Left to right:

HEBF100BXS (beverage center) — See pg. 23

QDT125SSLSS (dishwasher) — See pg. 34





Table of Contents

Refrigeration 18

Cooking 24

Dishwashers 32

Clothes Care 36

Comfort Products..... 40

Specifications 48



Compliant with the Americans with Disabilities Act



Bluetooth
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by GE Appliances is under license. Other trademarks and trade names are those of their respective owners.



ENERGY STAR® certified
GE Appliances helps you conserve energy and save money. We have been an ENERGY STAR® Partner since 2001. We are committed to creating energy-efficient, high-performance household appliances.



WiFi compatible
Appliances with built-in WiFi powered by SmartHQ™ offer remote monitoring and enhanced features are indicated by this icon.



Voice Activation
This mark indicates that a product has voice assistance capabilities.





Refrigeration

The high-rise on your kitchen's skyline.

REFRIGERATORS

FEATURES



SLEEK DESIGN WITH INTEGRATED HANDLE
Sharp lines, a tasteful stainless finish and a cool, integrated handle create a standout style that complements any kitchen.



QUICK COOL & QUICK FREEZE FUNCTIONS
Just keeping it fresh. These easy-set functions accelerate the cooling/freezing of newly stored foods and protect those already refrigerated or frozen.



ADJUSTABLE SPILLPROOF GLASS SHELVES
Designed to make life easy, fridge and freezer shelves adjust for more convenient food storage and hold spills for hassle-free cleanup.



FINGERPRINT RESISTANT STAINLESS
Get the look you want and keep it that way. Fingerprint resistant, stainless finish keeps your refrigerator looking fresh, clean and stylish.



LED LIGHTING
In the city or in your kitchen, saving energy makes sense. LED lighting provides long-lasting, clear, bright light and is more energy efficient than incandescent lighting.



ICEMAKER
Have the option of a refrigerator with a factory-installed icemaker, or an icemaker-ready refrigerator that accommodates installation after purchase.



EXTERNAL TEMPERATURE CONTROL
Precision technology gives you more control. External temperature control lets you easily manage fresh-food and freezer temperatures with an increase/decrease of 1° for each press.



INTERNAL WATER DISPENSER
Convenient, internal water dispenser with an über-effective water filter that delivers great-tasting, cool, filtered water with one simple touch.

See product overviews for model-specific features.



QNE27JYM
27.0 CU. FT. ENERGY STAR® FRENCH-DOOR REFRIGERATOR

- Fits in a 36"-wide opening
- Integrated handle and blue-tinted bins
- Internal water dispenser
- Factory-installed icemaker
- LED Lighting
- Turbo Cool
- Full-width deli drawer
- Quick Space shelf

■ Fingerprint Resistant Stainless – QNE27JYMFS



QHE16HYP
16.4 CU. FT. ENERGY STAR® QUAD-DOOR REFRIGERATOR

- Fits 33"-wide opening
- Counter-depth design
- Humidity control system
- LED lighting
- Icemaker ready
- Quick Cool and Freeze
- Digital thermostat
- Edge-to-edge shelves

■ Fingerprint Resistant Stainless – QHE16HYPFS

REFRIGERATORS



QJS15HYR
14.5 CU. FT. FRENCH-DOOR REFRIGERATOR

- Counter-depth design
- Icemaker ready
- Quick Cool and Quick Freeze functions
- Cool Zone refrigerator drawer
- Sleek design
- Digital thermostat
- Edge-to-edge shelves
- Clear Door shelves
- Freezer drawers
- LED lighting

■ Fingerprint Resistant Stainless – QJS15HYRFS



HRB15N3BG
15 CU. FT. ENERGY STAR® REFRIGERATOR

- Fits in 28"-wide opening
- Reversible doors
- LED lighting
- Sabbath Mode functionality
- Quick Cool and Quick Freeze functions
- External capacitive touch temperature controls
- 1 full-width crisper
- 3 full-width door bins

■ Stainless – HRB15N3BGS



HA10TG21S
9.8 CU. FT. REFRIGERATOR

- Fits in 24"-wide opening
- LED lighting
- Adjustable spillproof glass shelves
- Clear, humidity-controlled crisper drawers
- Clear door bins

□ White – HA10TG21SW
■ Stainless – HA10TG21SS
■ Black – HA10TG21SB

BEVERAGE & WINE CENTER

FEATURES

BEVERAGE CENTER



GLASS DOOR WITH BLACK CABINET & METAL DOOR TRIM

Looking good, inside and out. Glass door with black cabinet and metal door trim provides a sleek appearance and clear view of your beverages.



4 FULL-WIDTH GLASS SHELVES TO ACCOMMODATE A VARIETY OF BOTTLES AND CANS

Choose a shelf to match your beverages. Four easy-to-clean, full-width glass shelves provide a flexible storage solution for bottles and cans.

See product overviews for model-specific features.

WINE CENTER



44 WINE BOTTLE STORAGE CAPACITY

Enjoy this wine center with plenty of space to store all your favorite red and white wines, with three full-width and one half-width wooden shelves.



DUAL ZONE WINE FRIDGE

The dual zone beverage center has two independently controlled distinct zones that maintain temperatures between 41° and 61° F, keeping both red and white wines at the perfect serving temperature.



ADA COMPLIANT

HEBF100BX
150-CAN BEVERAGE CENTER

- Fits in 20-1/2"-wide opening
- Glass door with black cabinet and metal door trim
- Automatic LED interior light
- 4 full-width glass shelves to accommodate a variety of bottles and cans
- Temperature range 39°–55° F (average temperature range for middle shelf of unit)
- Recessed handle
- Security lock and key
- Adjustable thermostat
- Reversible door

■ Stainless – HEBF100BXS



QWR04DG
WINE CENTER

- 44 wine bottle storage capacity
- Dual zone
- Triple-pane glass door
- Digital glass touch controls
- Interior LED lighting
- Flush handle
- Sliding shelves
- Door alarm
- Power/Lighting controls

■ Black – QWR04DGRGB



Cooking

The right ingredients for your modern tastes.

FREE-STANDING RANGES

FEATURES



CONVECTION
With this tech-savvy oven, you've got baking down. Rear fan and additional heating element distribute hot air throughout the oven for a faster, more even bake.



HIDDEN BAKE ELEMENT
Busy lifestyles don't stop for cooking spills. Hidden bake element sits beneath a smooth surface, making cleaning fast and easy.



SIMMER BURNER
Find the right balance in life and in cooking. Low heat delivers gentle, even cooking results for your most delicate foods.



HEAVY-DUTY CONTINUOUS CAST-IRON GRATES
Go with your culinary flow. Continuous grates allow for easy movement of cookware, while providing even heat distribution with better heat retention.



MODULAR BACKGUARD
Match the look with your style. Versatile design gives you the option of a traditional look or a slide-in appearance.



DUAL LIGHTS
See your cooking skills in action. Dual lights spread bright, clear light throughout the oven for easy viewing.



BROIL ELEMENT
Perfectly designed for perfect results. Broil element delivers concentrated heat for broiling a variety of foods.



HEAVY-DUTY KNOBS
Designed to fit your life and style. Large, easy-to-operate knobs lend a high-end appearance, while their push-to-turn operation provides added safety.

See product overviews for model-specific features.



QGSS740
30" SMART GAS RANGE WITH CONVECTION

- Built-in WiFi
- Quick clean
- Oven cooking modes
- Probe mode
- Backlit, color-changing oven knob
- Continuous, edge-to-edge cooktop

■ Stainless – QGSS740RNSS



QSS740
30" SMART ELECTRIC RANGE WITH CONVECTION

- Built-in WiFi
- Quick clean
- Oven cooking modes
- 9"/6" 3,600-watt burner element with Power Boil
- Hidden bake
- Dishwasher-safe knobs

■ Stainless – QSS740RNSS

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by GE Appliances is under license. Other trademarks and trade names are those of their respective owners.

FREE-STANDING RANGES



ADA
COMPLIANT

- QGAS740
24" 2.9 CU. FT. GAS RANGE WITH CONVECTION AND MODULAR BACKGUARD
- Heavy-duty, continuous cast-iron grates
 - Modular backguard
 - Fan convection
 - Closed-oven broiling
 - Sealed burners
 - Perfect match with over-the-range microwave
 - Storage drawer
 - Incandescent interior lighting
- Stainless – QGAS740RMSS



ADA
COMPLIANT

- QAS740
24" 2.9 CU. FT. ELECTRIC RANGE
- Ceramic-glass cooking surface
 - Convection
 - Modular backguard
 - Hidden bake element
 - Easy-to-clean surface
 - Storage drawer
 - Perfect match with over-the-range microwave
 - Incandescent interior lighting
- Stainless – QAS740RMSS

WALL OVEN

FEATURES



HALOGEN LIGHTS
See your cooking skills in action. Halogen lights spread bright, clear light throughout the oven for easy viewing.



BROIL ELEMENT
Perfectly designed for perfect results. Stainless steel heat reflector provides even heat distribution for consistently better broiling.



TRUE EUROPEAN CONVECTION
Worldly design adds style and functionality. Rear fan and additional heating element distribute hot air throughout the oven for a faster, more even bake.



HIDDEN BAKE ELEMENT
Busy lifestyles don't stop for cooking spills. Hidden bake element sits beneath a smooth surface, making cleaning fast and easy.



LCD WITH SENSOR TOUCH CONTROL
This ultra-modern feature delivers optimum functionality. Highly responsive, finger touch controls allow for precise operation of all oven functions.



SELF-CLEANING OVEN
Remove the mess and the hassle. Self-cleaning oven gets rid of cooking spills for a quick and easy oven clean without scrubbing.


See product overviews for model-specific features.



- HCW2360
24" SINGLE 2.0 CU. FT. TRUE EUROPEAN CONVECTION OVEN
- LCD with sensor touch control
 - 10 cooking modes
 - 2 racks with 5 shelf positions
 - Self-cleaning oven
 - My Favorite Recipe option
 - Halogen interior lighting
 - Hidden bake element
 - Safety lock system
 - Broil set included
- Stainless – HCW2360AES

MICROWAVE OVENS

FEATURES



SENSOR COOKING
Smart tech takes the guesswork out of cooking. Sensor cooking feature adjusts cooking time and power level automatically, ensuring food is cooked perfectly.



RECIRCULATING AND VENTING OPTIONS
You take care of the cooking. It takes care of the smell. Flexible installation for any kitchen, with charcoal filter included.



CHARCOAL FILTER
Enjoy cooking and cleaner air, too. Charcoal filter removes fumes and odors that are released from foods during cooking.



LED INTERIOR & SURFACE LIGHTING
See your cooking skills in action. Interior and cooktop LED lighting distribute bright, clear light across all cooking surfaces.

See product overviews for model-specific features.

VENTILATION HOOD

FEATURES



WASHABLE GREASE FILTER
The simple solution to kitchen smells. Washable grease filter draws out fumes and vapors, with easy detachment for safe, simple cleaning.



450 CFM FAN
You've got the power. Efficient and powerful 450 CFM fan removes smoke, grease and odors with multiple fan speeds.



HALOGEN LIGHTING
See your cooking skills in action. Halogen lights spread bright, clear light over your cooktop surface for easy viewing.



GLASS CANOPY
Clearly a great kitchen feature. The glass canopy's smooth surface allows for the quick and effortless cleanup of cooking residue.

See product overviews for model-specific features.



- QVM7167
30" 1.6 CU. FT. SMART OVER-THE-RANGE MICROWAVE OVEN
- Built-in WiFi
 - Scan-to-cook technology
 - Voice enabled
 - Easy-clean interior with steam clean
 - Steam cook
 - Sensor cooking

■ Stainless – QVM7167RNSS



- HMV1472
24" 1.4 CU. FT. OVER-THE-RANGE MICROWAVE OVEN
- Sensor cooking
 - Hidden vent
 - Two-speed fan, 300 CFM venting system
 - 10 power levels
 - 1,000-watt cooking power
 - 13.6" diameter turntable
 - LED interior and surface lighting
 - Electronic controls with LED
 - Recirculating and venting options
 - Charcoal filter included

■ Stainless – HMV1472BHS




- UVW7241
24" CHIMNEY VENT WITH TEMPERED GLASS
- 450 CFM range hood
 - Recirculating or external venting options
 - Removable filter
 - LED hood light
 - 24" range hood
 - Tempered glass
 - Charcoal filter
 - 3-speed fan
 - Push-button controls
 - Quiet venting

■ Stainless – UVW7241SNSS

Dishwashers

Taking care of your social life.



18" DISHWASHER

FEATURES



ADA COMPLIANT WITH LOW-PROFILE INSTALLATION
Small can be a very big deal. This compact unit is the perfect fit for 34" countertop heights and raised subfloors. Plus, its unique 17-4/5" width means it will slide neatly into virtually any space.



PIRANHA™ HARD-FOOD DISPOSER WITH REMOVABLE FILTER
Give your dishes the edge. A stainless-steel blade pulverizes food particles at 3600 RPM to ensure consistently clean items.



AUTO SENSE CYCLE
Step up your cleanup. Auto Sense adjusts cycle time based on dish soil levels and water temperature.



SANITIZE OPTION (NSF CERTIFIED)
Clean to the max. High-temperature rinse sanitizes dishes and eliminates 99.999% of bacteria.

24" DISHWASHER

FEATURES



BUILT-IN WIFI
Stay connected and in the know with the Haier app. Use your mobile device to monitor cycle status, track detergent pod usage, even link to Amazon to automatically reorder detergent.



STATUS BAR
Know how your dishwasher is doing, while you're busy doing other things. At-a-glance status bar turns blue when it's running and white when it's finished.



NIGHTLIGHT
The perfect feature for night owls. A built-in nightlight in the dishwasher door creates the ideal setting for late-night snacking.



EXTRA DRY
Life's too short to dry dishes twice, right? With the Extra Dry feature, your dishes come out ready to use.

See product overviews for model-specific features.



QDT125SSLSS*
18" SMART BUILT-IN DISHWASHER

- ADA compliant with low-profile installation
- 3-level wash
- Auto Sense cycle
- PIRANHA hard-food disposer with removable filter
- Sanitize option (NSF certified)
- WiFi optional

■ Stainless – QDT125SSLSS



QDP555S
24" SMART BUILT-IN DISHWASHER

- Built-in WiFi
- Status bar
- Nightlight
- Wash zones
- Extra Dry
- 3-level wash

■ Fingerprint Resistant Stainless – QDP555SYNFS



*U+ Connect Module is required and sold separately. It is available for order on geappliances.com, part number PBX23W00Y0.



Clothes Care

Keeping your style fresh, rain or shine.

WASHER
FEATURES



COMPACT 24" WIDTH WITH LARGE CAPACITY
The right fit for your modern, on-the-go lifestyle. Unique size offers installation flexibility, while its large capacity means you can do your laundry less often.



TOUCH-SENSITIVE CONTROLS
One touch is all it takes. Simple, intuitive LCD display with touchscreen technology makes operating this washer a breeze.



HUNDREDS OF CYCLE-SELECTION COMBINATIONS
You love choices and so do we. With hundreds of cycle combinations to choose from, this awesome washer puts a whole new spin on doing laundry.



BUILT-IN WIFI
Because multi-tasking is part of life. Built-in WiFi allows you to monitor and control your laundry anytime, from anywhere.



QFW150SSN
2.4 CU. FT. SMART FRONT LOAD WASHER

- Compact 24" width with large capacity
- Touch-sensitive controls
- Hundreds of cycle-selection combinations
- Built-in WiFi
- Quick wash
- Stain removal option
- Steam
- Plugs into dryer OR the wall

☐ White – QFW150SSNWW



DRYERS
FEATURES



VENTLESS CONDENSER DRYER
Hassle-free drying makes laundry less complicated. This ventless dryer can be placed in a closet, under a counter or stacked in a corner, without the need to vent externally.



VENTED DRYER
Moisture control for your laundry and home. Unlike a condenser model, this externally-vented dryer requires no tank to gather condensation moisture.

See product overviews for model-specific features.



QFT15ESSN
4.1 CU. FT. CAPACITY 24" SMART VENTLESS CONDENSER FRONT LOAD ELECTRIC DRYER WITH STAINLESS STEEL BASKET

- Ventless condenser dryer
- Compact 24" width with large capacity
- Touch-sensitive controls
- Hundreds of cycle-selection combinations
- Built-in WiFi
- Reversible door
- Extended tumble
- Stainless steel basket

☐ White – QFT15ESSNWW



QFD15ESSN
4.3 CU. FT. CAPACITY 24" SMART FRONT LOAD ELECTRIC DRYER

- Compact 24" width with large capacity
- Touch-sensitive controls
- Hundreds of cycle-selection combinations
- Built-in WiFi
- Reversible door
- Extended tumble
- Stainless steel basket

☐ White – QFD15ESSNWW



Comfort Products

Create your own comfort zone.



COMFORT PRODUCTS

FEATURES



MAXIMUM COMFORT COOL

Keep your home comfortable and maximize air conditioner efficiency with three cooling and fan speeds to choose from.



BUILT-IN WIFI

Use the SmartHQ™ app to control and monitor your WiFi-enabled smart air conditioner from anywhere, giving you connected peace of mind.



VOICE CONTROL

Use voice commands to control the unit after connecting it to a smart speaker like Amazon Alexa or Google Assistant.



ECO MODE

Eco Mode automatically turns off the fan and compressor when the room is cool enough, reducing your utility costs.



OPTIMAL HOME COMFORT

With availability in various BTU and pint sizes, Haier Appliances is dedicated to providing solutions for rooms of any size.




FILTER REMINDER

Get a filter change reminder when the filter needs cleaning, so you can keep the unit performing at its best.



ELECTRONIC THERMOSTAT WITH REMOTE

Digital controls with included remote make it easy to adjust and manage your settings from anywhere in your room.



EASY INSTALLATION

Haier ACs come with all mounting hardware included for easy installation in the window.

See product overviews for model-specific features.

WINDOW UNITS




- ULTRA QUIET – ESAQ406TZ**
6,200 BTU, 12.1 CEER, 115V
- Quiet operation 42 dBA
 - Electronic digital thermostat with remote
 - 3 cooling/3 fan speeds
 - Cool, Fan, Eco and Dehumidify modes
 - 24-hour On/Off timer plus Sleep Mode
 - 4-way air direction
 - Easy-access washable filter
 - EZ Mount window installation kit




- SMART ELECTRONIC UNIT – QHEK14AC**
14,000 BTU, 11.3 CEER, 115V
- Built-in WiFi and voice control
 - Electronic digital thermostat with remote
 - Eco Mode feature
 - 3 cooling/3 fan speeds
 - EZ Mount window kit
 - Easy-access filter

Also available in the following:
12,000 BTU, 11.4 CEER, 115V – QHEK12AC
10,000 BTU, 11.4 CEER, 115V – QHEK10AC
8,000 BTU, 11.4 CEER, 115V – QHEK08AC



- ELECTRONIC UNIT – QHEE06AC**
6,000 BTU, 11.1 CEER, 115V
- Electronic digital thermostat with remote
 - 3 cooling/3 fan speeds
 - EZ Mount window kit with fixed chassis
 - Eco Mode feature
 - Power interruption restart
 - R32 refrigerant
 - 24-hour On/Off timer



- MECHANICAL UNIT – QHEC05AC**
5,050 BTU, 11.0 CEER, 115V
- Mechanical thermostat
 - 2 cooling/2 fan speeds
 - EZ Mount window kit with fixed chassis
 - R32 refrigerant

PORTABLE UNITS

SINGLE HOSE



QPFA10YBMW
9,000 ASHRAE BTU, 6,250 SACC

- Cools rooms up to 250 sq. ft.
- Electronic controls
- Full-function remote
- 24-hour timer
- Dehumidify mode
- CEC compliant

Also available in the following:
8,000 ASHRAE BTU, 5,300 SACC – QPFA08YBMW
• Cools rooms up to 150 sq. ft.



QPCA11YBMW
11,000 ASHRAE BTU, 7,800 SACC

- Cools Rooms up to 450 sq. ft.
- Electronic controls
- Full-function remote
- 24-hour timer
- Dehumidify mode
- CEC compliant

Also available in the following:
10,000 ASHRAE BTU, 7,200 SACC – QPCA10YBMW
• Cools rooms up to 350 sq. ft.

DEHUMIDIFIERS



QPHR50LZ
50 PINTS PER DAY CAPACITY

- Removes up to 50 pints per day*
- Built-in pump
- Digital humidistat
- 3 fan speeds + Smart Dry
- Filter reminder
- Bucket Full indicator
- Easy-roll wheels
- Removable and washable filter
- Continuous drain connection

Also available in the following:
QDHR50LZ
• Same as QPHR50LZ, except does not have built-in pump



QPHR35LZ
35 PINTS PER DAY CAPACITY

- Removes up to 35 pints per day*
- Digital humidistat
- 3 fan speeds + Smart Dry
- Filter reminder
- Bucket Full indicator
- Easy-roll wheels
- Removable and washable filter
- Continuous drain connection

Also available in the following:
QDHR20LZ
• Same as QPHR35LZ, except removes up to 20 pints per day*



*Per new DOE standards

DUCTLESS

MINI-SPLIT SYSTEMS



- TEMPO SERIES**
Ideal for areas like sunrooms and garages, these units can heat in outdoor temps down to -4°F(-20°C) and cool up 115°F(46°C).
- Efficiency ratings of up to 18 SEER and up to 10 HSPF
 - 9,000 BTU, 12,000 BTU, 18,000 BTU and 24,000 BTU capacities available
 - Contains inverter technology
 - WiFi optional. Varies based on select units. See haierappliances.com for full details.
 - Single-zone options available
 - Low ambient cooling down to -40F (with accessories) option available in 24,000, 30,000, and 36,000 BTUs



- ADVANCED PLUS SERIES**
The ultimate combination of performance and comfort, Advanced Plus delivers efficiencies up to 23 SEER and whisper-quiet operation as low as 23dB(A).
- Efficiency ratings of up to 23.5 SEER and up to 11 HSPF
 - Heats down to -15°F(26°C) and cools up to 115°F(46°C)
 - 9,000 BTU, 12,000 BTU, 15,000 BTU, 18,000 BTU and 24,000 BTU capacities available
 - Base pan heater included
 - WiFi compatible with adapter
 - Single-zone options available



TO SEE THE FULL LIST OF HAIER DUCTLESS UNITS, VISIT HAIERAPPLIANCES.COM



- ARCTIC SERIES**
Offering year-round efficiency, these cold-resistant heat pumps deliver 100% rated heating at 5°F(-15°C) and comfortably warm air down to -31F (-35C).
- High-efficiency DC inverter technology up to 30 SEER on single zone highwall systems
 - Contains inverter technology
 - Outdoor unit base pan heater included to prevent ice buildup
 - Built-in WiFi on highwall, mid-static ducted, and console single-zone units
 - Single- and multi-zone options available



- FLEXFIT & FLEXFIT PRO SERIES**
Cost effective and versatile, this modular system allows for an optimal combination of ductless indoor and outdoor units.
- Efficiency ratings up to 17 SEER and up to 11 HSPF
 - Heats down to -4°F(20°C) and cools up to 115°F(46°C)
 - Available with capacities of 24k, 36k and 48k
 - Indoor unit options include highwall, mid- and high-static ducted, large cassette and console units
 - Built-in WiFi on highwall, mid-static ducted, and console single-zone units
 - Single-zone options available
 - Multi-zone options available



LIMITED WARRANTY INFORMATION

The condensed list below is a convenient overview of the written warranties offered on various Haier appliances described in this catalog for products manufactured on or after January 1, 2006. For complete warranty details on a specific Haier model, contact your nearest Haier supplier, or call Haier Customer Care, toll-free, 1-877-337-3639.

REFRIGERATION

REFRIGERATORS	
ALL HAIER MODELS	
For the period of	Haier will replace
One year from the date of the original purchase	Any part in the refrigerator which fails due to a defect in materials or workmanship. During the limited one-year warranty , Haier will provide, free of charge , all labor and related service costs to replace the defective part.

WINE & BEVERAGE CENTERS	
ALL HAIER MODELS	
For the period of	Haier will replace
One year from the date of the original purchase	Any part in the refrigerator which fails due to a defect in materials or workmanship. During the limited one-year warranty , Haier will provide, free of charge , all labor and related service costs to replace the defective part.

COOKING

RANGES, WALL OVEN AND HOODS	
ALL HAIER MODELS	
For the period of	Haier will replace
One year from the date of the original purchase	Any part in the cooking product which fails due to a defect in materials or workmanship. During the limited one-year warranty , Haier will provide, free of charge , all labor and related service costs to replace the defective part.
90 days from the date of the original install for glass ranges and cooktops	Haier Appliances will not cover cosmetic damage to the glass cooktop such as, but not limited to, chips, scratches, or baked-on residue not reported within 90 days of installation, or damage to the glass cooktop due to impact or misuse.

OVER-THE-RANGE MICROWAVE OVEN	
ALL HAIER MODELS	
For the period of	Haier will choose to repair or replace
One year from the date of the original purchase	Any part of the microwave oven which fails due to a defect in materials or workmanship. During this limited one-year warranty , Haier will also provide, free of charge , all labor and related service costs to replace the defective part.

DISHWASHERS

DISHWASHER	
ALL HAIER MODELS	
For the period of	Haier will replace
One year from the date of the original purchase	Any part in the dishwasher which fails due to a defect in materials or workmanship. During the one-year warranty , Haier will provide, free of charge , all labor and related service costs to replace the defective part.

CLOTHES CARE

COMPACT DRYER	
ALL HAIER MODELS	
For the period of	Haier will replace
One year from the date of the original purchase	Any part in the dryer which fails due to a defect in materials or workmanship. During the one-year warranty , Haier will provide, free of charge , all labor and related service costs to replace the defective part.

WASHER/DRYER COMBINATION	
ALL HAIER MODELS	
For the period of	Haier will replace
One year from the date of the original purchase	Any part in the washer/dryer which fails due to a defect in materials or workmanship. During the one-year warranty , Haier will provide, free of charge , all labor and related service costs to replace the defective part.
Five years from the date of the original purchase	Any part of the cabinet assembly which fails due to a defect in materials or workmanship. During the five-year warranty , Haier will provide, free of charge , the cabinet assembly should the cabinet rust through. You will be responsible for any labor and related service costs.
Ten years from the date of the original purchase	The inner stainless steel drum if it should fail due to a defect in materials or workmanship. During the ten-year limited warranty , Haier will provide, free of charge , the inner stainless steel wash tub. You will be responsible for any labor and related service costs.

COMFORT PRODUCTS

AIR CONDITIONERS	
WINDOW	
For the period of	Haier will replace
One year from the date of the original purchase	Any part in the air conditioner which fails due to a defect in materials or workmanship. During the one-year warranty , Haier will provide, free of charge , all labor and related service costs to replace the defective part.

PORTABLE	
For the period of	Haier will replace
One year from the date of the original purchase	Any part in the air conditioner which fails due to a defect in materials or workmanship. During the one-year warranty , Haier will provide, free of charge , all labor and related service costs to replace the defective part.

DEHUMIDIFIER	
For the period of	Haier will replace
One year from the date of the original purchase	Any part in the dehumidifier, purchased by a consumer for home use only, which fails due to a defect in materials or workmanship. During the one-year warranty , Haier will provide, free of charge , all labor required to repair or replace the defective part.

DUCTLESS	
For the period of	Haier will replace
Five year limited parts from the date of the original purchase	This limited warranty covers all defects in workmanship or material for the mechanical and electrical parts contained in the Product ("Defective Parts") for a period of five years from the Date of Purchase. Haier will provide new or refurbished parts, or a replacement for all or part of the unit, at its sole discretion, to your licensed HVAC technician installer. This warranty also covers all defects in workmanship or material for the unit controller for a period of one year. The remote controller and WiFi module are covered by one-year accessory warranty. The ductless system is covered by standard warranty. Haier will provide a new or refurbished controller, at its sole discretion.
Seven year compressor from the date of the original purchase	The compressor contained in this product is warrantied for a period of seven years from the Date of Purchase. Haier will provide a new or refurbished compressor, or a replacement for all or part of the unit, at its sole discretion, to your licensed HVAC technician installer.

In addition to the Standard Limited Warranty, qualify for three additional years of compressor and five additional years of parts limited warranty by registering your products within 60 days of installation. See full warranty details in installation manual.

ACCESSIBILITY REQUIREMENTS

REFRIGERATORS	
Uniform Federal Accessibility Standards (UFAS)	
TOP-FREEZERS AND SIDE-BY-SIDES	
Regulation #/Description:	
4.2.6 Side Reach	— If the clear floor space allows parallel approach by a person in a wheelchair, the maximum high side reach allowed shall be 54" and the low side reach shall be no less than 9" above the floor.
4.27.4 Operation	— Controls and operating mechanisms shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no greater than 5lbf (222N).
4.34.6.8 Refrigerators/Freezers	— Refrigerator/freezers shall comply with 4.34.6.3. Provision shall be made for refrigerators which are: (1) Of the vertical side-by-side refrigerator/freezer type; OR (2) Of the over-and-under type and meet the following requirements: (a) Have at least 50 percent of the freezer space below 54" above the floor. (b) Have 100 percent of the refrigerator space and controls below 54".

Americans With Disabilities Act (ADA) Requirements

TOP-FREEZERS AND FRENCH-DOOR BOTTOM-FREEZERS WITH EXTERNAL DISPENSER CONTROL

Regulation #/Description:	
804.6.2 & 804.6.6	— Operable parts shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5lbf max.
309.4 EXCEPTION:	Appliance door and door latching devices do not need to comply with requirement. 804.6.2. Refrigerators/freezers shall have at least 50 percent of the freezer space 54" max. above the floor. The clear floor or ground space shall be positioned for a parallel approach to the space dedicated to a refrigerator/freezer with the centerline of the clear floor or ground space offset 24" maximum from the centerline of the dedicated space. Preference for side-by-side and top-mount eliminated; bottom-mount now acceptable 804.6.6.
The following appliance categories meet criteria for both the Uniform Federal Accessibility Standards (UFAS) and the Americans with Disabilities Act (ADA) requirements.	

WALL OVENS	
SINGLE SELF-CLEAN OVENS	
Regulation #/Description:	
4.2.5	— maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".
4.27.4	— controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.
4.34.6.7	— ovens shall have controls on front panels; they may be located on either side of the door.

FREE-STANDING RANGES	
ELECTRIC AND GAS	
Regulation #/Description:	
4.2.5	— maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".
4.27.4	— controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.
4.34.6.6	— if ovens or cooktops have knee spaces underneath then they shall be insulated or otherwise protected on the exposed surfaces to prevent burns, abrasions, or electrical shock. The location of controls for ranges and cooktops shall not require reaching across burners.

MICROWAVE OVENS	
BUILT-IN CONFIGURATION	
Regulation #/Description:	
4.2.5	— maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".
4.27.4	— controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.
DISHWASHERS	
Regulation #/Description:	
4.2.5	— maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".
4.27.4	— controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.
4.34.6.9	— all rack space shall be accessible from the front of the machine for loading and unloading dishes.

CLOTHES CARE	
Regulation #/Description:	
4.2.5	— maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".
4.27.4	— controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.
4.34.7.2	— washing machines and clothes dryers shall be front loading.
611.4* Height	— Top loading machines shall have the door to the laundry compartment located 36" (915 mm) maximum above the finish floor. Front loading machines shall have the bottom of the opening to the laundry compartment located 15" (380 mm) minimum and 36" (915 mm) maximum above the finish floor.


ROOM AIR CONDITIONERS	
Regulation #/ Description:	
4.2.5	— maximum high forward reach for controls and operating mechanisms is 48", minimum low forward reach is 15".
4.27.4	— controls and operating mechanisms must be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate controls shall be no more than 5lbf.

*See written warranty for complete details.

REFRIGERATION

FRENCH-DOOR REFRIGERATORS

		QNE27JYMFS	QJS15HYRFS
Sabbath mode capable			•
CAPACITY			
Total (cu. ft.)		27	14.5
Fresh food (cu. ft.)		18.81	9.37
Freezer (cu. ft.)		8.18	5.14
FRESH-FOOD FEATURES			
External controls with temp. display and child lock			•
Door alarm		•	•
Quick Cool/Turbo Cool		•	•
Cabinet shelves	Shelves	5	4
	Adjustable	4	1
	Full-width	1	4
Adjustable-humidity drawers		2	1
Full-width drawer		•	•
Clear encapsulated door bins		•	•
Lighting		LED	LED
FREEZER FEATURES			
Lighting		LED	LED
Quick Freeze setting			•
Adaptive Defrost technology			•
Full-width, full-extension storage drawer		1	2
EXTERIOR			
Color(s) available		Fingerprint resistant stainless	Fingerprint resistant stainless
Handle design		Recessed	Recessed
Door design		Contoured crown	Flat
Textured steel case color		Color matched	Case only (light gray)
Exterior material		Stainless	Stainless
Door stops		•	•
Adjustable rollers			2
WEIGHTS & DIMENSIONS			
Height to top of door (in.) A		69-7/8	69-7/8
Height to top of hinge (in.) B		69-3/4	69
Height to top of case (in.) C		68-5/8	68
Depth (in.)		33-3/8	26-7/8
Depth without door (in.) D		29	24-1/4
Depth less door handle (in.) E		33-3/8	27-1/4
Depth with fresh-food door open 90° (in.) G		48-3/8	38
Width (in.) H		35-3/4	27-3/4
Width with door open 90° with door handle (in.) I		43-3/4	29-5/8
Air clearances	Each side (in.)	1/8	1/8
	Top (in.)	1	1/8
	Back (in.)	2	2
Approximate shipping wt. (lbs.)		332	225
Net weight (lbs.)		308	201
POWER/RATINGS			
Power/Ratings		120V; 60 Hz; 15 Amps	120V; 60 Hz; 15 Amps



BOTTOM-FREEZER REFRIGERATORS

		HRB15N3BGS	QHE16HYPFS
ENERGY STAR® certified		•	•
Quad-Door model			•
Sabbath mode capable		•	•
CAPACITY			
Total (cu. ft.)		15	16.8
Fresh food (cu. ft.)		11.2	11.2
Freezer (cu. ft.)		3.9	5.56
FRESH-FOOD FEATURES			
External controls with child lock		•	•
Door alarm		•	•
Upfront temperature controls			•
Quick Cool setting		•	•
Cabinet shelves	Shelves	3	3
	Adjustable	2	2
	Full-width	3	3
Multi-level drawers		•	
Full-width drawer		2	
Crisper drawers		1	2
Clear encapsulated door bins		3 full-width fixed	6 adjustable
LED lighting		•	•
FREEZER FEATURES			
Adaptive Defrost technology		•	•
Quick Freeze		•	•
Freezer storage drawer(s)		3	4
Slide-out tray(s)			2
EXTERIOR			
Color(s) available		Stainless	Fingerprint resistant stainless
Counter-depth configuration			•
Handle design		Recessed	Recessed
Door design		Curved	Curved
Textured steel case		Door only	Door only
Exterior material		Stainless	Stainless
Door stops		•	•
Reversible doors		•	
Right or left door opening		Reversible	
Adjustable leveling legs		•	•
WEIGHTS & DIMENSIONS			
Height to top of door (in.) A		67-7/8	71
Height to top of hinge (in.) B		67-7/8	71-3/16
Height to top of case (in.) C		67-7/8	70-11/16
Case depth without door (in.) D		23-5/8	22-1/2
Depth less door handle (in.) E		26-3/4	26-3/16
Depth with door handle (in.) F		26-3/4	26-3/16
Depth with fresh-food door open 90° (in.) G		52-4/5	40
Width (in.) H		27-1/2	32-3/4
Width with door open 90° with door handle (in.) I		29-1/8	34-7/8
Air clearances	Each side (in.)	1	0
	Top (in.)	1	1
	Back (in.)	2	2
Approximate shipping wt. (lbs.)		192	249
Net weight (lbs.)		174	232
POWER/RATINGS			
Power/Ratings		115V; 60 Hz; 15 or 20 Amps	115V; 60 Hz; 15 or 20 Amps



TOP-FREEZER REFRIGERATORS


HA10TG21SS HA10TG21SW HA10TG21SB		
CAPACITY		
Total (cu. ft.)		9.8
Fresh food (cu. ft.)		7.4
Freezer (cu. ft.)		2.4
FRESH-FOOD FEATURES		
Cabinet shelves	Shelves	3
	Adjustable	2
Drawers		1 humidity-controlled crisper
Door shelves		4 (2 full-width, 2 half-width)
Interior lighting		LED
FREEZER FEATURES		
Spillproof freezer floor		•
Freezer compartment shelves		1 full-width adjustable glass
Fixed door bins		2 full-width
EXTERIOR		
Color(s) available		Stainless, White, Black
Handle color		Black*
Handle design		Pocket
Door design		Curved
Textured steel door and case		Door only
Reversible doors		•
WEIGHTS & DIMENSIONS		
Height to top of hinge (in.)		59-1/2
Height to top of case (in.)		58
Depth without door (in.)		22-3/8
Depth less door handle (in.)		25-1/4
Depth (in.)		25-1/4
Depth with fresh-food door open 90° (in.)		47-1/4
Width (in.)		23-5/8
Width with door open 90° with door handle (in.)		23-5/8
Air clearances	Each side (in.)	1
	Top (in.)	1
	Back (in.)	2
Approx. shipping wt. (lbs.)		132
Net weight (lbs.)		119
POWER/RATINGS		
Power/Ratings		120V; 60 Hz; 15 Amps

*White unit has color-matched handle.

BEVERAGE CENTER

HEBF100BXS

CERTIFICATIONS & APPROVALS		
ADA compliant		•
CAPACITY		
Can capacity		150
FEATURES		
Thermostat		Adjustable
Security lock		•
Thermostat		•
Temperature range		39°–55° F
Interior shelves		4 full-width
Interior lighting		LED
Leveling legs		Adjustable
EXTERIOR		
Door		Reversible
Door appearance		Glass
Handle		Recessed
WEIGHTS & DIMENSIONS		
Width (in.)		20-1/2
Height (in.) (including hinge)		31-3/8
Depth (in.)		21-1/4
Depth with door open 90° (in.)		43
Air clearances	Each side (in.)	5
	Back (in.)	2
	Top (in.)	2
Net weight (lbs.)		67
Approx. shipping weight (lbs.)		72
POWER/RATINGS		
Electrical requirements		115V, 60Hz UL



WINE CENTER

QWR04DG		
CERTIFICATIONS & APPROVALS		
ADA compliant		No
CAPACITY		
Total (cubic feet)		4
Bottle capacity		40
FEATURES		
Dual Temperature Zone		Yes
Security lock		No
Temperature Range		41° to 61° F
Interior Shelves		3 full, 1 half wood
Interior Lighting		Recessed LED
Leveling Legs		2
Door Alarm		Audible
EXTERIOR		
Reversible Door		Yes
Cabinet		Black
Door Appearance		Glass door
Handle		Integrated
Controls		Electronic
WEIGHTS & DIMENSIONS		
Width (in.)		19-3/5
Height (in.) (including hinge)		32-3/10
Depth (in.)		23
Depth with door open 90° (in.)		41-1/5
Air clearances	Each side (in.)	1
	Back (in.)	2
	Top (in.)	1
Net weight (lbs.)		87
Approx. shipping weight (lbs.)		95
POWER/RATINGS		
Electrical requirements		115V, 60Hz UL


COOKING

30" & 24" FREE-STANDING GAS RANGES

QGSS740RNSS QGAS740RMSS		
FEATURES		
Capacity (upper/lower)	5.6	2.9
Cleaning system	Steam Clean	Steam Clean
Cooking technology	Fan Convection	Fan Convection
Compliance	ADA compliant; California Prop 65; UL; CSA	ADA compliant; California Prop 65; UL; CSA
CONTROLS		
Mechanical oven controls	•	•
Digital temperature display	•	•
Electronic clock & timer	•	•
Ignition	Electronic	Electronic
COOKTOP		
Burner—left front (000's BTU) Nat./LP	15,000	
Burner—left rear (000's BTU) Nat./LP	5,000	9,500 for both left burners
Burner—right front (000's BTU) Nat./LP	9,500	15,000
Burner—right rear (000's BTU) Nat./LP	12,000	5,000
Cooktop burners	Sealed	Sealed
Deep-recessed cooktop	•	•
OVEN		
In-oven broiling	•	•
Probe mode	•	
Interior oven light	1	1
Oven racks	3	2
APPEARANCE		
Backguard (included accessory)		Stainless
Color appearance	Stainless	Stainless
Grates	Continuous	Continuous
Grate material	Cast iron	Cast iron
Handle color	Stainless	Stainless
Knobs—color	Stainless	Stainless
Oven interior	Black	Black
WEIGHTS & DIMENSIONS		
Approx. shipping wt. (lbs.)	214	121
Net weight (lbs.)	194	108
Overall oven interior dimensions (HxWxD in inches)	15-3/8 x 19 x 17-1/8	19 x 15-3/8 x 17-1/8
Overall dimensions (HxWxD in inches)	36-1/4 x 29-7/8 x 29-1/8	41 x 24 x 28-1/8
POWER/RATINGS		
Bake (000's BTU) Nat./LP	16,000/16,000	13,000/13,000
Broil (000's BTU) Nat./LP	16,500/13,500	13,000/13,000
Gas range electrical rating	120V; 60Hz	120V; 60Hz
LP conversion kit (included)	•	•


30" & 24" FREE-STANDING ELECTRIC RANGES

QSS740RNSS QAS740RMSS		
FEATURES		
Capacity (cu. ft.) upper/lower	5.7	2.9
Cleaning system	Steam Clean	Steam Clean
Cooking technology	Fan Convection	Fan Convection
Compliance	ADA compliant; California Prop 65; UL	ADA compliant; California Prop 65; UL
CONTROLS		
Mechanical oven controls	•	•
Digital temperature display	•	•
Hot surface lights	•	•
COOKTOP		
Element—left front	8"5" 1,900W	6" 1,200W
Element—left rear	6" 1,200W	8" 2,000W
Element—right front	9"6" 3,000W	8" 2,200W
Element—right rear	6" 1,200W	6" 1,200W
OVEN		
Interior oven light	1	1
Oven racks	3	2
Bake element	Hidden	Hidden
Broil element	8-pass	4-pass
APPEARANCE		
Backguard (included accessory)		Stainless
Ceramic-glass cooktop	Black	Black
Color appearance	Stainless	Stainless
Handle color	Stainless	Stainless
Knobs—color	Stainless	Stainless
Oven interior	Black	Black
WEIGHTS & DIMENSIONS		
Approx. shipping wt. (lbs.)	256	136
Net weight (lbs.)	236	123
Overall oven interior dimensions (HxWxD in inches)	15-3/8 x 19 x 17-1/8	19 x 15-3/8 x 17-1/8
Overall dimensions (HxWxD in inches)	37-3/8 x 29-7/8 x 29-1/8	40 x 24 x 28-1/8
POWER/RATINGS		
Bake wattage	2,850W	2,700W
Broil wattage	4,000W	3,000W
Electrical rating	208/240V; 60Hz	208/240V; 60Hz




24" BUILT-IN SINGLE OVEN

HCW2360AES		
FEATURES & CONTROLS		
Capacity (cu. ft.)	2.0	
Oven	Self-clean	
Cleaning time	Variable	
Compliance	California Prop 65; UL	
Automatic self-clean oven door lock	•	
True European Convection	•	
Control type	Electronic touch	
Temperature display	•	
Audible preheat signal	•	
Electronic clock and kitchen timer	•	
Control lock capability	•	
Oven light	•	
Oven racks	2	
Rack positions	4	
APPEARANCE		
Color appearance	Stainless	
Frameless oven doors	Stainless	
Oven door with window	•	
Handle color	Stainless	
WEIGHTS & DIMENSIONS		
Approx. shipping wt. (lbs.)	82	
Net weight (lbs.)	72	
Oven cabinet width required (in.)	24	
Overall dimensions (WxHxD in inches)	23-3/8 x 23-3/8 x 24-1/8	
Overall oven interior dimensions (WxHxD in inches)	17-21/25 x 13-7/25 x 16-14/25	
Depth with door open 90° (in)	42-1/4	
POWER/RATINGS		
KW rating @	240V	3.1
	208V	2.35
Amps @	240V	13.3
	208V	11.7
Broiler wattage	2,100 W	
Bake wattage	1,100 W	
Convection wattage	2,500 W	



24" DESIGNER HOOD



UVW7241SNSS	
FEATURES & CONTROLS	
Control type	Push-button
Control location	Front
Number of fan speeds	3
Number of blowers	1
FILTERS	
Number of filters	1
Included grease filter type	Metal mesh
Filter cleaning	Dishwasher-safe
LIGHTING	
Number of cooktop lights	2
Lighting control	On/Off
Type of lighting	Halogen
Light bulb(s)	Included
INSTALLATION	
Mounting	Wall
Venting type	Convertible
Exhaust direction	Top
Round duct diameter (in.)	6
CFM/SONES RATINGS	
Top Round (high speed)	450
Top Round (medium speed)	320
Top Round (low speed)	180
Max Sones	5
APPEARANCE	
Color appearance	Stainless
WEIGHTS & DIMENSIONS	
Approx. shipping wt. (lbs.)	51
Net weight (lbs.)	38
Cabinet width compatibility (in.)	24
Overall dimensions (HxWxD in inches)	18-3/8 x 24 x 19
OPTIONAL ACCESSORIES	
Charcoal filter	Part #31264001



COOKING

OVER-THE-RANGE MICROWAVE OVENS


QVM7167RNSS			HVM1472BHS		
FEATURES					
Capacity (cu. ft.)		1.6			1.4
Watts—microwave (IEC-705 test procedure)		1,000 W			1,000 W
Cooking mode		Sensor			Sensor
Factory-set recirculation		•			•
Compliance		California Prop 65; UL; CSA			California Prop 65; UL; CSA
CONTROLS					
Convenience controls	Defrost weight/time	•			•
	Popcorn	•			•
Sensor controls	Potato	•			•
	Frozen pizza	•			•
	Frozen vegetable	•			•
	Dinner	•			•
	Rice	•			•
	Breakfast	•			•
	Bacon	•			•
Sensor reheat	Beverage	•			•
	Dinner plate	•			•
	Pizza	•			•
	Soup/sauce	•			•
	Casserole	•			•
Controls touchpad	Add 30 seconds	•			•
	Control lockout	•			•
	Electronic touch controls	•			•
OVEN					
Interior/exterior lighting		LED			LED
Cooktop lighting		LED (High/Low/Off)			LED (High/Low/Off)
Turntable (On/ Off)		•			•
Turntable diameter (in.)		13.57			13.57
APPEARANCE					
Color appearance		Stainless			Stainless with black
Case color		Black			Black
Handle design		Recessed			Recessed
Oven interior		Black			Gray painted diamond cut
Touchpad		Black with gray			Black with gray
WEIGHTS & DIMENSIONS					
Approx. shipping wt. (lbs.)		66			63
Net weight (lbs.)		63			55
Overall dimensions (HxWxD in inches)		16-7/16 x 29-7/8 x 15-7/8			17-1/64 x 23-55/64 x 16-3/16
Overall oven interior dimensions (HxWxD in inches)		15-5/8 x 10-1/8 x 15-3/16			15-5/8 x 10-1/8 x 15-3/16
POWER/RATINGS					
Exhaust vent fan		300 CFM			300 CFM
Input Volt/Hertz		120V/60Hz			120V/60Hz
Input Amps/Watts (max.)		15/1,550			15/1,500



DISHWASHERS


18" BUILT-IN DISHWASHER

QDT125SSLSS	
ADA compliant	•
FEATURES	
Style	Built-in
Tub and door liner	Stainless steel
Control type	Fully integrated electronic, top controls, 4 pushbuttons
Dishwasher control features	Start/Reset pad, 2-digit display cycle countdown, 1 "Clean" cycle progress indicator, audible end-of-cycle signal, last cycle memory
Wash system	3-level standard
Wash system features	Dual pumps and motor drain hose
Wash arms	2 lower middle with upper nozzle
Water filtration system	3-stage manual-clean filtration
Dispenser	Rinse aid with indicator, adjustment and LED
Number of cycles	3
Dishwasher cycles	Heavy Wash/Light Wash/Autosense
Number of options	5
Dishwasher options	Delay start 1-12 hr. with countdown
Rack features	Standard silverware basket, 1 plastic utility shelf—upper
Racking system	Nylon gray
Number of place settings	Up to 8
Upper rack	Nylon
Lower rack	Nylon
Dishwasher drying features	Condensate
Leveling system	Leveling legs
Latch	Center pull
Exterior style	18" wide
ECONOMICAL/QUIET	
Quiet package	47 dBA
Quiet features	Sealed toe kick, Tub collar trim
Motor type	Standard
Outer wrap	U-blanket
Door insulation	Insulation mastic
APPEARANCE	
Color appearance	Stainless
Door style	Stainless steel full-length flat door
Handle color	Color matched
Handle design	Pocket handle
WEIGHTS & DIMENSIONS	
Approx. ship. wt. (lbs.)	85
Net weight (lbs.)	72
Overall height (in.)	32-3/8
Height w/legs retracted—min. ht. (in.)	32-3/8
Height w/legs extended—max. ht. (in.)	35
Overall depth (in.)	22-1/2
Overall width (in.)	18
POWER/RATINGS	
Calrod heater watts	1,100
Electrical requirements	120V; 60Hz; 8.9A



24" BUILT-IN DISHWASHER


QDP555SYNFS	
ADA compliant	•
FEATURES	
Style	Built-in
Tub and door liner	Stainless steel
Control type	8 touchpads; cap touch controls; top controls
Dishwasher control features	3 digit countdown display with 1 "clean" light, 1 "Sanitized" light cycle progress indicators, audible end-of-cycle signal, cycle countdown, last cycle memory, start/reset pad
Wash system	3-level standard
Wash system features	Automatic HotStart, automatic, temperature control, dual pump, flood control system, Piranha™, hard-food disposer
Wash arms	2 with upper nozzle
Water filtration system	3-stage manual clean filtration
Dispenser	Rinse aid with indicator and adjustment
Number of cycles	5
Dishwasher cycles	Heavy, Light, Medium, Quick 60, Smart
Number of options	10
Dishwasher options	Delay start 1-12 Hr.
Rack features	1-piece silverware basket with 3 cell covers, 2 plastic utility shelves with Stem Safe
Racking system	Silver racks
Number of place settings	Up to 16
Upper rack	Nylon
Lower rack	Nylon
Dishwasher drying features	Dry off/Normal/Extra Fan Assist Dry
Leveling system	Leveling legs
Latch	Center pull
Exterior style	Traditional
WiFi Connect	Built-in
Connected Capabilities	Amazon Alexa; IFTTT; Google Assistant
ECONOMICAL/QUIET	
Quiet package	50 Dba
Quiet features	Sealed toe kick, tub collar trim
Motor type	Single speed
Outer wrap	U-blanket
Door insulation	Insulation, mastic
APPEARANCE	
Color appearance	Stainless
Door style	Full-length contour door
Handle color	Stainless
Handle design	Lighted pocket handle
WEIGHTS & DIMENSIONS	
Approx. ship. wt. (lbs.)	112
Net weight (lbs.)	99
Overall height (in.)	33-3/8
Height w/legs retracted—min. ht. (in.)	33-3/8
Height w/legs extended—max. ht. (in.)	34-5/8
Overall depth (in.)	24
Overall width (in.)	23-3/4
POWER/RATINGS	
Calrod heater watts	800/500
Electrical requirements	120V; 60 Hz; 6.6 A



CLOTHES CARE


WASHER

QFW150SSNWW	
CAPACITY	
Capacity (cu. ft.)	2.4
WASHERFEATURES	
ENERGY STAR® certified	•
Wash/rinse temperatures	5
Water levels	Load sensing
Internal water heater	•
Number of cycles	16
Basket light	LED
Detergent dispenser (liquid/powder)	•
Bleach dispenser	•
Fabric softener dispenser	•
Control type	Electronic touch with LED countdown
End-of-cycle signal	•
Wash/spin speed combinations	5
RPM spin speed	1,400
(ATC) Auto Temp Control	•
Normal	•
Delicates	•
Casuals	•
Whites	•
Bulky items	•
Towels & sheets	•
Sanitize	•
Optional soil levels	•
2nd rinse	•
Adaptive capabilities	Load size
Cycle countdown	LED
Cycle status lights	LED
Delay wash	Up to 24 hrs.
Drain & Spin	•
Rinse & Spin	•
Door style	See-Thru Glass
Noise package	Deluxe Quiet
Leveling legs	Adjustable
Stainless steel wash basket	•
Optional stacking kit	GFA24KITL
Fill & drain hoses included	•
APPEARANCE	
Color(s) available	White
WEIGHTS & DIMENSIONS	
Dimensions (HxWxD in Inches)	33-1/4 x 23-7/16 x 25-5/8
Flexible installation	Undercounter, stacked, side-by-side
Approx. shipping wt. (lbs.)	249
New weight (lbs.)	245
Circuit requirements	Washer plugs into dryer
Ratings	Cal Prop 65



DRYERS

QFT15ESSNWW		QFD15ESSNWW	
CAPACITY			
Capacity (cu. ft.)	4.1		4.3
FEATURES			
ENERGY STAR certified	•		•
Moisture sensor	•		•
Control type	Electronic		Electronic
Cycle countdown	•		•
Cycle status lights	•		•
Heat selections	4		4
Number of cycles	16		16
Cotton cycle	•		•
Delicate cycle	•		•
Wrinkle Free/Casuals	•		•
Mixed loads cycle	•		•
Quick Dry	•		•
Timed dry	•		•
Air Fluff	•		•
Warm up	•		•
Rack Dry	•		•
Extended tumble	•		•
Dewrinkle	•		•
Damp Dry signal	•		•
Dryer interior light	•		•
Clean lint filter reminder	•		•
Delay Dry	•		•
End-of-cycle signal	•		•
Door style	See-Thru Glass/Reversible		See-Thru Glass/Reversible
Noise package	Quiet-By-Design		Quiet-By-Design
Drum interior	Stainless		Stainless
Leveling legs	Adjustable		Adjustable
Reverse-a-Door	•		•
Venting type	Ventless		Externally vented
Long-vent capability			Up to 90 feet
Optional stacking kit	GFA24KITL		GFA24KITL
APPEARANCE			
Color(s) available	White		White
WEIGHTS & DIMENSIONS			
Approx. shipping wt. (lbs)	110		103
Circuit requirements	Washer plugs into dryer		Washer plugs into dryer
POWER/RATINGS			
Volts/Hertz/Wattage	208/240V; 2,800W; 30A; 60Hz		208/240V; 2,800W; 30A; 60Hz





COMFORT PRODUCTS


ULTRA-QUIET ROOM AIR CONDITIONER

ESAQ406TZ	
Claims & Certification	ENERGY STAR® certified
PERFORMANCE	
Area to Cool (sq. ft.)	151-250
Cooling BTUH	6200
Dehumidification (pts./hr.)	1.5
CEER rating	12.1
Cooling - watts	490
Volts/Hertz	115/60
Plug capacity (Volts/Amps)	120/10
Cooling - Rated Cooling Amps AHAM	4.4
Air Flow Volume CFM High/Medium/Low	175/135
ECONOMICAL / QUIET	
Energy Saver	•
APPEARANCE	
Installation	EZ Mount
FEATURES	
Chassis type	Fixed
Fan speed selections	3 Cooling, 3 Fan
Easy-access washable filter	•
Air discharge	4-way
Vent/air exchange exhaust	Top
Remote control	Yes
Adjustable thermostat	Electronic
Auto restart	Yes
Digital time temp, display	Yes
Power cord length (ft.)	6
Delay timer	24-Hour On/Off
Check Filter reminder	Yes
Sleep mode	Yes
WEIGHTS & DIMENSIONS	
Approximate shipping weight (lbs.)	69.3
Min./Max. window opening width (in.)	26-9/16 / 39-1/4
Minimum window opening height (in.)	13-3/8
Net weight (lbs)	56
Overall depth (in.)	18-1/8
Overall height (in.)	12-7/16
Overall width (in.)	21-1/4

WALL OUTLETS

- 

Parallel
115V
15 Amp
- 

Tandem
230/208V
15 Amp
- 

Perpendicular
230/208V
20 Amp

Wall outlets

All wiring, including installation of receptacle, must be made in accordance with local electrical codes and regulations. Electrical outlet should be in reach of line cord.

Note: Aluminum building wiring may pose special problems—consult a qualified electrician.

WIFI-CONNECTED WINDOW ROOM AIR CONDITIONERS

	QHEC05AC	QHEE06AC	QHEK08AC	QHEK10AC	QHEK12AC	QHEK14AC
Claims & Certification	UL, cUL, AHAM		ENERGY STAR® Certified, UL, cUL			
PERFORMANCE						
BTUH /HR rating	5,050	6,000	8,000	10,000	12,000	14,000
CEER rating (Min.)	11.0	11.1	11.4	11.4	11.4	11.3
Voltage /Hertz	115	115	115	115	115	115
Cooling Amps AHAM	4.1	4.9	6.1	7.8	9.4	11.2
Cooling - Watts	455	535	695	865	1,050	1,220
Airflow (cfm) Roomside (hi/low)	143/122	139/109	190/170	235/200	250/210	280/230
Dehumidification (pts./hr.)	1.0	1.4	2.1	2.5	3.2	4.1
Unit type	Cool only	Cool only	Cool only	Cool only	Cool only	Cool only
Variable air discharge	2-way	4-way adjustable	4-way adjustable	4-way adjustable	4-way adjustable	4-way adjustable
Air discharge	Top	Top	Top	Top	Top	Top
Refrigerant type	R32	R32	R32	R32	R32	R32
Power cord length (min.)(feet)	72" minimum	72" minimum	72" minimum	72" minimum	72" minimum	72" minimum
ECONOMICAL / QUIET						
Eco Mode	No	Yes	Yes	Yes	Yes	Yes
APPEARANCE						
Color appearance	White	White	White	White	White	White
Installation	EZ Mount	EZ Mount	EZ Mount	EZ Mount	EZ Mount	EZ Mount
Window curtain	Yes	Yes	Yes	Yes	Yes	Yes
FEATURES						
Chassis type	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
Delay timer	No	24-hour On/Off	24-hour On/Off	24-hour On/Off	24-hour On/Off	24-hour On/Off
Fan speed selections	2/2	3/3	3/3	3/3	3/3	3/3
Easy-access washable filter	Yes	Yes	Yes	Yes	Yes	Yes
Remote control	No	Yes	Yes	Yes	Yes	Yes
Adjustable thermostat	Mechanical	Electronic	Electronic	Electronic	Electronic	Electronic
Sleep mode	No	No	Yes	Yes	Yes	Yes
WEIGHTS & DIMENSIONS						
Approximate shipping weight (lbs.)	41.2	43.7	54.70	66.5	75.7	80.85
Min./Max. window opening width (in.)	21-7/8 - 36	21-7/8 - 36	24-1/2 - 36	25 - 36-5/8	25 - 36-5/8	26-1/8 - 37-3/4
Minimum window opening height (in.)	13-3/8	13-3/8	13-3/8	14-9/16	14-9/16	15-5/8
Net weight (lbs.)	35.93	38.92	49.70	58.30	66.33	72.45
Overall depth (in.)	15	15	15-5/16	19-13/16	19-13/16	21-5/16
Overall height (in.)	12-9/16	12-9/16	12-5/8	14-1/2	14-1/2	15-1/16
Overall width (in.)	16-7/16	16-7/16	18-9/16	19	19	20-3/16

PORTABLE ROOM AIR CONDITIONERS-SINGLE HOSE

	QPFA08YBMW	QPFA10YBMW	QPCA10YBMW	QPCA11YBMW
FEATURES				
Refrigerant type	R32	R32	R32	R32
BTUH (ASHRAE) (cool/heat)	8,000	9,000	10,000	11,000
BTUH (SACC) (cool/heat)	5,300	6,250	7,200	7,800
Recommended room size (sq. ft.)	up to 150	up to 250	up to 350	up to 450
Voltage	115	115	115	115
Amps (cool/heat)	8	8.5	9.5	9.5
Watts (cool/heat)	780	930	1,020	1,090
Line cord plug	5–15P	5–15P	5–15P	5–15P
24-hour on/off timer	Yes	Yes	Yes	Yes
Easy-roll casters	Yes	Yes	Yes	Yes
Dehumidification (pints/day)	45	55	65	75
Auto start	Yes	Yes	Yes	Yes
Fan speeds (Cool/Fan Only)	2/2	2/2	3/3	3/3
CFM (high shown) (indoor)	175	190	190	190
Thermostat	Electronic	Electronic	Electronic	Electronic
Filter type	Permanent mesh	Permanent mesh	Permanent mesh	Permanent mesh
Window exhaust kit	Yes	Yes	Yes	Yes
Exhaust hose length (ft.)	5	5	5	5
Installation	Required	Required	Required	Required
CASE DIMENSIONS				
Height (in.)	26.8	26.8	25.3	25.3
Width (in.)	11.6	11.6	13.2	13.2
Depth (in.)	11.4	11.4	14.4	14.4
Net weight (lbs.)	40	46	54	60
Approx. shipping weight (lbs.)	49	55	65	70


COMFORT PRODUCTS

DEHUMIDIFIERS

	QDHR20LZ	QDHR35LZ	QDHR50LZ	QPHR50LZ
Claims & Certification	ENERGY STAR® certified			
CAPACITY				
Dehumidification (pts./day)	20	35	50	50
Dry airflow (CFM) (high/med/low)	124/100	141/105	200/160	200/160
ELECTRICAL				
Amps	2.6	3.5	5	5
Voltage	115	115	115	115
Watts	250	365	530	530
FEATURES				
Electronic controls	Yes	Yes	Yes	Yes
Auto shut-off	Yes	Yes	Yes	Yes
Automatic defrost	Yes	Yes	Yes	Yes
Water level indicator	Yes	Yes	Yes	Yes
Fan speeds	3	3	3	3
Removable bucket	Yes	Yes	Yes	Yes
Bucket capacity (pints)	8.5	8.5	15	15
Direct drain connection	Yes	Yes	Yes	Yes
Washable air filter	Yes	Yes	Yes	Yes
Easy-roll casters (4)	Yes	Yes	Yes	Yes
Line cord plug	5-15P	5-15P	5-15P	5-15P
WEIGHTS & DIMENSIONS				
Overall dimensions (WxHxD in inches)	13-1/5 x 19-2/5 x 9-9/10	13-1/5 x 19-2/5 x 9-9/10	14-2/5 x 24-1/10 x 11-2/5	14-2/5 x 24-1/10 x 11-2/5
Shipping weight (lbs.)	35.9	39.2	47	47
Net weight (lbs.)	33.2	36.5	42.8	42.8


NOMENCLATURES

REFRIGERATION




COOKING


RANGES




BUILT-IN COOKING & VENTILATION



OVER-THE-RANGE MICROWAVE



DISHWASHER




CLOTHES CARE

WASHERS




DRYERS




COMFORT PRODUCTS

PORTABLE AIR CONDITIONER



DEHUMIDIFIERS



PARTS AND ACCESSORIES

STAINLESS STEEL MAINTENANCE

Cerama Bryte® Stainless Steel Wipes, 35-count	WX10X10004
Cerama Bryte Stainless Steel Cleaner & Polisher, 16-oz.	PM10X311
Cerama Bryte Microfiber Cleaning Cloths, 2-pack	WX10X307
Cerama Bryte Stainless Steel Polish Kit Includes 8-oz cleaner/polisher + microfiber cloth	WX10X33765

REFRIGERATION

GE icemaker kit	IM6D
GE premium replacement water filter	XWF
Ice machine cleaner	WX08X42870
Freezer utility shelf	WR71X2086
Braided Pex icemaker water line, 12' length	WX08X10012
Pex icemaker water line, 8' length	WX08X10006
Pex icemaker water line, 15' length	WX08X10015
Appliance brush set, 2 brushes	PM14X10056
Cerama Bryte Refrigerator Cleaner	WX10X10206
40-watt appliance light bulbs, 2-pack	40A15-2PK

COOKING

Cerama Bryte Complete Cooktop Kit	WX10X10020
Cerama Bryte Gas Grate Cleaning Kit	WX10X10021
Universal 4' gas range installation kit	PM15X103
Cerama Bryte Cooktop Scraper	WX10X302
Cerama Bryte Microfiber Cleaning Cloths, 2-pack	wx10x307
Cerama Bryte Burnt-On Grease Remover	WX10X320
Cerama Bryte Cleaning Pads, 4-pack	WX10X350
Cerama Bryte Touchups Spray	WX10X391
Broiler pan/rack set (12-3/4" x 16-1/2")	WB48X10056
4' 4-wire 40-amp electrical range cord	WX09X10035
4' 3-wire 40-amp electrical range cord	WX09X10006
Cerama Bryte Glass-Ceramic Cooktop Cleaner	WX10X300
Cerama Bryte Ceramic Cooktop Scraper and Pad	PM10X304

MICROWAVE OVENS

Cerama Bryte Appliance Cleaner	WX10X392
--------------------------------	----------

DISHWASHERS

Universal dishwasher installation kit	PM28X329
Universal 12' dishwasher connector kit with adapter	WX28X327
Dishwasher power cord, 5' 4"	WX09X70910
Dishwasher power cord, 7' 9"	WX09X70911
Dishwasher bracket kit for non-wooden countertops	WX13X10001
10' dishwasher drain hose	WX28X321
Finish® Dishwasher Cleaner 8.45 oz. bottle	WX10X10209
Finish Jet-Dry® Rinse Aid 16 oz. bottle	WX10X10210
Finish Dishwasher Detergent Booster 14 oz. canister	WX10X10022

Cerama Bryte is a registered trademark of Cerama Bryte, Inc. Finish is a registered trademark of Reckitt Benckiser Group.

CLOTHES CARE

6' length universal stainless steel washer hoses with 90° elbow, 2-pack	WX14X10011
4' stainless steel washer hose, 2-pack	WX14X10005
4' rubber washer hose, 2-pack	WH41X10207
Appliance brush set, 2 brushes	PM14X10056
Universal 8' flexible metal dryer duct kit; includes 2 spring clamps	PM08X10085
Universal 4' gas dryer installation kit	PM15X104
6' 4-wire 30-amp electrical dryer cord	WX09X10020
6' 3-wire 30-amp electrical dryer cord	WX09X10004
Cerama Bryte Washer Cleaner, 4 uses	WX10X312
Anti-vibration pads, 4 pad set	WX17X10001CA
Dryer rack	WE1M1038
	WE01X20677
	WE01X22274
Low-profile universal washer floor tray	PM7X2-White
	PM7X3-Metallic carbon



Warranty Information
All parts and accessories have a limited one-year warranty, with the exception of water filters, which have a 30-day warranty.

Limited One-Year Warranty
If your Haier part fails because of a manufacturing defect within one year from the date of original purchase, we will provide a new or, at our option, rebuilt part without charge. Return the defective part to the vendor from whom it was purchased with a copy of the "proof of purchase." If the part is defective it will be exchanged. This warranty does not cover parts which are improperly installed, damaged, abused or used for other than the intended purpose. It does not include cost of returning the part to the vendor from which it was purchased, labor to remove, install or diagnose the failure, parts used in commercial applications, incidental or consequential damage caused by possible defects with the parts.



French-Door Refrigerator: HRF15N3AGS
Dishwasher: QDT125SSLSS
Over-the-Range Microwave Oven: HMOV1472BH
Free-Standing Range: QAS740RMSS

Small spaces can provide big benefits.



Hot Project?
SCAN NOW.

Haier's suite of compact appliances offers worldly inspired design that tenants expect to find in the city. And each product is backed by GE Appliances' robust customer support, factory-trained servicers and nationwide distribution network. That means you can expect fewer service calls, thanks to the #1 Brand of Major Appliances 13 years in a row.*

Have a small space project? Get started now at geappliances.com/pro.

Haier
Born for the city.™

*Euromonitor 2021
Pub. No. 24-0011-C

— GET TO KNOW US —



haierappliances.com

Haier

Appliance Park
Louisville, KY 40225
haierappliances.com

©2022 GE Appliances, a Haier Company.
Pub. No. 66-G0010-22 PC96212

