



GE APPLIANCES
a Haier company



BRANDS NOMENCLATURE

MONOGRAM

C A F É



Profile™

Haier

Hotpoint.

AIR&WATER
SOLUTIONS

NOMENCLATURE



PROFESSIONAL RANGES AND RANGETOPS

Z	D	P	4	8	6	N	D	T	S	S
MONOGRAM GAS RANGE/RANGETOP ZDP = Dual-fuel range ZGP = All-gas range ZHP = Induction range ZGU = Rangetop			WIDTH 48 = 48" rangetop or range 36 = 36" rangetop or range 30 = 30" rangetop or range		NUMBER OF BURNERS 4 = 4 burners 5 = 5 burners 6 = 6 burners	FUEL TYPE E = Electric N = Natural Gas	ADDITIONAL COOKING SURFACE D = Griddle R = Grill G = Griddle and grill T = Touch Control	MODEL YEAR	COLOR CODE SS = Stainless or glass	

INDUCTION AND GAS COOKTOPS

Z	G	U	3	6	E	S	L	S	S
MONOGRAM PRODUCT	FUEL TYPE G = Gas H = Induction	COOKTOP	WIDTH 36 = 36" cooktop 30 = 30" cooktop		DISPLAY TYPE E = Electronic R = Standard	COLOR/STYLE OPTIONS B = Black S = Black glass w/stainless trim, stainless or glass	MODEL YEAR	COLOR CODE SS = Stainless or glass	

HEARTH OVENS

Z	E	P	3	0	F	R	S	S
MONOGRAM PRODUCT	ELECTRIC	HEARTH OVEN	CONFIGURATION		STANDARD OR FLUSH S = Standard F = Flush	MODEL YEAR	COLOR CODE SS = Stainless or glass	

WALL OVENS

Z	T	S	9	0	D	S	S	N	S	S
MONOGRAM PRODUCT	WIDTH K = 27" T = 30"	PLATFORM S = Single D = Double	SERIES 90 = 90 series X1 = X1 series		DOOR OPENING D = Drop down F = French-door	COLLECTION S = Minimalist P = Statement	COLOR STYLE S = Stainless	MODEL YEAR	COLOR CODE SS = Stainless or glass	

STEAM OVENS

Z	M	B	9	0	3	2	S	N	S	S
MONOGRAM PRODUCT	COOKING TECHNOLOGY M = Steam	PLATFORM B = Built-in	SERIES 90 = 9000 series		WIDTH 3 = 30"	COLLECTION 1 = Minimalist 2 = Statement	COLOR STYLE S = Stainless	MODEL YEAR	COLOR CODE SS = Stainless or glass	

NOMENCLATURE



ADVANTIUM® OVENS

Z	S	B	9	1	2	1	N	S	S
MONOGRAM PRODUCT	COOKING TECHNOLOGY S = Speedcook	PLATFORM B = Built-in A = Above the cooktop	SERIES 90 = 9000 series	POWER 1 = 120V 2 = 240V	WIDTH 2 = 27" 3 = 30"	COLLECTION 1 = Minimalist 2 = Statement	MODEL YEAR	COLOR CODE SS = Stainless or glass	

MICROWAVE OVENS

Z	C	W	L	1	1	2	6	U	S	J	S	S
MONOGRAM PRODUCT	COUNTERTOP	MICROWAVE OVEN WL = Drawer EB = Built-in WK = Built-in Countertop		FEATURE PACKAGE WIDTH OR CAPACITY Higher number generally denotes more features			CONNECTED	COLOR STYLE S = Stainless	MODEL YEAR	COLOR CODE SS = Stainless		

WARMING & STORAGE DRAWERS

Z	T	W	900			S	S	N	SS	
MONOGRAM PRODUCT	WIDTH K = 27" T/X = 30"	PLATFORM S = Storage W = Warming	SERIES 900 = 900 series			COLLECTION S = Minimalist P = Statement	COLOR STYLE S = Stainless	MODEL YEAR	COLOR CODE SS = Stainless	

PROFESSIONAL VENTILATION

Z	V	4	8	T	S	F	S	S
BRAND Z = Monogram U = Universal	VENTING SYSTEM V = Vent hood	FEATURE PACKAGE 2 digits shown = Vent hood width (48", 36", 30")		STYLE (PROFESSIONAL HOODS ONLY) H = Under cabinet I = Island R = Restaurant-style S = Straight sides T = Tapered sides	COLOR/STYLE OPTION D = Non-Standard S = Stainless	MODEL YEAR	COLOR CODE BI = Brass SS = Stainless TT = Titanium	

VENTILATION

Z	V	9	5	0	S	D	S	S
BRAND Z = Monogram U = Universal	VENTING SYSTEM VC = Custom hood; requires/is insert* VW = Wall mount VIS = Island	FEATURE PACKAGE OR WIDTH 3 or 4 digits = Higher number denotes more features			COLOR/STYLE OPTION D = Non-Standard S = Stainless	MODEL YEAR	COLOR CODE BI = Brass SS = Stainless TT = Titanium	

*Please review model details to determine if SKU is a custom insert, or hood requiring custom insert..

NOMENCLATURE



REFRIGERATOR & FREEZER COLUMNS

Z	I	R	3	6	1	N	P	R	I	I
MONOGRAM PRODUCT	INTEGRATED		WIDTH 18", 24", 30", 36"		NUMBER OF DOORS/ DRAWERS	NO EXTERNAL DISPENSER	FEATURE LEVEL P = Premium B = Commercial	MODEL YEAR	COLOR CODE II = Panel required	
	CONFIGURATION F = All-freezer unit R = All-refrigerator unit W = All-wine refrigerator									

INTEGRATED BOTTOM FREEZERS, REFRIGERATORS, & WINE SOMMELIERS

Z	I	C	3	6	3	I	P	L	H
MONOGRAM PRODUCT	INSTALLATION I = Built-in	CONFIGURATION C = Bottom-freezer refrigerator K = Glass-door bottom-freezer P = French-door W = Glass door wine/ Bottom freezer	WIDTH 30", 36"		NUMBER OF DOORS/ DRAWERS	DISPENSER D = Ice and water dispenser I = Internal water dispenser N = No dispenser	FEATURE LEVEL P = Premium B = Commercial	HANDLE OPTIONS LH = Left-hand door swing RH = Right-hand door swing II = Panel required	

BUILT-IN SIDE-BY-SIDE REFRIGERATORS

Z	I	S	S	3	6	O	N	N	S	S
MONOGRAM PRODUCT	INSTALLATION I = Built-in	CONFIGURATION S = Side-by-side refrigerator	FINISH B = Panel-ready model S = Stainless	WIDTH 36", 42", 48"		ELECTRONIC CONTROL	DISPENSER D = Ice and water dispenser N = No dispenser	MODEL YEAR	COLOR CODE II = Panel required SS = Stainless case/handle	

FREE-STANDING REFRIGERATORS

Z	W	E	2	3	N	S	T	S	S
MONOGRAM PRODUCT	INSTALLATION F/W = Free-standing	ENERGY OPTION E = E-Star	CAPACITY CUBIC FEET		DISPENSER N = No Dispenser		MODEL YEAR	COLOR CODE SS = Stainless door	

UNDERCOUNTER REFRIGERATORS

Z	I	B	I	2	4	O	H	I	I
BRAND Z = Monogram U = Universal	FORMAT D = Built-in or free-standing I = Built-in	CONFIGURATION BI/BS = Bar refrigerator w/ice maker BI/BR = Beverage Center DI/DS = Double drawer refrigerator FI/FS = Fresh-food refrigerator OD = Outdoor/indoor refrigerator WI/WR = Wine Chiller		WIDTH Inches		ELECTRONIC CONTROL	MODEL YEAR	COLOR CODE BS = Black case, stainless door panel SS = Stainless door II = Black case, custom panel	


NOMENCLATURE




ICE MAKERS




DISH WASHERS



COMPACTORS




FORGE HEATED ICE PRESS




Nomenclature




French-Door and Side-by-Side Refrigeration




Built-In Refrigerator Drawers




Wine and Beverage Centers




Undercounter Ice Makers




Built-In Wall Ovens




Built-In Combination Oven




Advantium® Ovens




Microwave Ovens




Microwave Ovens (select Countertop and Over-the-Range)




Commercial-Style Ranges and Rangetops




Ranges




Cooktops




Warming Drawers




Ventilation



Dishwashers



Small Appliances



Nomenclature



GE APPLIANCES



Profile™

FRENCH-DOOR REFRIGERATOR

P	A	D	2	8	B	Y	T	F	S
Brand G=GE P=GE Profile™	Energy E=ENERGY STAR® D=ENERGY STAR® with Door in door	Capacity Cubic feet	Feature Pack	Model Year	Color BB=Black DS=Black Slate ES=Slate FS=Fingerprint Resistant Stainless WW=White	Finish G=High-gloss M=Slate S=Stainless E=Black Slate Y=Fingerprint Resistant Stainless			
Configuration/Depth/Dispenser A= Quad Standard-Depth w/ Dual Dispense H= Quad Counter-Depth w/ Dual Dispense G= 4-Door Standard-Depth w/ Dual Dispense J= 4-Door Counter-Depth w/ Dual Dispense V= 4-Door Standard-Depth w/ External Dispense X= 4-Door Counter-Depth w/ External Dispense F= 3-Door Standard-Depth w/ External Dispense Y= 3-Door Counter-Depth w/ External Dispense N= 3-Door Standard-Depth w/ Internal Dispense W= 3-Door Counter-Depth w/ Internal Dispense									

BOTTOM-FREEZER REFRIGERATOR

G	D	E	2	5	E	Y	K	F	S
Brand G=GE	Energy E=ENERGY STAR®	Capacity Cubic feet	Feature Pack	Model Year	Color BB=Black ES=Slate FS=Fingerprint Resistant Stainless WW=White	Finish G=High-gloss M=Slate S=Stainless			
Configuration/Depth B=Bottom-freezer door, no icemaker D=Bottom-freezer drawer, with icemaker									

SIDE-BY-SIDE REFRIGERATOR

G	S	E	2	5	G	Y	P	F	S
Brand G=GE P=GE Profile™	Energy E=ENERGY STAR® S=Standard	Capacity Cubic feet	Feature Pack	Model Year	Color BB=Black ES=Slate FS=Fingerprint Resistant Stainless SS=Stainless WW=White	Finish G=High-gloss M=Slate S=Stainless Y=Fingerprint Resistant Stainless			
Depth S=Standard-depth Z=Counter-depth									

TOP-FREEZER REFRIGERATOR

G	T	E	1	7	D	T	N	R	W	W
Brand G=GE	Energy E=ENERGY STAR® S=Standard	Capacity Cubic feet	Model Year	Finish C=Silver Metallic G=High-gloss M=Slate S=Stainless T=Textured	Color BB=Black CC=Bisque DS=Black Slate ES=Slate FS=Fingerprint Resistant Stainless SA=Silver SS=Stainless TS=Black Stainless WW=White	Configuration T=Top-freezer with handle, no icemaker I=Top-freezer with handle and icemaker P=Top-freezer with pocket handle, no icemaker	Feature pack C=Wire shelves, pocket handle, texture door D=Wire shelves, texture door G=Glass shelves, texture door H=Glass shelves, smooth door J=Premium door shelves, texture door K=Garage Ready, smooth door	Door Swing R=Right L=Left		

CHEST FREEZER

F	C	M	2	2	D	L	W	W
GE freezer	Chest	Manual	Cubic Feet	Series C=Camouflage D=Deluxe S=Standard	Model Year	Color WW=White CD=Camouflage/ Dorian Grey		

UPRIGHT FREEZER

F	U	F	1	4	D	L	R	W	W
GE freezer	Frost-free	Cubic Feet	Series D=Deluxe S=Standard	Model Year	Door Swing R=Right L=Left	Color WW=White			

ICE MAKER

U	N	C	1	5	N	P	W	I	I
Configuration U=Universal	Ice N=Nugget ice C=Clear ice	Width (inches) C=Panel-ready	N=No shelf	Model Year	Product Color II=Panel-ready				

COMPACTS, WINE & BEVERAGE CENTERS

P	V	S	0	6	B	S	T	S	S
Brand G=GE P=GE Profile™	Energy E=ENERGY STAR® R=Recessed handle S=Full-size handle	Capacity Cubic feet	Finish G=GE Gloss L=CleanSteel™ M=Slate S=Stainless	Model Year	Color WW=White on White BB=Black on Black LB=CleanSteel ext./ Black handle SS=Stainless ext./SS handle SB=Stainless ext./ Black handle ED=Slate appearance/ Dorian Gray handle	Type C=Built-in capable D=Double door F=All refrigerator M=Manual defrost V=Wine & bev center W=Wine center	Shelving A=Wire shelves B=Beverage shelves D=Dual zone wine shelves G=Glass shelves H=Wine shelves W=Deluxe wine shelves		

WALL OVEN

P	T	S	7	0	0	0	B	N	T	S
Brand P=GE Profile™ J=GE	Cavity Configuration S=Single D=Double	Series	Door style O=Drop down L=Left-hand swing R=Right-hand swing	Base color D=Color match S=Stainless B=Black Stainless E=Slate F=Black Slate	Finish SS=Stainless TS=Black Stainless ES=Slate DS=Black Slate BB=Black WW=White	Width T=30" K=27"				

WARMING DRAWER

P	T	W	9	0	0	0	S	N	S	S
Brand P=GE Profile™	Configuration W=Warming drawer	Series	Base Color S=Stainless	Model Year	Product Color SS=Stainless	Width T=30" K=27"				

ADVANTUM® (2008 and beyond)

P	S	B	9	2	0	1	S	F	S	S
Brand P=GE Profile™	Configuration A=Above-the-cooktop B=Built-in wall oven	Voltage 1=120 volt 2=240 volt	Model/Door color S=Stainless E=Slate B=Black Stainless	Product color SS=Stainless ES=Slate TS=Black Stainless	Feature pack Designates features—the higher the number, the more features.	Model Year				

OVER-THE-RANGE AND COUNTERTOP MICROWAVE OVENS

P	V	M	9	2	1	5	S	K	S	S
Brand P=GE Profile™ J=GE	Series	Installation B=Built-in capability M=Mounts under cabinet S=Countertop only	Feature pack Designates features—the higher the number, the more features.	Capacity XX=cubic feet	Model/Door color D=Color-matched S=Stainless with Gray B=Black Stainless R=Stainless with Black E=Slate M=Silver F=Black Slate Y=Fingerprint Resistant Stainless	Model Year	Color WW=White on White BB=Black on Black CC=Bisque on Bisque SS=Stainless ES=Slate TS=Black Stainless DS=Black Slate FS=Fingerprint Resistant Stainless			

MICROWAVE OVEN (SELECT COUNTERTOP AND OVER-THE-RANGE)

G	R	M	T	1	6	N	O	R	1	W	W
Brand C=Café G=GE H=Hotpoint P=Profile U=Universal Q=Haier Z=Monogram	Installation B=Built-in Only F=Flush H=Hang/BI Capable M=Under Cabinet S=Countertop Only U=Under Counter Capable W=Built-in Capable	Capacity Cu. Ft. 07=0.7 09=0.9 10=1.0 11=1.1 14=1.4 15=1.5 16=1.6 20=2.0 22=2.2	Install Width 0=30" 1=CMO 2=42" 4=24" 6=36"	Engineering Suffix Model Year	Color WW=White BB=Black CC=Bisque ES=Slate SS=Stainless TS=Black SS DS=Black Slate FS=Fingerprint Resistant SA=Silver DD=Dark Dorian 51=SS S5=Mod. Glass SS W2=Matte White D1=Matte Black DM=Matte Black WM=Matte White SM=Stainless	Unit Type C=CMO D=Drawer R=Recirc OTR V=Vented Out OTR W=Wall Oven	Appearance/Style B=Bottom Control D=Drop-Down Door F=Flush H=Handle K=Kit/Accessory L=Low Profile T=Traditional	Cooking Type A=Convection w/Air Fry B=Browner C=Convection G=Griller N=Non-Sensor P=Sensor S=Inverter U=Scan-to-Cook X=Promo Pack			

Nomenclature



GE APPLIANCES



Profile™

COOKTOP

P	G	P	9	3	6	S	L	S	S
Brand P=GE Profile™ J=GE	P=cooktop		Series	Width 30=30" 36=36"		Model Year		Product color SS=Stainless TS=Black Stainless BB=Black WW=White	
Configuration G=Gas H=Induction E=Radiant						Finish S=Stainless B=Black stainless D=Color-matched			

RANGES

P	G	S	9	3	0	Y	P	F	S
Fuel G=Gas H=Induction 2=Dual-fuel Electric=omit this character		Oven Type S=Standard/ steam clean 0-9=Extended feature pack		Feature Pack Designates features—the higher the number, the more features		Model Year		Product Color SS=Stainless ES=Slate WW=White BB=Black TS=Black Stainless DS=Black Slate FS=Fingerprint Resistant Stainless	
Brand P=GE Profile™ J=GE		Configuration A=24" free-standing B=30" free-standing D=30" drop-in M=27" drop-in S=slide-in X=accessory		Model/Door Color B=Black Stainless D=Color-matched E=Slate F=Black Slate R=Stainless with Black S=Stainless with Gray Y=Fingerprint Resistant Stainless					

RANGES SELECT GE & GE Profile RANGES

G		G		F		5		0		0		P		V		S		S	
Brand G=GE P=Profile		Fuel R=Radiant H=Induction G=Gas				Feature Pack Designates features—the higher the number, the more features						Model Year				Product Color SS=Stainless FS=Fingerprint Resistant Stainless TS=Black Stainless WW=White BB=Black ES=Slate DS=Black Slate			
Configuration/Width F=30" Freestanding S=30" Slide-In								Cleaning System/Type S=Steam Clean P=Pyro/Steam Clean A=Advanced Clean											

VENTILATION

U	V	W	9	3	6	1	S	L	S	S
Brand P=GE Profile™ J=GE U=Universal	W=Wall mount X=Under cabinet C=Custom insert D=Downdraft		1-9=Series	Width 30-30" 36-36" 42-42" 48-48"		Finish S=Stainless B=Black Stainless E=Slate F=Black Slate D=Color-matched		Model Year		Product Color SS=Stainless TS=Black Stainless ES=Slate DS=Black Slate WW=White CC=Bisque
V=Vented N=Non-vented			Differentiating Character							

DISHWASHER STAINLESS STEEL, HYBRID STAINLESS STEEL & PLASTIC INTERIOR

P D T 7 1 5 S Y V F S										
Brand G=GE P=GE Profile™ D=Built-in P=Portable		Controls T=Top control F=Front control P=Pocket		Feature Pack		Interior Material H=Hybrid P=Plastic S=Stainless steel		Model Year Exterior Color BB=Black on Black CC=Bisque on Bisque DS=Black Slate ES=Slate FS=Fingerprint Resistant Stainless SA=Silver SS=Stainless TS=Black Stainless WW=White on White		
Wash System 1=18" ADA 2=24" ADA 5=500 series 6=600 series 7=700 series				Exterior finish S=Stainless G=Gloss M=Metallic Y=Fingerprint Resistant Stainless B=Black Stainless D=Color-matched E=Slate F=Black Slate						

DISPOSER

G		F		C		7		2		0		V	
Brand G=GE		FB=Batch feed FC=Continuous feed				Model		0=Non-corded 5=Corded				Installation N=EZ Mount Install W= 3 Bolt Install	
						Horsepower 3 = 1/3 HP 5 = 1/2 HP 7 = 3/4 HP 10 = 1 HP							

WASHER

G		T		W		8		4		0		C		S		N		W		S			
Brand G=GE P=GE Profile™				Platform W=Washer Q=Combo				Model Series				Model Year				Partner Type S=Standard/ Core partner C=Contract only P=Premium (color adder) H=Home Depot L=Lowe's M=Mabe I=International				Color WW=White WS=White with Silver backsplash DG=Diamond Gray RS=Sapphire Blue DS=Carbon Graphite			
Configuration T=Top load (rear controls) U=Unitized F=Front load N=Top load (front controls)				Product type S=Standard/stationary A=2" top cover B=4" top cover C=4" lid with additional 1" base P=Portable																			

DRYER

G		T		D		8		4		E		C		S		N		W		S	
Brand G=GE P= GE Profile™				Model Series						Fuel E=Electric (220V/60Hz) (208V/60Hz) G=Gas with 120V/60Hz P=Propane				Model Year				Color WW=White WS=White with Silver backsplash DG=Diamond Gray RS=Sapphire Blue DS=Carbon Graphite			
Configuration T=Top load U=Unitized F=Front load						Platform D= Vented Dryer, Standard Length V=Vented Dryer, Long Vent T= Condenser Dryer H= Heat Pump Z= Flat Back Dryer, Long Vent X= Flat Back Dryer, Standard Vent								Partner Type S=Standard/ Core partner C=Contract only P=Premium (color adder) H=Home Depot L=Lowe's M=Mabe I=International							
						Product type S=Standard/ stationary R=Riser															
										A=2" top cover B=4" top cover C=4" lid with additional 1" base								D=Vented Dryer (Standard Vent) T=Condenser Dryer H=Heat Pump			

WATER SOFTENING SYSTEM

G	X	S	H	3	5	W
Brand G=GE P=GE Profile	Packaging N=Standard X=Retail	Product Type MH=Multi-media, High Flow Valve SS=Solid State Timer, Standard Valve SF=Demand Regeneration, High Flow Valve SH=Demand Regeneration, Super High Flow Valve PR=Profile Line, Super High Flow Valve MS=Multi-Media, Super High Flow Valve		Grain Capacity		Model Year

FLEXIBLE CAPACITY ELECTRONIC WATER HEATER

G	E	5	0	S	1	0	B	M	M
Brand G=GE	Fuel Type E=Electric	Capacity 30=30 gallons 40=40 gallons 50=50 gallons		Size S=Short	Warranty 10=10 years		Special Indicator M=Electronic controls with integrated mixing valve and WiFi	Model Year	
			Special Indicator B=US Standard Model (Contract)						

ELECTRIC TANKLESS WATER HEATER

G		E		1		1		S		N		H		P		D		G	
Brand G=GE		Fuel Type E=Electric		Power Type 11=11 kW				Channel N=US (Common)						Model Year				Product Color DG=Diamond Gray	
				Installation Location D=POE indoor S=POU indoor				Feature pack L=120 volts power supply H=240 volts power supply											

SOLAR WATER HEATER

G		T		5		0		C		1		0		B		A		M	
Brand G=GE				Capacity 25=25 gallons 40=40 gallons 50=50 gallons				Size C=Collector, storage type		Warranty 10=10 years				Special Indicator B=US Standard Model (Contract)		Special Indicator A=Mechanical controls		Model Year	
		Fuel Type T=Solar thermal																	

Nomenclature



GE APPLIANCES



Profile™

ELECTRONIC/ELECTRIC WATER HEATER

G E 5 0 T 1 2 B L M											
Brand G=GE	Capacity 30=30 gallons 40=40 gallons 50=50 gallons			Size L=Low boy S=Short T=Tall	Warranty 08=8 years 10=10 years 12=12 years			Special Indicator A=Mechanical controls L=Electronic controls A=Top port for Low boy S=Side port for Low boy			Model Year
Fuel Type E=Electric				Special Indicator B=US Standard Model (Contract)							

ELECTRIC POINT-OF-USE WATER HEATER

G E 2 0 P 0 8 B A R													
Brand G=GE		Capacity 02=2.5 gallons 06=6 gallons 10=10 gallons 20=18 gallons			Size P=Point-of-use (120v)		Warranty 08=8 years		Special Indicator 1 B=US Standard Model		Special Indicator 2 A=US Standard Model		
Fuel Type E=Electric												Model Year	

GAS WATER HEATER

G G 5 0 T 1 2 B X R											
Brand G=GE	Capacity 30=30 gallons 40=40 gallons 50=50 gallons			Size S=Short T=Tall	Warranty 08=8 years 10=10 years 12=12 years			Special Indicator 2 A=LoNox FVIR X=?		Special Indicator 1 B=US Standard Model (Common)	Model Year
	Fuel Type E=Natural gas P=Propane										

REVERSE OSMOSIS FILTRATION SYSTEM-STANDARD

G		N		R		Q		18		N		B		N	
Brand P=GE Profile™ G=GE		Packaging N=Standard X=Retail		Product type RQ=Twist and Lock reverse osmosis RM= Open housing reverse osmosis RV=Reverse Osmosis w/ Re-mineralization						Model Year		Faucet Color BL= Chrome w/Black accents BN=Brushed Nickel BB=Black			
										Gallons per day					

REVERSE OSMOSIS FILTRATION SYSTEM-TANKLESS

P X R Q 400 T											
Brand G=GE P=GE Profile	Packaging N=Standard X=Retail		Product type RQ=Twist & Lock Reverse Osmosis RM=Open Housing Reverse Osmosis RV=Reverse Osmosis w/ Re-mineralization			Gallons per day			Model Year		

UNDER-SINK FILTRATION SYSTEM

G		X		K		2		5		5		T		B		N	
Brand G=GE P=GE Profile		Packaging N=Standard X=Retail packaging		Product type SV=VOC removal 1S=Single stage K2=Encap, dual, sed, CT&O, lead, cysts, select VOCs, pharma UL=CTO + lead K1=Encap, Single, Sed, CT & O, Lead, Cysts, VOCs, Ph arma				Series 01=Empty open sump 55=Encapsulated, dual stage, lead/cyst, no monitor, rotary high arc faucet 85= Encapsulated, diverter w monitor				Model Year				Color BL=Chrome with Black accents BN= Brushed Nickel BB=Black	

INLINE FILTRATION

G		X		R		T		D		R	
Brand G=GE	Packaging X=Retail	Accessory R=Refrigerator icemaker filter		Product type T=Chlorine, taste, and odor filter element (CTO) L=CTO & lead filter element		Product type Q=New installation—quick connect, new canister—quick connect DR=New/replacement push-to-connect fittings					

WINDOW AIR CONDITIONER

A W C S 0 8 W W T											
Brand A=GE P=GE Profile™ Q=Haier	Product Family			Capacity ##=BTU in 1000s			Color W=White B=Black			Marketing Digit	
	Commercial Digit S=Single Speed Cool H=Heat/Cool V=Variable Speed Cool			Feature Digit B=Basic W=Built-in WiFi							
Category W=Window AC											

PORTABLE AIR CONDITIONER

A P L H 0 8 W W B											
Brand A=GE P=GE Profile™ Q=Haier	Product Family			Capacity ##=BTU in 1000s			Color W=White B=Black G=Grey			Marketing Digit	
	Commercial Digit S=Single Speed Cool H=Heat/Cool V=Variable Speed Cool			Feature Digit B=Basic W=Built-in WiFi							
	Category P=Portal AC										

DEHUMIDIFIER

A P Y R 5 0 L C											
Brand A=GE Q=Haier	Product Family			Marketing Digit			Capacity ##=Pints per day			Voltage L=115V	
	Product Type D=Dehumidifier P=Dehumidifier w/Pump W=Dehumidifier w/WiFi									Model Year Z=2020 A=2021 B=2022 C=2023 D=2024	

BUILT-IN/THROUGH-THE-WALL AIR CONDITIONER

A		J		C		Q		1		0		A		C		G	
Brand A=GE		Product Type C=Cooling E=Electric heat H=Heat pump				Capacity Nominal BTUs in 1000s				Configuration C=Chassis only W=WIFI chassis				Market Generation			
Category J=26" built-in units K=24" through-the-wall units		Unit Series M=High-mount chassis with electronic remote Q=Cooling with remote control				Voltage/Amps L=115V, 60 Hz, <7.0 amps A=115V, 60 Hz, >7.5 amps D=230/208V, 60 Hz, all amperages											

ZONELINE CHASSIS

A Z 6 5 H 1 2 D A D											
Zoneline			Nominal cooling capacity 07=7,000 BTUH cooling 09=9,000 BTUH cooling 12=12,000 BTUH cooling 15=15,000 BTUH cooling			Universal power connection A=These models have universal power connection B=Digital Makeup Air module with universal power connection			Special features B=Base unit C=Corrosion treated D=internal condensate removal (ICR) (AZ65 only) P=Dry Air 25 (AZ45 only) M=Makeup air		
Chassis series 45=Cool/electric heat 65=Heat pump			Voltage/Phase/Frequency D=230/208 volt, single phase, 60 Hz E=265 volt, single phase, 60 Hz								
Unit type E=Cooling with electric resistance heat H=Heat pump with electric resistance heat											

Nomenclature



GE APPLIANCES



Profile™

WHOLE HOUSE FILTRATION SYSTEM

P	X	W	H	7	O	Y
Brand G=GE P=GE Profile	Packaging N=Standard X=Retail	Product type WH=Whole home	Series 04=Empty sump 20=Clear sump, 3-way valve 40= Clear sump, heavy-duty, 3-way valve 60 = Heavy duty, high flow 70=Clear sump, heavy duty, 3-way valve, install assist bracket, rotating back pivot, connected system			Model Year

ZONELINE® VERTICAL UNIT

A Z 9 5 H 1 2 D A C									
Zoneline®	Chassis series 95=Heat pump single packaged vertical unit		Nominal cooling capacity 09=9,000 BTUH cooling 12=12,000 BTUH cooling 18=18,000 BTUH cooling				Universal power connection A=These models have universal power connection		
	Unit type H=Heat pump with electric resistance heat E=Cooling with electric resistance heat		Voltage/Phase/Frequency D=230-208 volt, single phase, 60 Hz E=265 volt, single phase, 60 Hz				Special features C=Corrosion treated		

SMALL APPLIANCES

P	7	C	E	S	A	S	6	R	B	B
Brand G=GE P=GE Profile™	Category 4=Ice/Water 7=Beverage 8=Food Prep 9=Cooking	Product B=Blender C=Coffee E=Espresso G=GE H=Immersion Blender I=Ice Makers K=Kettle M=Mixers O=Toaster Oven P=Food Processor T=Toasters	Model Accessories TOASTER OVEN A=N/A TOASTER A=N/A ICE MAKERS S=0.75 Gal. Side Tank X=XL Side Tank 1=0.75 Gal. Side Tank 2=No Side Tank 4=4 Filters Included COFFEE A=N/A MIXER A=N/A IMMERSION BLENDER A=N/A FOOD PROCESSOR A=N/A KETTLE 1=Liter quantity BLENDER A=N/A			Model Series TOASTER OVEN A=N/A TOASTER A=N/A ICE MAKERS A=N/A COFFEE A=N/A MIXER A=N/A IMMERSION BLENDER A=N/A FOOD PROCESSOR A=N/A KETTLE 7=Liter Quantity 5=Liter Quantity BLENDER A=N/A	Main Finish B=Black S=Stainless 2=Stainless 6=Carbon Black 7=Premium Silver	Model Year	Exterior Color B=Black G=Profile Silver O=Profile White S=Stainless T=Black Stainless	Accent Color B=Black S=Stainless W=White 6=Premium Black 7=Premium Silver
Model Platform TOASTER OVEN A=Airfry B=Basic C=Convection I=Instant TOASTER M=Manual ICE MAKERS C=Clear N=Nuggets S=Sphere		COFFEE D=Drip E=Espresso G=Grind & Brew MIXER S=Stand IMMERSION BLENDER BLENDER O=No Accy 1=Accy Included	FOOD PROCESSOR O=No Accy 1=Accy Included KETTLE D=Digital Control E=Electric Control BLENDER C=Jar + Cups J=Jar P=Personal Cups			Country of Sale				

OPAL 01

O	P	A	L	O	1	G	E	N	K	T
Product Name Opal			Model Series 01=Model One		Generation Original		Accessory Type SS=No Side Tank KT=With Side Tank			

OPAL 2.0

X	P	I	O	1	3	S	C	S	S
Series 2.0	Brand P=GE Profile™	Category Ice Maker	Accessory Type 13=0.75 Gal. Side Tank 23=No Side Tank X3=1 Gal. Side Tank 43=4 Filters			Model Year	Exterior Color B=Carbon Black S=Stainless T=Black Stainless W=Stone White		
Material B=Black S=Stainless		Model Opal		Material B=Black S=Stainless		Material B=Black S=Stainless		Material B=Black S=Stainless	


SMART MIXER

P	8	M	S	A	S	S	6	T	B	B
	SDA Category Food Prep		Model Platform Stand	Model Series S=Smart Sense			Finish 6=Satin Aluminum		Color BB=Carbon Black OW=Stone White GW=Mineral Silver	
Brand P=GE Profile™		Product Category Mixers		Model Accessories A=No Accessories				Model Year		
					Country of Sale S=Standard (N. America)					


Nomenclature

Haier


REFRIGERATION




RANGES



BUILT-IN COOKING & VENTILATION




OVER-THE-RANGE MICROWAVE




DISHWASHER




WINDOW AIR CONDITIONER



PORTABLE AIR CONDITIONER




DEHUMIDIFIER




Nomenclature

Hotpoint®


TOP-FREEZER REFRIGERATOR




COMPACT REFRIGERATOR




FREEZER




DISHWASHER




PTAC




RANGES




OVER-THE-RANGE MICROWAVE OVEN



WASHER



DRYER



Nomenclature



GE APPLIANCES
a Haier company

AIR & WATER
SOLUTIONS

WATER SOFTENING SYSTEM

G	X	S	H	3	5	W
Brand G=GE P=GE Profile	Packaging N=standard X=retail	Product type MH= Multi-media, High Flow Valve SS=Solid State Timer, Standard Valve SF=Demand Regeneration, High Flow Valve SH=Demand Regeneration, Super High Flow Valve PR= Profile Line, Super High Flow Valve MS= Multi-Media, Super High Flow Valve		Grain Capacity		Model Year

GE FLEXIBLE CAPACITY ELECTRONIC WATER HEATER

G	E	5	0	S	1	0	B	M	M
Brand G=GE	Fuel Type E=electric	Capacity 30=30 gallons 40=40 gallons 50=50 gallons		Size S=short	Warranty 10=10 years	Special Indicator B=US Standard Model (Contract)		Special Indicator M=Electronic controls with integrated mixing valve and WiFi	Model Year

GE TANKLESS ELECTRIC WATER HEATER

G		E		1		1		S		N		H		P		D		G	
Brand G=GE		Fuel Type E=Electric		Power 11=11 kW				Channel N=US (Common)				Model Year P=2020		Product Color DG=Diamond Gray					
Installation Location D=POE indoor S=POU indoor				Feature Pack L=120 Volts Power Supply H=Volts Power Supply															

GE Power Vent Gas Water Heater

G	G	5	0	T	0	8	A	Y	V
Brand G=GE	Capacity 40=40 gallons 50=50 gallons		Warranty 08=8 years		Special Indicator Y=Powered Gas (120V)		Model Year		
Fuel Type G=Natural Gas P=Propane	Size S=short T=tall		Special Indicator A= Power Vent Low NOx, 2"/3"						

GE DISPOSER

G	F	C	7	2	0	V
Brand G=GE	FC=continuous feed		Model	O=non-corded S=corded	Model Year	

GE ELECTRONIC/ELECTRIC WATER HEATER

G	E	5	0	T	1	2	B	L	M
Brand G=GE	Capacity 30=30 gallons 40=40 gallons 50=50 gallons		Size L=Low boy S=short T=tall	Warranty 08=8 years 10=10 years 12=12 years		Special Indicator A=mechanical controls L=electronic controls A=top port for Low boy S=side port for Low boy		Model Year	
Fuel Type E=electric	Special Indicator B=US Standard Model (Contract)								

GE ATMOSPHERIC GAS WATER HEATER

G G 5 0 T 1 2 B X R									
Brand G=GE	Fuel Type G=natural gas P=propane		Size S=short T=tall	Warranty 08=8 years 10=10 years 12=12 years		Special Indicator 2 X=LoNox FVIR		Model Year	
Capacity 30=30 gallons 40=40 gallons 50=50 gallons			Special Indicator 1 B=US Standard Model						

GE ELECTRIC POINT OF USE WATER HEATER

G E 2 0 P 0 8 B A R									
Brand G=GE	Capacity 02=2.5 gallons 06=6 gallons 10=10 gallons 20=18 gallons			Size P=Point of use (120v)	Warranty 08=8 years		Special Indicator 2 A=US Standard Model		Model Year
Fuel Type E=electric	Special Indicator 1 B=US Standard Model								

REVERSE OSMOSIS FILTRATION SYSTEM-STANDARD

G	N	R	Q	18	N	B	N
Brand P=GE Profile™ G=GE	Packaging N=Standard X=Retail	Product type RQ=Twist and Lock reverse osmosis RM= Open housing		Model Year	Faucet Color BL= Chrome w/Black accents BN=Brushed Nickel BB=Black		
				Gallons per day			

UNDER-SINK FILTRATION SYSTEM

G	X	K	2	5	5	T	B	N
Brand G=GE P=GE Profile	Packaging N=Standard X=Retail packaging	Product type SV=VOC removal 1S=Single stage K2=Encap, dual, sed, CT&O, lead, cysts, select VOCs, pharma UL=CTO + lead K1=Encap, Single, Sed, CT & O, Lead, Cysts, VOCs, Ph arma		Series 01=Empty open sump 55=Encapsulated, dual stage, lead/cyst, no monitor, rotary high arc faucet 85= Encapsulated, diverter w monitor		Model Year	Color BL=Chrome with Black accents BN= Brushed Nickel BB=Black	

GE INLINE FILTRATION

G	X	R	T	D	R
Brand G=GE	Packaging X=retail	Product Type T=chlorine, taste, and odor filter element (CTO) L=CTO & lead filter element		Product type Q=new installation—quick connect, new canister —quick connect DR=new/replacement push-to-connect fittings	
		Accessory R=refrigerator icemaker filter			

WHOLE HOUSE FILTRATION SYSTEM

P	X	W	H	7	0	Y
Brand G=GE P=GE Profile	Packaging N=Standard X=Retail	Product type WH=Whole home	Series 04=Empty sump 20=Clear sump, 3-way valve 40= Clear sump, heavy-duty, 3-way valve 60 = Heavy duty, high flow 70=Clear sump, heavy duty, 3-way valve, install assist bracket, rotating back pivot, connected system			Model Year


Nomenclature




GE APPLIANCES
a Haier company

AIR&WATER
SOLUTIONS


GE PORTABLE AIR CONDITIONER




WINDOW AIR CONDITIONER




GE BUILT-IN/THROUGH-THE-WALL AIR CONDITIONER




PORTABLE AIR CONDITIONER




DEHUMIDIFIER



UNIVERSAL FIT AIR CONDITIONERS NOMENCLATURE



ZONELINE




Nomenclature




GE APPLIANCES
a Haier company

AIR&WATER
SOLUTIONS


GE OUTDOOR SPLITS




GE/Haier Ductless Outdoor Unit




GE FURNACE




GE/Haier Ductless Indoor Unit




GE EVAPORATOR COIL




Hotpoint Ductless Outdoor Unit



GE AIR HANDLER



Hotpoint Ductless Indoor Unit



Nomenclature




GE APPLIANCES
a Haier company

AIR & WATER
SOLUTIONS

Ductless Accessories


G A C C P O 1 W A 1



Accessory Type
CT = Controller
PT = Mid Static Duct Supply Plenum
MFB = Mid Static Duct Filter Box
WB = Wind Baffle/Snow Hood
WF = Wi-Fi Module
TC = Top Cover
CCP=Compact Cassette Panel
LCP = Compact Cassette PanelCapacity (MBh)


VRF OUTDOOR UNITS

M V H P 1 2 0 M E 2 C A




VRF INDOOR UNITS

M V A B 0 1 8 M V 2 A A



GE Packaged Units


N P 1 4 G 4 2 S R 1 0 8 X X X



Dehumidifiers

GEA AIR & WATER

A D S E 3 5 W W T 1





GE APPLIANCES
a Haier company

GE is a trademark of the General Electric Company.
Manufactured under trademark license.

GE Appliances has a policy of continuous improvement
of its products and reserves the right to change
materials and specifications without notice.

WARMING ZONE

FEBRUARY 2024 PS125606