



MONOGRAM™

Distributor Price Book

Price Effective Date: 7/1/2023


T A B L E O F C O N T E N T S

<i>Professional Ranges and Rangetops</i>	03
<i>Induction, Gas and Electric Cooktops</i>	21
<i>Hearth Ovens and Wall Ovens</i>	31
<i>Steam Ovens and Advantium® Ovens</i>	47
<i>Microwave Ovens, Warming Drawers and Storage Drawers</i>	57
<i>Hoods</i>	67
<i>Refrigerator and Freezer Columns</i>	87
<i>Built-In Refrigerators</i>	99
<i>Free-Standing Refrigerators</i>	107
<i>Built-in Side-By-Side Refrigerators</i>	110
<i>Undercounter Refrigerators</i>	117
<i>Dishwashers and Compactors</i>	128
<i>Warranty Information</i>	134
<i>Rebate Information</i>	135

MONOGRAM PROFESSIONAL RANGES AND RANGETOPS

From controlled simmers to the perfect sear, Monogram professional ranges and rangetops are expertly engineered to perform beyond expectations. Featuring substantial, brass-accented knobs, polished stainless steel and signature large windows, our ranges deliver premium features and a truly professional appearance.

MODEL NUMBER KEY



PROFESSIONAL RANGES



ZDP484NGTSS



ZDP486NDTSS



ZDP364NDTSS



ZDP366NTSS



ZDP304NTSS



ZGP486NDTSS



ZGP364NDTSS



ZGP366NTSS



ZGP304NTSS



ZHP365ETVSS



ZHP304ETVSS

PROFESSIONAL RANGETOPS



ZGU486NDTSS



ZGU364NDTSS



ZGU366NTSS



48" DUAL-FUEL PROFESSIONAL RANGE WITH 4 BURNERS, GRILL AND GRIDDLE (NATURAL GAS)



MODEL

ZDP484NGTSS (shown above)

UMRP*

\$15,000

SPECIFICATIONS

Overall Dimensions (WxHxD) 47 7/8 in x 35 1/4 in x 28 1/4 in

ACCESSORIES

12" stainless steel backsplash	UX12BS48PSS	\$449
30"-36" adjustable stainless steel backsplash with warming shelf	UXADJB48PSS	\$899
48" Monogram Stainless Steel Knob Kit	ZXPR48KKTSS	\$300
Reversible Griddle/Grill	UXPRRGG	\$349
48" Designer Collection:		
Long Brass Handle	ZXPR48HLTB1	\$900
Short Brass Handle	ZXPR48HSTB1	\$600
Long Titanium Handle	ZXPR48HLTT1	\$900
Short Titanium Handle	ZXPR48HSTT1	\$600
Titanium Knobs	ZXPR48KKT1	\$2,100
LP Conversion Kit (Included)		
Multi Ring Burner Caps Brass and Black (Included)		

FEATURES

- Monogram Statement Collection
- Built-in WiFi, powered by SmartHQ™ app
- Precision Cooking
- Better When Connected
- Industry exclusive—TrueTemp™ burner
- Versatile gas burner configuration
- 3-Piece grates with reversible wok feature
- Hot Air Fry
- Precision Oven modes
- Articulating 7" touch LCD control
- Chef Connect

48" DUAL-FUEL PROFESSIONAL RANGE WITH 6 BURNERS AND GRIDDLE (NATURAL GAS)



MODEL

ZDP486NDTSS (shown above)

UMRP*

\$14,000

SPECIFICATIONS

Overall Dimensions (WxHxD) 47 7/8 in x 35 1/4 in x 28 1/4 in

ACCESSORIES

12" stainless steel backsplash	UX12BS48PSS	\$449
30"-36" adjustable stainless steel backsplash with warming shelf	UXADJB48PSS	\$899
48" Monogram Stainless Steel Knob Kit	ZXPR48KKTSS	\$300
Reversible Griddle/Grill	UXPRRGG	\$349
48" Designer Collection:		
Long Brass Handle	ZXPR48HHLTBI	\$900
Short Brass Handle	ZXPR48HSTBI	\$600
Long Titanium Handle	ZXPR48HLTTI	\$900
Short Titanium Handle	ZXPR48HSTTI	\$600
Titanium Knobs	ZXPR48KKTTI	\$2,100
LP Conversion Kit (Included)		
Multi Ring Burner Caps Brass and Black (Included)		

FEATURES

- Monogram Statement Collection
- Versatile gas burner configuration
- 3-Piece grates with reversible wok feature
- WiFi monitoring and remote control with the SmartHQ™ app
- Precision Cooking
- Dynamic oven LCD
- Chef Connect
- Industry exclusive—custom color LED accent lighting
- Ring-lit knobs
- Solid brass blades on precision-machined knobs
- Seamless stainless top frame

36" DUAL-FUEL PROFESSIONAL RANGE WITH 4 BURNERS AND GRIDDLE (NATURAL GAS)



MODEL

ZDP364NDTSS (shown above)

UMRP*

\$11,400

SPECIFICATIONS

Overall Dimensions (WxHxD) 35 7/8 in x 35 1/4 in x 28 1/4 in

ACCESSORIES

12" stainless steel backsplash	UX12B36PSS	\$449
30"-36" adjustable stainless steel backsplash with warming shelf	UXADJB36PSS	\$669
30"-36" Monogram Stainless Steel Knob Kit (Qty 9)	ZXPR36KKTSS	\$200
36" Designer Collection:		
Brass Handle	ZXPR36HKTB1	\$1,300
Titanium Handle	ZXPR36HKTT1	\$1,300
Titanium Knobs	ZXPR36KKTT1	\$1,600
LP Conversion Kit (Included)		
Multi Ring Burner Caps Brass and Black (Included)		

FEATURES

- Monogram Statement Collection
- Built-in WiFi, powered by SmartHQ™ app
- Precision Cooking
- Better When Connected
- Industry exclusive—TrueTemp™ burner
- Versatile gas burner configuration
- 3-Piece grates with reversible wok feature
- Hot Air Fry
- Precision Oven modes
- Articulating 7" touch LCD control
- Chef Connect

36" DUAL-FUEL PROFESSIONAL RANGE WITH 6 BURNERS (NATURAL GAS)



MODEL

ZDP366NTSS (shown above)

UMRP*

\$10,400

SPECIFICATIONS

Overall Dimensions (WxHxD) 35 7/8 in x 35 1/4 in x 28 1/4 in

ACCESSORIES

12" stainless steel backsplash	UX12B36PSS	\$449
30"-36" adjustable stainless steel backsplash with warming shelf	UXADJB36PSS	\$669
30"-36" Monogram Stainless Steel Knob Kit (Qty 9)	ZXPR36KKTSS	\$200
36" Designer Collection:		
Brass Handle	ZXPR36HKTB1	\$1,300
Titanium Handle	ZXPR36HKTT1	\$1,300
Titanium Knobs	ZXPR36KKTT1	\$1,600
LP Conversion Kit (Included)		
Multi Ring Burner Caps Brass and Black (Included)		

FEATURES

- Monogram Statement Collection
- Versatile gas burner configuration
- 3-Piece grates with reversible wok feature
- WiFi monitoring and remote control with the SmartHQ™ app
- Precision Cooking
- Hot Air Fry
- Dynamic oven LCD
- Chef Connect
- Industry exclusive—custom color LED accent lighting
- Ring-lit knobs
- Solid brass blades on precision-machined knobs
- Seamless stainless top frame

30" DUAL-FUEL PROFESSIONAL RANGE WITH 4 BURNERS (NATURAL GAS)



MODEL

ZDP304NTSS (shown above)

UMRP*

\$6,800

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 7/8 in x 35 1/4 x 28 1/4 in

ACCESSORIES

30"-36" Monogram Stainless Steel Knob Kit (Qty 9)	ZXPR36KKTSS	\$200
Reversible Griddle/Grill Accessory	UXPRRGG	\$349
LP Conversion Kit (Included)		
Multi Ring Burner Caps Brass and Black (Included)		

FEATURES

- Monogram Statement Collection
- Versatile gas burner configuration
- 3-Piece grates with reversible wok feature
- WiFi monitoring and remote control with the SmartHQ™ app
- Precision Cooking
- Hot Air Fry
- Dynamic oven LCD
- Chef Connect
- Industry exclusive—custom color LED accent lighting
- Ring-lit knobs
- Solid brass blades on precision-machined knobs
- Seamless stainless top frame

48" ALL-GAS PROFESSIONAL RANGE WITH 6 BURNERS AND GRIDDLE



MODEL

ZGP486NDTSS (shown above)

UMRP*

\$11,000

SPECIFICATIONS

Overall Dimensions (WxHxD) 47 7/8 in x 35 1/4 in x 28 1/4 in

ACCESSORIES

12" stainless steel backsplash	UX12BS48PSS	\$449
30"-36" adjustable stainless steel backsplash with warming shelf	UXADJB48PSS	\$899
48" Monogram Stainless Steel Knob Kit	ZXPR48KKTSS	\$300
48" Designer Collection:		
Long Brass Handle	ZXPR48HLTB1	\$900
Short Brass Handle	ZXPR48HSTB1	\$600
Long Titanium Handle	ZXPR48HLTT1	\$900
Short Titanium Handle	ZXPR48HSTT1	\$600
Titanium Knobs	ZXPR48KKTT1	\$2,100
LP Conversion Kit (Included)		
Multi Ring Burner Caps Brass and Black (Included)		

FEATURES

- Monogram Statement Collection
- Versatile gas burner configuration
- 3-Piece grates with reversible wok feature
- WiFi monitoring and remote control with the SmartHQ™ app
- Precision Cooking
- Dynamic oven LCD
- Chef Connect
- Industry exclusive—custom color LED accent lighting
- Ring-lit knobs
- Solid brass blades on precision-machined knobs
- Seamless stainless top frame

**36" ALL-GAS PROFESSIONAL RANGE
WITH 4 BURNERS AND GRIDDLE (NATURAL GAS)**



MODEL

ZGP364NDTSS (shown above)

UMRP*

\$7,800

SPECIFICATIONS

Overall Dimensions (WxHxD) 35 7/8 in x 35 1/4 in x 28 1/4 in

ACCESSORIES

12" stainless steel backsplash	UX12B36PSS	\$449
30"-36" adjustable stainless steel backsplash with warming shelf	UXADJB36PSS	\$699
30"-36" Monogram Stainless Steel Knob Kit (Qty 9)	ZXPR36KKTSS	\$200
36" Designer Collection:		
Brass Handle	ZXPR36HKTB1	\$1,300
Titanium Handle	ZXPR36HKTT1	\$1,300
Titanium Knobs	ZXPR36KKT1	\$1,600
Reversible Griddle/Grill	UXPRRGG	\$349
LP Conversion Kit (Included)		
Multi Ring Burner Caps Brass and Black (Included)		

FEATURES

- Monogram Statement Collection
- Versatile gas burner configuration
- 3-Piece grates with reversible wok feature
- WiFi monitoring and remote control with the SmartHQ™ app
- Precision Cooking
- Dynamic oven LCD
- Chef Connect
- Industry exclusive—custom color LED accent lighting
- Ring-lit knobs
- Solid brass blades on precision-machined knobs
- Seamless stainless top frame



36" ALL-GAS PROFESSIONAL RANGE WITH 6 BURNERS (NATURAL GAS)



MODEL

ZGP366NTSS (shown above)

UMRP*

\$7,100

SPECIFICATIONS

Overall Dimensions (WxHxD) 35 7/8 in x 35 1/4 in x 28 1/4 in

ACCESSORIES

12" stainless steel backsplash	UX12B36PSS	\$449
30"-36" adjustable stainless steel backsplash with warming shelf	UXADJB36PSS	\$899
30"-36" Monogram Stainless Steel Knob Kit (Qty 9)	ZXPR36KKTSS	\$200
36" Designer Collection:		
Brass Handle	ZXPR36HKTB1	\$1,300
Titanium Handle	ZXPR36HKTT1	\$1,300
Titanium Knobs	ZXPR36KKT1	\$1,600
Reversible Griddle/Grill	UXPRRGG	\$349
LP Conversion Kit (Included)		
Multi Ring Burner Caps Brass and Black (Included)		

FEATURES

- Monogram Statement Collection
- Versatile gas burner configuration
- 3-Piece grates with reversible wok feature
- WiFi monitoring and remote control with the SmartHQ™ app
- Precision Cooking
- Dynamic oven LCD
- Chef Connect
- Industry exclusive—custom color LED accent lighting
- Ring-lit knobs
- Solid brass blades on precision-machined knobs
- Seamless stainless top frame

30" ALL-GAS PROFESSIONAL RANGE WITH 4 BURNERS (NATURAL GAS)



MODEL

ZGP304NTSS (shown above)

UMRP*

\$5,600

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 7/8 in x 35 1/4 in x 28 1/4 in

ACCESSORIES

30"-36" Monogram Stainless Steel Knob Kit	ZXPR36KKTSS	\$200 (Qty 9)
Cast Iron Grill Accessory	UXPRRGG	\$349
LP Conversion Kit (Included)		
Multi Ring Burner Caps Brass and Black (Included)		

FEATURES

- Monogram Statement Collection
- Versatile gas burner configuration
- 3-Piece grates with reversible wok feature
- WiFi monitoring and remote control with the SmartHQ™ app
- Precision Cooking
- Dynamic oven LCD
- Chef Connect
- Industry exclusive—custom color LED accent lighting
- Ring-lit knobs
- Solid brass blades on precision-machined knobs
- Seamless stainless top frame



36" INDUCTION PROFESSIONAL RANGE WITH 5 COOKTOP ELEMENTS



MODEL

ZHP365ETVSS (shown above)

UMRP*

\$10,900

SPECIFICATIONS

Overall Dimensions (WxHxD) 35 7/8 in x 36 in x 31 1/4 in

FEATURES

- WiFi monitoring and remote control with the SmartHQ™ app
- Precision Temperature Control
- Articulating 7" Touch LCD Control
- 5 Induction Cooking Elements
- Glide Touch Controls
- Synchronized elements for griddles
- Guided Cooking
- Hot Air Fry
- Precision oven modes
- Keep warm setting
- Control lock

30" INDUCTION PROFESSIONAL RANGE WITH 4 COOKTOP ELEMENTS



MODEL

ZHP304ETVSS (shown above)

UMRP*

\$7,300

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 7/8 in x 36 in x 31 1/8 in

FEATURES

- WiFi monitoring and remote control with the SmartHQ™ app
- Precision Temperature Control
- Articulating 7" Touch LCD Control
- 4 Induction Cooking Elements
- Glide Touch Controls
- Synchronized elements for griddles
- Guided Cooking
- Hot Air Fry
- Precision oven modes
- Keep warm setting
- Control lock

48" PROFESSIONAL GAS RANGETOP WITH 6 BURNERS AND GRIDDLE (NATURAL GAS)



MODEL	UMRP*
ZGU486NDTSS (shown above)	\$5,400

SPECIFICATIONS	
Overall Dimensions (WxHxD)	47 7/8 in x 8 1/2 in x 27 1/2 in

ACCESSORIES		
Stainless Steel Backguard: 12" stainless steel backsplash	UX12BS48PSS	\$449
Stainless Steel Backguard: 30"-36" adjustable stainless steel backsplash with warming shelf	UXADJB48PSS	\$899
48" Stainless Steel Knob Kit (Qty 11)	ZXPR48KKTSS	\$300
48" Designer Collection Titanium Knobs	ZXPR48KKT1	\$2,100
Cast Iron Grill Accessory	UXPRRGG	\$349
LP Conversion Kit (Included)		

- FEATURES**
- Monogram Statement Collection
 - Versatile gas burner configuration
 - 3-Piece grates with reversible wok feature
 - Ring-lit knobs
 - Solid brass blades on precision-machined knobs
 - Seamless stainless top frame
 - Stainless and aluminum-clad griddle included
 - Stainless steel, no-mark griddle/grill covers included



*Dealers determine their own prices.

**36" PROFESSIONAL GAS RANGETOP
WITH 4 BURNERS AND GRIDDLE (NATURAL GAS)**



MODEL	UMRP*	ACCESSORIES	
ZGU364NDTSS (shown above)	\$4,900	Stainless Steel Backguard: 12" stainless steel backsplash	UX12BS36PSS \$449
SPECIFICATIONS		Stainless Steel Backguard: 30"-36" adjustable stainless steel backsplash with warming shelf	UXADJB36PSS \$899
Overall Dimensions (WxHxD)	35 7/8 in x 8 1/2 in x 27 1/2 in	36" Designer Collection Titanium Knobs	ZXPR36KKT1 \$1,600
		30-36" Stainless Steel Knob Kit (Qty 9)	ZXPR36KKTSS \$200
		Cast Iron Grill Accessory	UXPRRGG \$349
		LP Conversion Kit (Included)	

FEATURES

- Monogram Statement Collection
- Versatile gas burner configuration
- 3-Piece grates with reversible wok feature
- Ring-lit knobs
- Solid brass blades on precision-machined knobs
- Seamless stainless top frame
- Stainless and aluminum-clad griddle included
- Stainless steel, no-mark griddle/grill covers included



36" PROFESSIONAL GAS RANGETOP WITH 6 BURNERS (NATURAL GAS)



MODEL

ZGU366NTSS (shown above)

UMRP*

\$4,400

SPECIFICATIONS

Overall Dimensions (WxHxD) 35 7/8 in x 8 1/2 in x 27 1/2 in

ACCESSORIES

Stainless Steel Backguard: 12" stainless steel backsplash UX12B36PSS \$449

Stainless Steel Backguard: 30"-36" adjustable stainless steel backsplash with warming shelf UXADJB36PSS \$669

30"-36" Stainless Steel Knob Kit (Qty 9) ZXPR36KKTSS \$200

36" Designer Collection Titanium Knobs ZXPR36KKT1 \$1,600

Cast Iron Grill Accessory UXPRRGG \$349

LP Conversion Kit (Included)

FEATURES

- Monogram Statement Collection
- Versatile gas burner configuration
- 3-Piece grates with reversible wok feature
- Ring-lit knobs
- Solid brass blades on precision-machined knobs
- Seamless stainless top frame



48"/36"/30" DUAL-FUEL PROFESSIONAL RANGES

	ZDP484NGTSS	ZDP486NDTSS	ZDP366NTSS	ZDP364NDTSS	ZDP304NTSS
COOKTOP FEATURES					
Configuration	4 Burners, grill, griddle	6 Burners, griddle	6 Burners	4 Burners, griddle	4 Burners
Control knobs	Diecast metallic (included), stainless steel with brass accents				
Bullnose and knob accent lighting	Customizable color LED	Customizable color LED	Customizable color LED	Customizable color LED	Customizable color LED
Indicator lights	Burner "On"	Burner "On"	Burner "On"	Burner "On"	Burner "On"
Cooktop burner type	1 TrueTemp™ burner (front right) 1 Sealed dual ring 2 Sealed, dual-flame stacked	2 Sealed, dual ring 4 Sealed, dual-flame stacked	2 Sealed, dual ring 4 Sealed, dual-flame stacked	1 TrueTemp™ burner (front right) 1 Sealed, dual ring 2 Sealed, dual-flame stacked	1 Sealed, dual ring 3 Sealed, dual-flame stacked
Simmer burner	All burners - adjustable	All burners - adjustable	All burners - adjustable	All burners - adjustable	All burners - adjustable
Electronic ignition system w/auto reignition
Cooktop surface	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel
Continuous porcelainized cast-iron reversible (flat/wok) grates
Stainless steel-clad aluminum griddle
Adjustable ceramic IR grill
Removable grease trough	• (2)
OVEN FEATURES					
Control type	7" Full-color touch LCD screen	Digital LCD display	Digital LCD display	7" Full-color touch LCD screen	Digital LCD display
True European convection w/reverse air	• (Both ovens)	• (Both ovens)	•	•	•
12-Hour shut-off capability
Audible preheat signal
Auto recipe conversion
Automatic oven meat probe	• (Both ovens)	• (Both ovens)	.	.	.
Certified Sabbath mode	Self-certified	.	.	Self-certified	.
Chef Connect
Cook timer and kitchen timer
Self & steam clean modes (w/delay option)	• (Both ovens)	• (Both ovens)	.	.	.
WiFi Connect (remote control)
Full-extension oven racks	(3) Caterer oven/ (2) Everyday oven	(3) Caterer oven/ (2) Everyday oven	3	3	3
Interior oven halogen lamps	(3) Caterer oven/ (3) Everyday Oven	(3) Caterer oven/ (3) Everyday oven	6	7	6
Soft close oven door(s)
OVEN MODES					
Bake	• (Both ovens)	• (Both ovens)	.	.	.
Broil	• (Both ovens)	• (Both ovens)	.	.	.
Convection bake multi/single rack	• (Both ovens)	• (Both ovens)	.	.	.
Convection roast	• (Both ovens)	• (Both ovens)	.	.	.
No-preheat air frying	• (Both ovens)	• (Both ovens)	.	.	.
Precision Cooking	• (Both ovens)	• (Both ovens)	.	.	.
Proof	• (Both ovens)	• (Both ovens)	.	.	.
Scan-to-Cook	• (Both ovens)	• (Both ovens)	.	.	.
Warming	• (Both ovens)	• (Both ovens)	.	.	.
Stainless steel grill/griddle covers	2	1	.	1	.
CAPACITY					
Capacity (cu. ft.)	5.75 Caterer oven / 2.5 Everyday oven	5.75 Caterer oven / 2.5 Everyday oven	5.75	5.75	5.3
POWER / RATINGS					
Top burner BTU rating - NG	(1) 23.0; (1) 21.0; (2) 15.0	(2) 23.0; (2) 18.0; (2) 15.0	(2) 23.0; (2) 18.0; (2) 15.0	(1) 23.0; (1) 21.0; (2) 15.0	(1) 21.0; (3) 15.0
Top burner BTU rating - LP	(2) 21.0; (2) 12.0	(2) 21.0; (2) 15.0; (2) 10.0	(2) 21.0; (2) 15.0; (2) 10.0	(2) 21.0; (2) 12.0	(1) 21.0; (1) 15.0; (2) 12.0
Griddle BTU rating - NG	18.0	18.0	.	18.0	.
Griddle BTU rating - LP	16.0	16.0	.	16.0	.
Grill BTU rating - NG	14.0
Grill BTU rating - LP	14.0
Electrical requirements	240VAC; 50A	240VAC; 50A	240VAC; 30A	240VAC; 30A	240VAC; 30A
Bake/broil wattage	2700/4000W Caterer oven; 1600/2750W Everyday oven	2700/4000W Caterer oven; 1600/2750W Everyday oven	2700W/4000W	2700W/4000W	2700W/4000W
Convection wattage	2500W Caterer oven; 1500W Everyday oven	2500W Caterer oven; 1500W Everyday oven	2500W	2500W	2500W
Toe kick	Included	Included	Included	Included	Included
ACCESSORIES					
Factory-installed island backguard
Optional 12" backguard	.	.	UX12BS36PSS	UX12BS36PSS	.
Optional 30"-36" adjustable backguard	UXADJB48PSS	UXADJB48PSS	UXADJB36PSS	UXADJB36PSS	.
Stainless knob kit	ZXPR48KKTSS	ZXPR48KKTSS	ZXPR36KKTSS	ZXPR36KKTSS	ZXPR36KKTSS
Convection roasting rack included
Broiler pan and grid included	• (Both ovens)	• (Both ovens)	.	.	.
Multi ring burner caps (brass)	Included	Included	Included	Included	Included
Multi ring burner caps (black)	Included	Included	Included	Included	Included
Reversible griddle/grill	UXPRRGG	UXPRRGG	UXPRRGG	UXPRRGG	UXPRRGG
High altitude kit	NG: WB28X39726; LP: WB28X39727	NG: WB28X39726; LP: WB28X39727	NG: WB28X39726; LP: WB28X39727	NG: WB28X39726; LP: WB28X39727	NG: WB28X39726; LP: WB28X39727
LP conversion kit	Included	Included	Included	Included	Included
CERTIFICATIONS					
Claims & certifications	California Prop 65, CSA, ADA compliant	California Prop 65, CSA, ADA compliant	California Prop 65, CSA, ADA compliant	California Prop 65, CSA, ADA compliant	California Prop 65, CSA, ADA compliant

48"/36"/30" ALL-GAS PROFESSIONAL RANGES

	ZGP486NDTSS	ZGP366NTSS	ZGP364NDTSS	ZGP304NTSS
COOKTOP FEATURES				
Configuration	6 Burners; griddle	6 Burners	4 Burners; griddle	4 Burners
Control knobs	Diecast metallic (included) stainless steel with brass accents	Diecast metallic (included) stainless steel with brass accents	Diecast metallic (included) stainless steel with brass accents	Diecast metallic (included) stainless steel with brass accents
Bullnose and knob accent lighting	Customizable color LED	Customizable color LED	Customizable color LED	Customizable color LED
Indicator lights	Burner "On"	Burner "On"	Burner "On"	Burner "On"
Cooktop burner type	2 Sealed, dual ring 4 Sealed, dual-flame stacked	2 Sealed, dual ring 4 Sealed, dual-flame stacked	2 Sealed, dual ring 2 Sealed, dual-flame stacked	1 Sealed, dual ring 3 Sealed, dual-flame stacked
Simmer burner	All burners - adjustable	All burners - adjustable	All burners - adjustable	All burners - adjustable
Electronic ignition system w/auto reignition	•	•	•	•
Cooktop surface	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel	Porcelain-enamel
Continuous porcelainized cast-iron reversible (flat/wok) grates	•	•	•	•
Stainless steel-clad aluminum griddle	•	•	•	•
Removable grease trough for griddle	•	•	•	•
OVEN FEATURES				
Control type	Digital LCD display (both ovens)	Digital LCD display	Digital LCD display	Digital LCD display
Cooking system	Reverse air convection	Reverse air convection	Reverse air convection	Reverse air convection
12-Hour shut-off capability	•	•	•	•
Audible preheat signal	•	•	•	•
Auto recipe conversion	•	•	•	•
Probe	• (Both ovens)	•	•	•
Certified Sabbath mode	•	•	•	•
Chef Connect	•	•	•	•
Cook timer and kitchen timer	•	•	•	•
Steam clean (delay option)	•	•	•	•
WiFi Connect (remote control)	•	•	•	•
Full-extension oven racks	(2) Caterer oven/(2) Everyday oven	2	2	2
Standard oven racks	(1) Caterer oven/(0) Everyday oven	1	1	1
Interior oven halogen lamps	(6) Caterer oven/(3) Everyday oven	6	6	6
Soft close oven door(s)	•	•	•	•
OVEN MODES				
Bake	• (Both ovens)	•	•	•
Broil	• (Both ovens)	•	•	•
Convection bake multi/single rack	• (Both ovens)	•	•	•
Convection roast	• (Both ovens)	•	•	•
Precision Cooking	•	•	•	•
Scan-to-Cook	•	•	•	•
Proof mode	• (Both ovens)	•	•	•
Warming	• (Both ovens)	•	•	•
CAPACITY				
Capacity (cu. ft.)	6.2 Caterer oven/ 2.7 Everyday oven	6.2	6.2	5.7
POWER / RATINGS				
Top burner BTU rating - NG	(2) 23.0; (2) 18.0; (2) 15.0	(2) 23.0; (2) 18.0; (2) 15.0	(2) 23.0; (2) 15.0	(1) 21.0; (3) 15.0
Top burner BTU rating - LP	(2) 21.0; (2) 15.0; (2) 10.0	(2) 21.0; (2) 15.0; (2) 10.0	(2) 21.0; (2) 12.0	(1) 21.0; (1) 15.0; (2) 12.0
Griddle BTU rating - NG	18.0		18.0	
Griddle BTU rating - LP	16.0		16.0	
Bake/broiler BTU rating - NG	23.0 Bake/18.0 Caterer oven; 10.5 Bake/11.0 Everyday oven	23.0 Bake/18.0 Broil	23.0 Bake/18.0 Broil	23.0 Bake/18.0 Broil
Bake/broiler BTU rating - LP	21.5 Bake/18.0 Caterer oven; 10.0 Bake/11.0 Everyday oven	21.5 Bake/18.0 Broil	21.5 Bake/18.0 Broil	21.5 Bake/18.0 Broil
Broiler wattage	1050W/650W	1050W	1050W	1050W
Electrical requirements	120VAC; 15A	120VAC; 15A	120VAC; 15A	120VAC; 15A
ACCESSORIES				
Factory-installed island backguard	•	•	•	•
Optional 12" backguard		UX12BS36PSS	UX12BS36PSS	
Optional 30"-36" adjustable backguard	UXADJB48PSS	UXADJB36PSS	UXADJB36PSS	
Stainless knob kit	ZXPR48KKTSS	ZXPR36KKTSS	ZXPR36KKTSS	ZXPR36KKTSS
Convection roasting rack included	•	•	•	•
Broiler pan and grid included	• (Both ovens)	•	•	•
Multi ring burner caps (brass and black)	•	•	•	•
Stainless steel grill/griddle covers	•	•	•	•
Removable toe kick included	•	•	•	•
LP conversion kit included	•	•	•	•
CERTIFICATIONS				
Claims & certifications	California Prop 65, CSA, ADA compliant	California Prop 65, CSA, ADA compliant	California Prop 65, CSA, ADA compliant	California Prop 65, CSA, ADA compliant

36"/30" INDUCTION PROFESSIONAL RANGES

	ZHP365ETVSS	ZHP304ETVSS
DESCRIPTION		
	5 cooktop elements	4 cooktop elements
RANGE FEATURES		
WiFi monitoring and remote control with SmartHQ™ app	•	•
Precision Cooking	•	•
Dynamic oven LCD	•	•
Chef Connects	•	•
Industry exclusive—custom color LED accent lighting	•	•
Ring-lit knobs	•	•
Solid brass blades on precision-machined knobs		
Seamless stainless top frame	•	•
Control knobs (included)	•	•
GENERAL FEATURES		
Amp rating @240VAC	50A	40A
Recommended circuit	15	15
Approximate shipping weight (lbs.)	409	367


48"/36" PROFESSIONAL GAS RANGETOPS

	ZGU486NDTSS	ZGU366NTSS	ZGU364NDTSS
DESCRIPTION			
	6 burners and griddle	6 burners	4 burners and griddle
RANGE FEATURES			
Dual-flame stacked sealed burners (BTUs)	6 (18,000)	6 (18,000)	4 (18,000)
140°F simmer capability	•	•	•
Electronic ignition/auto reignition	•	•	•
Reversible wok grates	Cast iron porcelainized	Cast iron porcelainized	Cast iron porcelainized
Seamless porcelain burner pans	•	•	•
Thermostatically controlled griddle (BTUs)	18,000		18,000
Adjustable-output ceramic IR grill (BTUs)			
Grill and griddle stainless steel covers	1		1
Control knobs (included)	Diecast metallic	Diecast metallic	Diecast metallic
GENERAL FEATURES			
Amp rating @120VAC	4.0	0.5	4.0
Recommended circuit	15	15	15
Approximate shipping weight (lbs.)	227	163	163

MONOGRAM INDUCTION, GAS AND ELECTRIC COOKTOPS

Monogram cooktops deliver exceptional control for consistent, professional cooking results. Our electric and induction cooktops install seamlessly for a sleek and stylish appearance, while our stainless-steel gas cooktops feature smooth, finished edges and sapphire glass knobs for a contemporary, yet functional, aesthetic.

MODEL NUMBER KEY



INDUCTION COOKTOPS



ZHU36RSTSS



ZHU36RDTBB



ZHU30RSTSS



ZHU30RDTBB

GAS COOKTOPS



ZGU36ESLSS



ZGU36RSLSS



ZGU30RSLSS

36" INDUCTION COOKTOP



MODEL

UMRP*

ZHU36RSTSS (shown above)

\$3,500

SPECIFICATIONS

Overall Dimensions (WxHxD) 36 in x 4 5/8 in x 20 3/8 in


ACCESSORIES

Precision Cooking Probe	JXPROBE1	\$199
Flush Mount Kit	JXFLUSH1	\$139
Griddle	JXGRIDL1	\$129

FEATURES

- Gourmet guided cooking with Hestan Cue™ smart pan included with rebate
- Five induction cooking elements
- Glide touch controls
- Power boil on two tri-ring elements
- Synchronized elements
- Keep warm setting
- Control lock capability
- Easy-clean surface with beveled edges
- Hot surface indicator lights
- White LED with patterned silver glass surface
- Flush mount capable
- Precision temperature control

36" INDUCTION COOKTOP



MODEL

ZHU36RDTBB (shown above)

UMRP*

\$3,300

SPECIFICATIONS

Overall Dimensions (WxHxD) 36 in x 4 5/8 in x 20 3/8 in

ACCESSORIES

Precision Cooking Probe	JXPROBE1	\$199
Flush Mount Kit	JXFLUSH1	\$139
Griddle	JXGRIDL1	\$129

FEATURES

- Gourmet guided cooking with Hestan Cue™ smart pan included with rebate
- Five induction cooking elements
- Glide touch controls
- Power boil on two tri-ring elements
- Synchronized elements
- Keep warm setting
- Control lock capability
- Easy-clean surface with beveled edges
- Hot surface indicator lights
- White LED with patterned silver glass surface
- Flush mount capable
- Precision temperature control

30" INDUCTION COOKTOP



MODEL

ZHU30RSTSS (shown above)

UMRP*

\$3,000

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 3/4 in x 4 5/8 in x 20 7/8 in

ACCESSORIES


Precision Cooking Probe	JXPROBE1	\$199
Flush Mount Kit	JXFLUSH1	\$139
Griddle	JXGRIDL1	\$129

FEATURES

- Gourmet guided cooking with Hestan Cue™ smart pan included with rebate
- Four induction cooking elements
- Glide touch controls
- Power boil on two tri-ring elements
- Synchronized elements
- Keep warm setting
- Control lock capability
- Easy-clean surface with beveled edges
- Hot surface indicator lights
- White LED with patterned silver glass surface
- Flush mount capable
- Precision temperature control

*Dealers determine their own prices.

30" INDUCTION COOKTOP



MODEL

ZHU30RDTBB (shown above)

UMRP*

\$2,800

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 3/4 in x 4 5/8 in x 20 7/8 in

ACCESSORIES

Precision Cooking Probe	JXPROBE1	\$199
Flush Mount Kit	JXFLUSH1	\$139
Griddle	JXGRIDL1	\$129

FEATURES

- Gourmet guided cooking with Hestan Cue™ smart pan included with rebate
- Four induction cooking elements
- Glide touch controls
- Power boil on two tri-ring elements
- Synchronized elements
- Keep warm setting
- Control lock capability
- Easy-clean surface with beveled edges
- Hot surface indicator lights
- White LED with patterned silver glass surface
- Flush mount capable
- Precision temperature control

**36" DEEP-RECESSED GAS COOKTOP
(NATURAL GAS)**



MODEL

ZGU36ESLSS (shown above)

UMRP*

\$2,700

SPECIFICATIONS

Overall Dimensions (WxHxD) 36 in x 7 7/8 in x 21 in

ACCESSORIES

Cast Iron Griddle	JXGRIDL236	(Included)
Conversion Kit Natural Gas to LP		(Included)

FEATURES

- Electronic kitchen timer
- Sapphire glass knobs
- Dual-flame stacked burners
- 20,000 BTU tri-ring burner
- Remote connectivity via WiFi
- Heavy-duty, cast iron griddle

**36" DEEP-RECESSED GAS COOKTOP
(NATURAL GAS)**



MODEL

ZGU36RSLSS (shown above)

UMRP*

\$2,500

SPECIFICATIONS

Overall Dimensions (WxHxD) 36 in x 7 7/8 in x 21 in

ACCESSORIES

Cast Iron Griddle	JXGRIDL236	(Included)
Conversion Kit Natural Gas to LP		(Included)

FEATURES

- Sapphire glass knobs
- Dual-flame stacked burners
- 20,000 BTU tri-ring burner
- Continuous grates
- Electronic ignition
- Remote connectivity via WiFi
- Heavy-duty, cast iron griddle

**30" DEEP-RECESSED GAS COOKTOP
(NATURAL GAS)**



MODEL

ZGU30RSLSS (shown above)

UMRP*

\$2,400

ACCESSORIES

Cast Iron Griddle	JXGRIDL236	(Included)
Conversion Kit Natural Gas to LP		(Included)

SPECIFICATIONS

Overall Dimensions (WxHxD)	30 in x 7 7/8 in x 21 in
----------------------------	--------------------------

FEATURES

- Sapphire glass knobs
- Dual-flame stacked burners
- 20,000 BTU tri-ring burner
- Continuous grates
- Electronic ignition
- Heavy-duty, cast iron griddle

*Dealers determine their own prices.

INDUCTION COOKTOPS

	ZHU36RSTSS ZHU36RDTBB	ZHU30RSTSS ZHU30RSTSS
DESCRIPTION		
	36" induction cooktop	30" induction cooktop
PERFORMANCE		
Number of elements	5, induction	4, induction
Front right element	8" (3200W)	11" (3700W)
Front left element	7" (2500W)	7" (2500W)
Rear right element	6" (1800W)	6" (1800W)
Rear left element	7" (2500W)	7" (2500W)
Center element	11" (3700W)	
Element power generators	3	2
CONVENIENCE		
Controls	Electronic glide touch	Electronic glide touch
Pan presence sensor	•	•
Pan size sensor	•	•
Sync Burners control	•	•
Gourmet guided cooking	•	•
Control lock capability	•	•
Cooktop ON light	•	•
Custom settings	•	•
All-off control	•	•
Melt setting	•	•
Power level indicators	19 levels	19 levels
Hot surface indicators	5, 1 per element	4, 1 per element
APPEARANCE		
Glass surface color	Patterned silver Black graphite	Patterned silver Black graphite
LED display color	White	White
Flush mount capable	Yes, with kit	Yes, with kit
ACCESSORIES		
Hestan Cue™ smart pan	Included with rebate	Included with rebate
Flush mount kit	JXFLUSH1	JXFLUSH1
Precision cooking probe	JXPROBE1	JXPROBE1
Griddle	JXGRIDL1	JXGRIDL1
GENERAL FEATURES		
	11.0	7.4
KW rating @ 240V	9.6	6.4
Recommended circuit breaker size (Amps) @ 208V	50	40


GAS COOKTOPS

	ZGU36ESLSS	ZGU36RSLSS	ZGU30RSLSS
DESCRIPTION			
	36" deep-recessed gas cooktop (natural gas)	36" deep-recessed gas cooktop (natural gas)	30" deep-recessed gas cooktop (natural gas)
Claims & certification	ADA Compliant	ADA Compliant	
FEATURES			
Cooktop burner type	5 sealed	5 sealed	5 sealed
Cooktop surface	Stainless steel	Stainless steel	Stainless steel
Ignition system	Direct electronic ignition	Direct electronic ignition	Direct electronic ignition
Automatic reignition	•	•	•
Burner—Left front	10,000 BTU dual brass center	10,000 BTU dual	10,000 BTU dual
Burner—Left rear	10,000 BTU dual brass center	10,000 BTU dual	10,000 BTU dual
Burner—Right front	12,000 BTU dual brass center	12,000 BTU dual	12,000 BTU dual
Burner—Right rear	10,000 BTU dual brass center	10,000 BTU dual	10,000 BTU dual
Burner—Center	20,000 BTU tri-ring brass cap	20,000 BTU tri-ring brass cap	20,000 BTU tri-ring brass cap
140° simmer burner	5	5	5
Configuration	5 sealed cooktop burners	5 sealed cooktop burners	5 sealed cooktop burners
Dual-flame stacked burners	5	5	5
Control location	Front center	Front center	Front center
Burner indicator light	Yes—in knob	Yes—in knob	Yes—in knob
Cooktop burner grate features	Continuous grates	Continuous grates	Continuous grates
Cooktop burner grate material	Cast iron porcelainized	Cast iron porcelainized	Cast iron porcelainized
Fuel type	Natural gas (factory set)	Natural gas (factory set)	Natural gas (factory set)
Valves (degree of turn)	270	270	270
Control type	Glass touch controls		
Cooktop control features	Control lock capability Kitchen timer		
WiFi Connect	Built-in		
APPEARANCE			
Color appearance	Stainless steel	Stainless steel	Stainless steel
Control knobs	Stainless steel	Stainless steel White LED backlit	Stainless steel White LED backlit
Installation	Over single wall oven (except single-double) Over warming drawer Over Advantium® built-in 120V	Over single wall oven (except single-double) Over warming drawer Over Advantium® built-in 120V	Over single wall oven (except single-double) Over warming drawer Over Advantium® built-in 120V
WEIGHTS & DIMENSIONS			
Approx. ship. wt. (lbs.)	65	65 lb.	50
Cabinet width (in inches)	36	36 in.	30
Net weight (lbs.)	59	59 lb.	44
Overall depth (in inches)	21	21 in.	21
Overall height (in inches)	3 1/4	3 1/4 in.	3 1/4
Overall width (in inches)	36	36 in.	30
POWER/RATINGS			
Volts/Hertz/Amps	120V; 60Hz; 5.0A	120V; 60Hz; 5.0A	120V; 60Hz; 5.0A
ACCESSORIES			
Conversion kit	Included—natural gas to LP	Included—natural gas to LP	Included—natural gas to LP
High altitude kit	WB28K10553	WB28K10553	WB28K10553
Cooktop cleaning	Included	Included	Included
Griddle	Included	Included	Included


MONOGRAM HEARTH OVEN AND WALL OVENS

Monogram's electric hearth oven is handcrafted to capture the performance of a wood-fired brick oven for perfectly prepared Neapolitan-style pizzas, soft artisanal bread or a whole roasted branzino. Monogram wall ovens are designed to meet every baking, broiling and roasting aspiration with true European direct air convection cooking and easy-to-use controls.

HEARTH OVEN MODEL NUMBER KEY



WALL OVEN MODEL NUMBER KEY



HEARTH OVEN



ZEP30FRSS

WALL OVENS



ZTDX1FPSNSS



ZTDX1DPSNSS



ZTDX1DSSNSS



ZTD90DPSNSS



ZTD90DSSNSS



ZKD90DPSNSS



ZTSX1FPSNSS



ZTSX1DPSNSS



ZTSX1DSSNSS



ZTS90DPSNSS



ZTS90DSSNSS



ZKS90DPSNSS



MADE IN AMERICA: 70 to 90% U.S. Content.



Indicates CSA certification for Canada and the U.S.



UL-listed.



Indicates ADA compliance.



30" HEARTH OVEN



MODEL

ZEP30FRSS (shown above)

UMRP*

\$9,000

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 3/4 in x 23 9/16 in x 24 1/2 in

FEATURES

- Handcrafted luxury
- Brick oven performance
- Electric heating zones
- Capacitive touch LCD controls
- Flush installation
- Integrated oven ventilation system
- WiFi Connect
- 1.23 cu. ft. capacity

This hearth oven is intended for indoor installation only.

30" STATEMENT FRENCH-DOOR ELECTRIC CONVECTION DOUBLE WALL OVEN



MODEL

ZTDXIFPSNSS (shown above)

UMRP*

\$8,300

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 3/4 in x 51 3/16 in x 27 13/16 in

FEATURES

- Monogram Statement Collection
- French-door design
- LCD controls
- WiFi powered by SmartHQ™
- Voice control
- Precision cooking modes
- Scan-to-cook
- Twin convection with Direct Air
- 10.0 cubic foot capacity (5.0 each oven)
- No-Preheat Air Fry

30" STATEMENT ELECTRIC CONVECTION DOUBLE WALL OVEN



MODEL

ZTDX1DPSNSS (shown above)

UMRP*

\$7,300

ACCESSORIES

Flush Vent Trim Accessory ZX30VT2 \$150

SPECIFICATIONS


Overall Dimensions** 29 3/4 in x 51 3/16 in x 27 5/16 in (WxHxD)

FEATURES

- Monogram Statement Collection
- LCD controls
- WiFi Connect
- Steam assist cooking
- Voice control
- Precision cooking modes
- Twin convection with Direct Air
- 10.0 cubic foot capacity (5.0 each oven)

*Dealers determine their own prices.
 **Additional space will be needed for flush installation.

30" MINIMALIST ELECTRIC CONVECTION DOUBLE WALL OVEN



MODEL

ZTDX1DSSNSS (shown above)

UMRP*

\$7,700

ACCESSORIES

Flush Vent Trim Accessory ZX30VT2 \$150

SPECIFICATIONS

Overall Dimensions** 29 3/4 in x 51 3/16 in x 24 11/16 in (WxHxD)

FEATURES

- Monogram Minimalist Collection
- LCD controls
- WiFi Connect
- Steam assist cooking
- Voice control
- Precision cooking modes
- Scan-to-cook
- Twin convection with Direct Air
- 10.0 cubic foot capacity (5.0 each oven)
- Hand-less, push-to-open door



*Dealers determine their own prices.
 **Additional space will be needed for flush installation.

30" STATEMENT ELECTRIC CONVECTION DOUBLE WALL OVEN



MODEL

ZTD90DPSNSS (shown above)

UMRP*

\$5,700

ACCESSORIES

Flush Vent Trim Accessory ZX30VT2 \$150

SPECIFICATIONS


Overall Dimensions** 29 3/4 in x 51 3/16 in x 27 5/16 in (WxHxD)

FEATURES

- Monogram Statement Collection
- LCD controls
- WiFi Connect
- Precision cooking modes
- Scan-to-cook
- True European convection with Direct Air
- 10.0 cubic foot capacity (5.0 each oven)

*Dealers determine their own prices.
 **Additional space will be needed for flush installation.

30" MINIMALIST ELECTRIC CONVECTION DOUBLE WALL OVEN



MODEL

ZTD90DSSNSS (shown above)

UMRP*

\$5,900

ACCESSORIES

Flush Vent Trim Accessory ZX30VT2 \$150

SPECIFICATIONS

Overall Dimensions** 29 3/4 in x 51 3/16 in x 26 13/16 in (WxHxD)

FEATURES

- Monogram Minimalist Collection
- LCD controls
- WiFi Connect
- Precision cooking modes
- Scan-to-cook
- True European convection with Direct Air
- 10.0 cubic foot capacity (5.0 each oven)

*Dealers determine their own prices.
 **Additional space will be needed for flush installation.

27" STATEMENT ELECTRIC CONVECTION DOUBLE WALL OVEN



MODEL

ZKD90DPSNSS (shown above)

UMRP*

\$5,700

ACCESSORIES

Flush Vent Trim Accessory	ZX27VT2	\$175
---------------------------	---------	-------

SPECIFICATIONS

Overall Dimensions** (WxHxD)	26 3/4 in x 51 1/8 in x 26 5/8 in
---------------------------------	-----------------------------------

FEATURES

- Monogram Statement Collection
- LCD controls
- WiFi Connect
- Scan-to-cook
- True European convection
- 8.6 cubic foot capacity (4.3 each oven)



*Dealers determine their own prices.
 **Additional space will be needed for flush installation.

30" STATEMENT FRENCH-DOOR ELECTRIC CONVECTION SINGLE WALL OVEN



MODEL

ZTSXIFPSNSS (shown above)

UMRP*

\$6,000

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 3/4 in x 28 11/16 in x 27 13/16 in

FEATURES

- Monogram Statement Collection
- French-door design
- LCD controls
- WiFi powered by SmartHQ™
- Voice control
- Precision cooking modes
- Scan-to-cook
- Twin convection with Direct Air
- 10.0 cubic foot capacity (5.0 each oven)
- No-Preheat Air Fry

30" STATEMENT ELECTRIC CONVECTION SINGLE WALL OVEN



MODEL

ZTSXIDPSNSS (shown above)

UMRP*

\$5,000

ACCESSORIES

Flush Vent Trim Accessory ZX30VT1 \$150

SPECIFICATIONS

Overall Dimensions** (WxHxD) 29 3/4 in x 28 11/16 in x 27 5/16 in

FEATURES

- Monogram Statement Collection
- LCD controls
- WiFi Connect
- Steam assist cooking
- Voice control
- Precision cooking modes
- Scan-to-cook
- Twin convection with Direct Air
- 5.0 cu. ft. capacity

*Dealers determine their own prices.
 **Additional space will be needed for flush installation.

30" MINIMALIST ELECTRIC CONVECTION SINGLE WALL OVEN



MODEL

ZTSXIDSSNSS (shown above)

UMRP*

\$5,400

ACCESSORIES

Flush Vent Trim Accessory ZX30VT1 \$150

SPECIFICATIONS

Overall Dimensions** (WxHxD) 29 3/4 in x 28 11/16 in x 24 11/16 in

FEATURES

- Monogram Minimalist Collection
- LCD controls
- WiFi Connect
- Steam assist cooking
- Voice control
- Precision cooking modes
- Scan-to-cook
- Twin convection with Direct Air
- 5.0 cu. ft. capacity
- Hand-less, push-to-open door

*Dealers determine their own prices.
 **Additional space will be needed for flush installation.

30" STATEMENT ELECTRIC CONVECTION SINGLE WALL OVEN



MODEL

ZTS90DPSNSS (shown above)

UMRP*

\$4,100

ACCESSORIES

Flush Vent Trim Accessory	ZX30VT1	\$150
---------------------------	---------	-------

SPECIFICATIONS

Overall Dimensions** (WxHxD)	29 3/4 in x 28 11/16 in x 27 5/16 in
---------------------------------	--------------------------------------

FEATURES

- Monogram Statement Collection
- LCD controls
- WiFi Connect
- Precision cooking modes
- Scan-to-cook
- True European convection with Direct Air
- 5.0 cu. ft. capacity

*Dealers determine their own prices.
 **Additional space will be needed for flush installation.

30" MINIMALIST ELECTRIC CONVECTION SINGLE WALL OVEN



MODEL

ZTS90DSSNSS (shown above)

UMRP*

\$4,300

ACCESSORIES

Flush Vent Trim Accessory	ZX30VT1	\$150
---------------------------	---------	-------

SPECIFICATIONS

Overall Dimensions** (WxHxD)	29 3/4 in x 28 11/16 in x 27 5/16 in
---------------------------------	--------------------------------------

FEATURES

- Monogram Minimalist Collection
- LCD controls
- WiFi Connect
- Precision cooking modes
- Scan-to-cook
- True European convection with Direct Air
- 5.0 cu. ft. capacity

*Dealers determine their own prices.
 **Additional space will be needed for flush installation.

27" STATEMENT ELECTRIC CONVECTION SINGLE WALL OVEN



MODEL

ZKS90DPSNSS (shown above)

UMRP*

\$3,900

ACCESSORIES

Flush Vent Trim Accessory	ZX27VT1	\$150
---------------------------	---------	-------

SPECIFICATIONS

Overall Dimensions** (WxHxD)	29 3/4 in x 28 13/16 x 27 5/16 in
---------------------------------	-----------------------------------

FEATURES

- Monogram Statement Collection
- LCD controls
- WiFi Connect
- Scan-to-cook
- True European convection with Direct Air
- 4.3 cu. ft. capacity

*Dealers determine their own prices.
 **Additional space will be needed for flush installation.

HEARTH OVEN

	ZEP30FRSS
DESCRIPTION	
	30" hearth oven
CAPACITY	
Total (cu. ft.)	145
FEATURES	
Configuration	Single oven
Control type	Capacitive touch LCD
Oven features	
Temperature control (170°F - 800°F)	•
Preloaded pizza styles with recipes	•
Oven control features	
Proof Mode	•
Over-the-air updates	•
Pizza timer	•
iOS mobile app	•
WiFi Connect	Built-in
Cooking technology	Multiple
APPEARANCE	
Color appearance	Stainless steel
Design style	Statement Collection
Oven door features	Open window
Installation	Standard
WEIGHTS & DIMENSIONS	
Approximate shipping weight (lbs.)	275
Net weight (lbs.)	155
Overall height (in.)	23 9/16
Overall width (in.)	29 3/4
Overall depth (in.)	24 1/2
Cabinet width (in.)	30
POWER/RATINGS	
Amp Rating at 208V	50
Amp Rating at 240V	50
KW Rating at 208V	10.4
KW Rating at 240V	12.0
ACCESSORIES	
Pizza turning peel	•
Wooden pizza peel	•
CLAIMS & CERTIFICATIONS	
MADE IN AMERICA: 70 to 90% U.S. Content	•

27" ELECTRONIC CONVECTION WALL OVENS

	ZKS90DPSNSS	ZKD90DPSNSS
DESCRIPTION		
	27" single oven	27" double oven
PERFORMANCE		
Self-cleaning oven(s)	•	•
Oven capacity	4.3 cu. ft.	4.3 cu. ft. (each oven)
True European Convection	•	•
True hidden bake element(s)	•	•
Multi-single-rack convection bake	•	•
Closed-door broiling	•	•
Convection element; bake element	•	•
Variable broil; broil element	8-pass	8-pass
CONVENIENCE		
Self-clean porcelain-coated oven racks	3, 1 full-extension	3, 1 full-extension (each oven)
Standard halogen lighting	3 positions	3 positions
WiFi Connect	•	•
Audible preheat signal	•	•
Proof/warm mode•	•	
Certified Sabbath mode	•	•
APPEARANCE		
Oven door(s)	Stainless steel	Stainless steel
Handle	Statement Minimalist	Statement Minimalist
7" LCD	•	•
Side-by-side installation	•	
Flush appearance installation	•	•
GENERAL FEATURES		
Rack positions	6	6 (each oven)
Interior dimensions (WxHxD in inches)	upper lower	21 1/2 x 17 1/4 x 20
Convection element	2400W	2400W
Broiler element	4300W; Dual element	4300W; Dual element
Bake element	2850W	2850W
KW rating	@240VAC @208VAC	7.20 5.40
Amps rating	@240VAC @208VAC	20 30

*See local codes for circuit requirements.

30" CONVECTION WALL OVENS


	ZTDXIFPSNSS	ZTDXIDPSNSS ZTDXIDSSNSS	ZTD90DPSNSS ZTD90DSSNSS	ZTSXIFPSNSS	ZTSXIDPSNSS ZTSXIDSSNSS	ZTS90DPSNSS ZTS90DSSNSS
DESCRIPTION	30" French-door double oven	30" double oven	30" double oven	30" French-door single oven	30" single oven	30" single oven
PERFORMANCE						
Self-cleaning oven(s)	•	•	•	•	•	•
Oven capacity	5.0 cu. ft. (each oven)	5.0 cu. ft. (each oven)	5.0 cu. ft. (each oven)	5.0 cu. ft.	5.0 cu. ft.	5.0 cu. ft.
Twin Convection with Direct Air	•			•		
True European Convection with Direct Air	•	•	•	•	•	•
True hidden bake element(s)	•	•	•	•	•	•
Ten-pass dual broil/bake element	•		•	•		•
Multi-single-rack convection bake	•	•	•	•	•	•
Convection roast/broil	•		•	•		•
Standard/dual zone broil	Hi/Lo		Hi/Lo	Hi/Lo		Hi/Lo
Thermal Bake/broil	•		•	•		•
208/240V performance compensation	•		•	•		•
Broil pan and grid	•			•		•
Closed-door broiling		•			•	
Convection element; bake element		•			•	
Variable broil; broil element		10-pass			10-pass	
CONVENIENCE						
Full-extension self-clean porcelain oven racks	3, 2 full-extension	3, 1 full-extension (each oven)	3, 2 full-extension	3, 2 full-extension	3, 1 full-extension	3, 2 full-extension
Theatre-style LED oven lighting	4 LED light columns	3 positions	4 LED light columns	2 LED light columns	3 positions	2 LED light columns
WiFi Connect	•	•	•	•	•	•
Notification lighting/audible preheat signal		•	•		•	•
Proof/warm mode	•	•	•	•	•	•
Certified Sabbath mode	•	•	•	•	•	•
APPEARANCE						
Oven door(s)	French-door (upper) All-glass (lower)	Stainless steel	All-glass interior door (each oven)	French-door design	Stainless steel	All-glass interior door
Handle	Statement	Statement Minimalist	Statement Minimalist	Statement	Statement Minimalist	Statement Minimalist
Control knobs	LED backlit electronic control knobs		LED backlit electronic control knobs	LED backlit electronic control knobs		LED backlit electronic control knobs
7" LCD		•			•	
Under-cooktop and undercounter installation					•	•
Side-by-side installation			•	•	•	•
Flush appearance installation		•	•		•	•
GENERAL FEATURES						
Rack positions	6 ladder-rack positions (each oven)	6 (each oven)	6 ladder-rack positions (each oven)	6 ladder-rack positions	6	6 ladder-rack positions
Interior dimension (WxHxD in inches)	upper 25 x 17 3/8 x 20 1/4 lower 25 x 17 3/8 x 20 1/4	25 x 17 3/8 x 20 1/4 25 x 17 3/8 x 20 1/4	25 x 17 3/8 x 20 1/4 25 x 17 3/8 x 20 1/4	25 x 17 3/8 x 20 1/4	25 x 17 3/8 x 20 1/4	25 x 17 3/8 x 20 1/4
Convection element	2400W	2400W	2400W	2400W	2400W	2400W
Broiler element	4300W; Dual element	4300W; Dual element	4300W; Dual element	4300W; Dual element	4300W; Dual element	4300W; Dual element
Bake element	2850W	2850W	2850W	2850W	2850W	2850W
KW rating	@240VAC 9.0 @208VAC 6.8	9.0 6.8	9.0 6.8	4.5 3.4	4.5 3.4	4.5 3.4
Amps rating	@240VAC 40 @208VAC 40	40 40	40 40	20 20	20 20	20 20

*See local codes for circuit requirements.


**MONOGRAM STEAM OVENS AND
5-IN-1 OVENS WITH ADVANTIUM® TECHNOLOGY**

Monogram steam ovens use an advanced feature that provides continuous steam throughout the cooking process, helping foods better retain their flavor, color and nutritional value. Monogram Advantium® ovens cook food up to four times faster than a conventional oven and can be used as a convection oven, toaster oven, warming/proofing oven, precision-cook oven and a microwave.

STEAM OVEN MODEL NUMBER KEY



5-IN-1 OVENS WITH ADVANTIUM® TECHNOLOGY MODEL NUMBER KEY



STEAM OVENS



ZMB9032SNSS



ZMB9031SNSS

5-IN-1 OVENS WITH ADVANTIUM® TECHNOLOGY



ZSB9232NSS



ZSB9231NSS



ZSB9132NSS



ZSB9131NSS



ZSA1202PSS

 Indicates CSA certification for Canada and the U.S.

 Indicates ADA compliance.

MONOGRAM STEAM OVENS AND
5-IN-1 OVENS WITH ADVANTIUM® TECHNOLOGY

30" STATEMENT STEAM OVEN



MODEL

ZMB9032SNSS (shown above)

UMRP*

\$4,000

FEATURES

- Steam cooking
- Convection cooking
- Preprogrammed recipes
- Innovative recirculating water system
- 6-piece stainless steel pan set

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 3/4 in x 18 5/8 in x 22 7/8 in



*Dealers determine their own prices.

MONOGRAM STEAM OVENS AND
5-IN-1 OVENS WITH ADVANTIUM® TECHNOLOGY

30" MINIMALIST STEAM OVEN



MODEL

ZMB9031SNSS (shown above)

UMRP*

\$4,200

FEATURES

- Steam cooking
- Convection cooking
- Preprogrammed recipe
- Innovative recirculating water system
- 6-piece stainless steel pan set

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 3/4 in x 18 5/8 in x 22 7/8 in



MONOGRAM STEAM OVENS AND
5-IN-1 OVENS WITH ADVANTIUM® TECHNOLOGY

30" STATEMENT 5-IN-1 OVEN WITH
ADVANTIUM® SPEEDCOOK TECHNOLOGY - 240V



MODEL		UMRP*	ACCESSORY		UMRP*
ZSB9232NSS (shown above)		\$4,000	30" storage drawer	UXB903SNSS	\$500
SPECIFICATIONS			FEATURES		
Overall Dimensions (WxHxD)	29 3/4 in x 20 1/4 in x 22 15/16 in		<ul style="list-style-type: none"> • Powerful performance • Speedcook technology • 175 preprogrammed recipes • Installation flexibility • LCD controls • Precision cooking modes • 1.7 cu. ft. oven space with 16" turntable 		

MONOGRAM STEAM OVENS AND
5-IN-1 OVENS WITH ADVANTIUM® TECHNOLOGY

30" MINIMALIST 5-IN-1 OVEN WITH
ADVANTIUM® SPEEDCOOK TECHNOLOGY - 240V



MODEL

ZSB9231NSS (shown above)

UMRP*

\$4,200

ACCESSORY

30" storage drawer	UXB903SNSS	\$500
--------------------	------------	-------

SPECIFICATIONS

Overall Dimensions (WxHxD)	29 3/4 in x 20 1/4 in x 22 7/8 in
-------------------------------	-----------------------------------

FEATURES

- Powerful performance
- Speedcook technology
- 175 preprogrammed recipes
- Installation flexibility
- LCD controls
- Precision cooking modes
- 1.7 cu. ft. oven space with 16" turntable

MONOGRAM STEAM OVENS AND
5-IN-1 OVENS WITH ADVANTIUM® TECHNOLOGY

30" STATEMENT 5-IN-1 OVEN WITH
ADVANTIUM® SPEEDCOOK TECHNOLOGY - 120V



MODEL

ZSB9132NSS (shown above)

UMRP*

\$3,500

ACCESSORY

30" storage drawer	UXB903SNSS	\$500
--------------------	------------	-------

SPECIFICATIONS

Overall Dimensions (WxHxD)	29 3/4 in x 20 1/4 in x 22 15/16 in
-------------------------------	-------------------------------------

FEATURES

- Powerful performance
- Speedcook technology
- Sophisticated styling
- 175 preprogrammed recipes
- Installation flexibility
- LCD controls
- Precision cooking modes
- 1.7 cu. ft. oven space with 16" turntable



Price Effective Date: 7/1/2023

*Dealers determine their own prices.

MONOGRAM STEAM OVENS AND
5-IN-1 OVENS WITH ADVANTIUM® TECHNOLOGY

30" MINIMALIST 5-IN-1 OVEN WITH
ADVANTIUM® SPEEDCOOK TECHNOLOGY - 120V



MODEL

ZSB9131NSS (shown above)

UMRP*

\$3,700

ACCESSORY

30" storage drawer UXB903SNSS \$500

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 3/4 in x 20 1/4 in x 22 7/8 in

FEATURES

- Powerful performance
- Speedcook technology
- Sophisticated styling
- 175 preprogrammed recipes
- Installation flexibility
- LCD controls
- Precision cooking modes
- 1.7 cu. ft. oven space with 16" turntable



MONOGRAM STEAM OVENS AND
5-IN-1 OVENS WITH ADVANTIUM® TECHNOLOGY

30" ABOVE-THE-COOKTOP OVEN
WITH ADVANTIUM® SPEEDCOOK TECHNOLOGY - 120V



MODEL

ZSA1202PSS (shown above)

UMRP*

\$2,000

ACCESSORY

Optional Side Filler Panel Kit	JX36BSS	\$290
Recirculating Charcoal Filter Kit	JX81D	Included

SPECIFICATIONS

Overall Dimensions (WxHxD)	30 in x 16 in x 16 in
----------------------------	-----------------------

FEATURES

- 1.7 cu. ft. capacity
- Speedcook technology
- Four powerful ovens in one
- Easy-to-use-controls
- Spacious interior
- Four-speed, 300-CFM venting system
- Convenient task lighting
- Statement handle



Price Effective Date: 7/1/2023

*Dealers determine their own prices.

30" STEAM OVENS

	ZMB9032SNSS ZMB9031SNSS
DESCRIPTION	
	30" steam oven
FEATURES	
Steam Clean	•
Oven capacity	1.3 cu. ft.
True European Convection	•
Steam Cook	•
Closed-door broiling	•
Convection element; bake element	•
Broil element	•
CONVENIENCE	
Oven racks	3
Light on/off	•
175+ preprogrammed recipes	•
Proof/warm mode	•
6-piece pan set	Included
APPEARANCE	
Oven door(s)	Stainless steel
Handle	Statement Minimalist
Touch controls	•
Under-cooktop and undercounter installation	•
Side-by-side installation	•
Flush appearance installation	•
GENERAL FEATURES*	
Interior dimensions (WxHxD in inches)	16 x 8 x 13
	@240VAC 4.5
KW rating	@208VAC 20
	@240VAC 20
Amp rating	@208VAC 20

*See local codes for circuit requirements.

5-IN-1 WALL OVEN WITH 240V ADVANTIUM® TECHNOLOGY

	ZSB9231NSS ZSB9232NSS
DESCRIPTION	
	Built-in oven
PERFORMANCE	
Oven capacity (cu. ft.)	1.6
Halogen power	2400 watts
Microwave power	950 watts
Convection power	1500 watts
Lower element	500 watts
OVEN CONTROLS	
Speedcook mode	Up to 8 times faster*
Convection mode	•
Warm/proofing mode	•
Electronic scrolling display	•
Over 175 preprogrammed menu items	•
Interior oven light	•
Beeper sound level control	•
Control lock-out	•
Glass touch controls	•
MICROWAVE OVEN	
Microwave mode	•
Microwave trays (2)	•
Sensor	•
Defrost—auto/time	•
COOKWARE INCLUDED	
Grilling tray	16" porcelain enamel
Baking trays (2)	16" porcelain enamel
Microwave tray	16" clear glass
Convection baking rack	•
APPEARANCE	
Style	Minimalist Statement
Color appearance	Stainless steel
Stainless steel interior	•
GENERAL FEATURES	
Overall oven interior dimensions (WxHxD in inches)	20 1/16 x 8 1/2 x 17
Optional storage drawer accessory	UXB903SNSS
	@240VAC 4.72
KW rating	@208VAC 6.3
	@240VAC 22.7
Amps rating	@208VAC 26.3
	@240VAC 30 amps
Recommended Circuit**	@208VAC 30 amps

*Cooks up to eight times faster than a conventional oven, with no preheating.

**See local codes for circuit requirements.

NOT APPROVED FOR UNDERCOUNTER INSTALLATION.

**5-IN-1 WALL OVEN
WITH 120V ADVANTIUM® TECHNOLOGY**

	ZSB9131NSS ZSB9132NSS
DESCRIPTION	30" built-in oven
PERFORMANCE	
Oven capacity (cu. ft.)	1.6
Halogen power	500 watts
Microwave power	950 watts
Convection power	1500 watts
Bake element	Upper 700 watts Lower 375 watts
OVEN CONTROLS	
Speedcook mode	Up to 4 times faster*
Electronic scrolling display	2-line
Over 175 preprogrammed items	•
Help mode	•
Demo mode	•
Interior oven light	•
Beeper sound level control	•
Control lock-out	•
MICROWAVE OVEN	
Sensor	•
Defrost—auto/time	•
ACCESSORIES	
Grilling tray	16" round
Microwave tray	16" glass
Aluminum broiling tray	•
Second-tier baking rack	•
APPEARANCE	
Style	Minimalist Statement
Color appearance	Stainless steel
Stainless steel interior	•
GENERAL FEATURES	
Undercounter installation	•
Optional storage drawer accessory	UXB903SNSS
Interior dimensions (WxHxD in inches)	20 1/16 x 8 1/2 x 17
KW rating @120VAC	1.8
Amps rating @120VAC	13.75
Recommended circuit** @120VAC	15 amps

*Cooks up to four times faster than a conventional oven, with no preheating.

**See local codes for circuit requirements.


**30" ABOVE-THE-COOKTOP OVEN WITH
ADVANTIUM® SPEEDCOOK TECHNOLOGY**

	ZSA1202PSS
DESCRIPTION	Above-the-cooktop oven
PERFORMANCE	
Four-speed, 300 CFM venting system	•
Halogen power	500 watts
Microwave power	900 watts
Convection power	1550 watts
Ceramic heater	Upper 700 watts Lower 375 watts
OVEN CONTROLS	
Speedcook mode	Average 2x faster up to 4x faster
Convection mode	•
Warm/proof mode	•
Preprogrammed menu items	More than 175
Help mode/demo mode	•
Interior oven light	•
Beeper sound level control	•
Control lock-out	•
MICROWAVE OVEN	
Sensor	•
Defrost—auto/time	•
GENERAL FEATURES	
13.6" turntable	•
Metal flat tray	•
Microwave tray	•
Second-tier baking rack	•
APPEARANCE	
Style	Statement
Color appearance	Stainless steel
Stainless steel interior	•
GENERAL FEATURES	
Approximate shipping weight (lbs.)	94
Interior oven dimensions (WxHxD in inches)	21 1/2 x 9 3/8 x 14 1/4
Exterior oven dimensions (WxHxD in inches, excluding handle)	29 15/16 x 16 7/16 x 15 3/8
Amp rating @208VAC	15

**MONOGRAM MICROWAVE OVENS,
WARMING DRAWERS & STORAGE DRAWERS**

Every Monogram cooking product is outfitted with premium features the experts use. From microwave ovens that circulate heat for perfectly uniform results to warming drawers that precisely hold freshly made foods from 80° to 210° and storage drawers that maximize space and simplify meal preparation, these Monogram appliances are stunning additions to even the most stylish kitchens.

MICROWAVE OVEN MODEL NUMBER KEY



WARMING & STORAGE DRAWER MODEL NUMBER KEY



MICROWAVE OVENS



ZEB1227SLSS



ZWL1126SRSS

WARMING DRAWERS



ZKW700PSNSS



ZTW900PSNSS



ZTW900SSNSS

STORAGE DRAWERS



ZX5900SSNSS



ZX5900PSNSS



UL-listed.



Indicates CSA certification for Canada and the U.S.



Indicates ADA compliance.

MONOGRAM MICROWAVE OVENS,
WARMING DRAWERS & STORAGE DRAWERS

2.2 CU. FT. BUILT-IN MICROWAVE OVEN



MODEL

UMRP*

ZEB1227SLSS (shown above) **\$850**

SPECIFICATIONS

Overall Dimensions (WxHxD)	24 1/2 in x 13 5/8 in x 19 3/4 in
30" Trim Kit Dimensions (WxH)	29 3/4 in x 18 7/8 in
27" Trim Kit Dimensions (WxH)	26 3/4 in x 18 7/8 in

ACCESSORIES

30" Trim Kit	ZX2130SLSS	\$300
27" Trim Kit	ZX2127SLSS	\$300

FEATURES

- 1100 watts
- Built-in trim kit
- Glass touch controls
- 2.2 cu. ft. capacity
- Sensor cooking controls
- Steam cooking controls
- Extra-large 16.5" turntable
- Instant On controls
- Weight and Time Defrost
- "Add 30 seconds" button
- Control lockout



Price Effective Date: 7/1/2023

*Dealers determine their own prices.

MONOGRAM MICROWAVE OVENS,
WARMING DRAWERS & STORAGE DRAWERS

1.2 CU. FT. DRAWER MICROWAVE



MODEL

ZWL1126SRSS (shown above)

UMRP*

\$1,900

SPECIFICATIONS

Overall Dimensions (WxHxD) 23 7/8 in x 15 15/16 in x 23 5/16 in

FEATURES

- Sophisticated styling
- 1.2 cu. ft. capacity
- Flush installation capability
- Electronic touch control with white LED display
- 10 cooking modes
- 1,000 watts
- Sensor cooking
- Quickstart option
- Control lock feature
- Installation flexibility
- Easy access options



MONOGRAM MICROWAVE OVENS,
WARMING DRAWERS & STORAGE DRAWERS

30" STATEMENT WARMING DRAWER



MODEL

ZTW900PSNSS (shown above)

UMRP*

\$2,100

ACCESSORY

3/4" custom panel kit for 30" ZXW900CSNSS \$125

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 3/4 in x 10 1/2 in x 23 1/4 in

FEATURES

- 1.6 cu. ft. capacity
- "On" indicator light
- 80° F to 210° F
- Variable humidity control
- Crisp to moist
- Removable half rack
- Stainless steel drawer front with Statement handle
- Accepts 3/4" trimless custom panel and custom handle with trim kit
- Full-extension drawer on ball-bearing glides
- On/Off rocker switch




Price Effective Date: 7/1/2023

*Dealers determine their own prices.

MONOGRAM MICROWAVE OVENS,
WARMING DRAWERS & STORAGE DRAWERS

30" MINIMALIST WARMING DRAWER



MODEL

ZTW900SSNSS (shown above)

UMRP*

\$2,300

SPECIFICATIONS

Overall Dimensions (WxHxD) 10 1/2 in x 29 3/4 in x 23 3/4 in

FEATURES

- 1.6 cu. ft. capacity
- "On" indicator light
- 80° F to 210° F
- Variable humidity control
- Crisp to moist
- Removable half rack
- Minimalist drawer front and handle
- Accepts 3/4" trimless custom panel and custom handle with trim kit
- Full-extension drawer on ball-bearing glide
- On/Off rocker switch



MONOGRAM MICROWAVE OVENS,
WARMING DRAWERS & STORAGE DRAWERS

27" STATEMENT WARMING DRAWER



MODEL

ZKW700PSNSS (shown above)

UMRP*

\$2,000

SPECIFICATIONS


Overall Dimensions (WxHxD) 26 3/4 in x 10 1/2 in x 23 3/4 in

FEATURES

- 1.6 cu. ft. capacity
- "On" indicator light
- 80° F to 210° F
- Variable humidity control
- Crisp to moist
- Removable half rack
- Stainless steel drawer front with Statement handle
- Accepts 3/4" trimless custom panel and custom handle with trim kit
- Full-extension drawer on ball-bearing glides
- On/Off rocker switch

MONOGRAM MICROWAVE OVENS,
WARMING DRAWERS & STORAGE DRAWERS

30" STATEMENT STORAGE DRAWER



ADA
COMPLIANT

MODEL

ZXS900PSNSS (shown above)

UMRP*

\$800

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 3/4 in x 6 11/16 in x 23 1/4 in


FEATURES

- 1.9 cu. ft. capacity
- Frameless front
- Push-to-open drawer
- Flush installation capable
- Full extension drawer on ball-bearing glides



MONOGRAM MICROWAVE OVENS,
WARMING DRAWERS & STORAGE DRAWERS

30" MINIMALIST STORAGE DRAWER



ADA
COMPLIANT

MODEL

ZXS900SSNSS (shown above)

UMRP*

\$1,000

SPECIFICATIONS

Overall Dimensions (WxHxD) 29 3/4 in x 6 11/16 in x 23 1/4 in

FEATURES

- 1.9 cu. ft. capacity
- Frameless front
- Push-to-open drawer
- Flush installation capable
- Full extension drawer on ball-bearing glides



MICROWAVE OVENS

	ZEB1227SLSS	ZWL1126SRSS
DESCRIPTION		
	2.2 cu. ft. built-in microwave oven	24" drawer microwave
CAPACITY		
Total capacity (cubic feet)	2.2 cu. ft.	12 cu. ft.
FEATURES		
Control type	Glass touch	
Cooking technology	Microwave	
Microwave Watts (IEC-705)	1,100 W	1,000 W
Power levels	10	11
USDA MyPlate menu	Grains Vegetables	
	Popcorn Beverage Potato Vegetable MyPlate menu Reheat Defrost: Weight/Time Steam Cook	
Microwave Sensor Cooking Controls		
	Add 30 Seconds Timer On/Off Cook Time Help Set Clock Power Level Start/Pause Cancel/Off Sound Clock Saver	Electronic Touch Controls Sensor Cooking Controls Custom Recipe Saver Add 1 Minute Melt/Soften Mode Control Lock Keep Warm Mode Express Cook Kitchen Timer Auto Defrost Time Defrost
Control features		
Electronic digital display with clock	Yes (LED)	
Instant-On controls	Yes	
Power cord length	41 in.	
Sound volume control	On/Off	
Timer (On/Off)	Yes	
Turntable	Glass recessed	
Turntable size	16.5 in	
APPEARANCE		
Case color	Gray	
Color appearance	Stainless Steel/Black	
Door color	Black	
Installation	Built-in	
WEIGHTS & DIMENSIONS		
Approximate shipping weight (lbs.)	29	
Cavity (WxHxD in inches)	17.8 x 11.2 x 19.1	17.25 x 7.125 x 17.5
Depth with door open 90° (in.)	38 3/8	81
Net weight (lbs.)	25	
Overall width (in.)	24 1/2	23 7/8
Overall height (in.)	13 5/8	15 15/16
Overall depth (in.)	19 3/4	23 5/16
POWER / RATINGS		
Electrical input—120V Amperage	13.9	15
Electrical input—120V Watts	1650	
Volts/Hertz	120V, 60Hz	
ACCESSORIES		
Built-in kit required for ZEB1227SLSS	ZX2127SLSS ZX2130SLSS	

WARMING DRAWERS

		ZTW900PSNSS ZTW900SSNSS
DESCRIPTION		
		30" warming drawer
FEATURES		
Infinite-setting temp controls		75°-230°F
ON/OFF switch		•
Humidity control		Crisp/Moist
"On" indicator light		•
Full-extension slides		•
Removable half rack		•
Flush install capable		•
Frameless drawer front		Stainless steel
Hand-polished, welded drawer front		•
Handle		Statement Minimalist
ACCESSORIES		
Custom panel kit		ZXD30B
Professional panel kit		ZXD30P
GENERAL FEATURES		
Interior dimensions (WxHxD in inches)		23 7/8 x 6 1/4 x 22 1/16
KW rating @120 V		45
Amps rating @120 V		15
Heating element wattage		450
Approximate shipping weight (lbs.)		65

STORAGE DRAWERS

		ZXS900PSNSS ZXS900SSNSS
DESCRIPTION		
		30" storage drawer
FEATURES		
Total capacity (cubic feet)		1.9 cu. ft.
Frameless drawer front		Stainless steel
Hand-polished, welded drawer front		•
Touch to open		•
Style		Statement Minimalist
GENERAL FEATURES		
Overall dimensions (WxHxD in inches)		29 3/4 x 6 11/16 x 23 1/4
Approximate shipping weight (lbs.)		60

MONOGRAM RANGE HOODS AND VENTILATION

Monogram hoods add stunning style and powerful performance to any kitchen. Our exhaust hoods and island hoods remove and filter air quickly and quietly for a fresh-smelling kitchen that's free from cooking fumes and odors. Our custom ventilation hood inserts can be paneled to blend perfectly with any kitchen design.

PROFESSIONAL VENTILATION MODEL NUMBER KEY

Z	V	4	8	T	S	F	S	S
MONOGRAM PRODUCT	VENTING SYSTEM V = Vent hood	FEATURE PACKAGE OR WIDTH 2 digits shown = Vent hood width (48", 36" or 30")		STYLE (PROFESSIONAL HOODS ONLY) H = Under cabinet I = Island R = Restaurant-style S = Straight sides T = Tapered sides	MODEL YEAR		COLOR CODE SS = Stainless	
					COLOR/STYLE OPTION S = Stainless			

VENTILATION MODEL NUMBER KEY

Z	V	9	5	0	S	D	S	S
MONOGRAM PRODUCT	VENTING SYSTEM V = Vent hood VB = Downdraft vent system VC = Hood insert	FEATURE PACKAGE 3 or 4 digits = Higher number denotes more features			COLOR/STYLE OPTION S = Stainless	MODEL YEAR	COLOR CODE SS = Stainless	

HOODS



ZVC53DWB1




ZVC53DWTT



ZVC48DTB1



ZVC48STSS




ZV48SJSS



ZVW1480SPSS



ZVW1360SPSS



ZV36SJSS



ZV950SDSS



ZV850SPSS



ZV750SPSS



ZV800SJSS



ZV830SMSS



UVC9480SLSS



UVC9420SLSS



UVC9360SLSS



UVC9300SLSS

53" DESIGNER COLLECTION HOODS



MODEL

ZVC53DWB1 (shown above)

UMRP*

\$11,000

REQUIRED

Hood Insert to Purchase

UVC9420SLSS

SPECIFICATIONS

Overall Dimensions (WxHxD) 53 in x 34 in x 25 in

FEATURES

- Professional oversized hood
- Designer Collection
- Brushed Brass body
- Polished Living finish with unlacquered brass bands


53" DESIGNER COLLECTION HOODS



MODEL		UMRP*	REQUIRED	
ZVC53DWTTT1 (shown above)		\$11,000	Hood Insert to Purchase	UVC9420SLSS
SPECIFICATIONS		FEATURES		
Overall Dimensions (WxHxD)	53 in x 38 in x 25 3/4 in		<ul style="list-style-type: none"> • Professional oversized hood • Designer Collection • Titanium finish 	

*Dealers determine their own prices.

48" CUSTOM BRASS HOOD



MODEL

ZVC48DTB1 (shown above)

UMRP*

\$8,500

REQUIRED

Hood Insert to Purchase

UVC9420SLSS

SPECIFICATIONS

Overall Dimensions (WxHxD) 48 in x 28 in x 22 in

FEATURES

- Designer-inspired architecture
- Handmade craftsmanship
- Made-to-order brass accompaniment to our insert
- Brushed brass body

*Dealers determine their own prices.

48" CUSTOM STAINLESS STEEL HOOD



MODEL

ZVC48STSS (shown above)

UMRP*

\$4,500

REQUIRED

Hood Insert to Purchase

UVC9420SLSS

SPECIFICATIONS

Overall Dimensions
(WxHxD)

48 in x 28 in x 22 in

FEATURES

- Designer-inspired architecture
- Handmade craftsmanship
- Made-to-order stainless steel accompaniment to our insert

48" STAINLESS STEEL PROFESSIONAL HOOD



MODEL

ZV48SSJSS (shown above)

UMRP*

\$3,750

ACCESSORIES

6" Stackable Duct	ZX48DC6J	\$550
12" Stackable Duct	ZX48DC12J	\$600

SPECIFICATIONS

Overall Dimensions (WxHxD)	48 in x 18 in x 25 in
----------------------------	-----------------------

FEATURES

- 940-CFM vertical exhaust with dual blowers
- 3 halogen lamps with 4 lighting levels
- Infrared warming lamp(s)
- Utensil racks
- Removable grease trays
- Dishwasher-safe, removable-baffle stainless steel filters
- Variable-speed fan control

*Dealers determine their own prices.

48" STAINLESS STEEL PROFESSIONAL HOOD WITH QUIETBOOST™ BLOWER



MODEL	UMRP*
ZVW1480SPSS (shown above)	\$3,300

SPECIFICATIONS	
Overall Dimensions (WxHxD)	48 in x 18 in x 22 in

ACCESSORIES		
8' Ceiling Duct Cover	ZX8D14SPSS	\$550
10' Ceiling Duct Cover	ZX10D14SPSS	\$550
12' Ceiling Duct Cover	ZX12D14SPSS	\$600
Rear Venting Back Damper	UXBDA812	\$99

- FEATURES**
- Stainless steel design
 - 1,220-CFM, 4-speed fan
 - LED lights
 - Four removable filters
 - WiFi enabled, connected features
 - Clean filter notification
 - Quietboost™ technology
 - Fan timer

36" STAINLESS STEEL PROFESSIONAL HOOD WITH QUIETBOOST™ BLOWER



MODEL

ZVW1360SPSS (shown above)

UMRP*

\$2,700

SPECIFICATIONS

Overall Dimensions (WxHxD) 36 in x 18 in x 22 in

ACCESSORIES

8' Ceiling Duct Cover	ZX8D13SPSS	\$550
10' Ceiling Duct Cover	ZX10D13SPSS	\$550
12' Ceiling Duct Cover	ZX12D13SPSS	\$600
Rear Venting Back Damper	UXBDA812	\$99

FEATURES

- Stainless steel design
- 610-CFM, 4-speed fan
- LED lights
- Three removable filters
- WiFi enabled, connected features
- Clean filter notification
- Quietboost™ technology
- Fan timer
- Make-up air technology

36" STAINLESS STEEL PROFESSIONAL HOOD



MODEL

ZV36SSJSS (shown above)

UMRP*

\$3,050

ACCESSORIES

6" Stackable Duct	ZX36DC6J	\$550
12" Stackable Duct	ZX36DC12J	\$550

SPECIFICATIONS

Overall Dimensions (WxHxD)	36 in x 18 in x 25 in
----------------------------	-----------------------

FEATURES

- 510-CFM vertical exhaust with dual blowers
- 2 halogen lamps with 4 lighting levels
- Infrared warming lamp(s)
- Utensil racks
- Removable grease trays
- Dishwasher-safe, removable-baffle stainless steel filters
- Variable-speed fan control

36" WALL-MOUNTED VENT HOOD



MODEL

ZV950SDSS (shown above)

UMRP*

\$2,350

ACCESSORIES

10' to 14' Ceiling Duct Cover	ZX14SDSS	\$400
-------------------------------	----------	-------

SPECIFICATIONS

Overall Dimensions (WxHxD)	35 5/8 in x 10 in x 25 in
----------------------------	---------------------------

FEATURES

- For 30"-36" cooktop surfaces
- Electronic touch controls
- 4 halogen lamps with 6 levels of intensity
- 4 removable filters with filter cleaning reminder
- 690-CFM vertical exhaust blower rating
- Time delay shut-off
- Dual blowers with 4 blower levels

36" ISLAND VENT HOOD



MODEL

ZV850SPSS (shown above)

UMRP*

\$2,600

ACCESSORIES

10' Ceiling Duct Cover	ZX8510SPSS	\$600
------------------------	------------	-------

SPECIFICATIONS

Overall Dimensions (WxHxD)	36 1/2 in x 41 1/2 in x 27 1/2 in
----------------------------	-----------------------------------

FEATURES

- Stainless steel design
- 350-CFM, four-speed fan
- Four halogen lights
- Three removable filters with indicator light
- Timer
- Optional recirculating kit (included)

*Dealers determine their own prices.

36" WALL-MOUNTED VENT HOOD



MODEL

ZV750SPSS (shown above)

UMRP*

\$2,450

ACCESSORIES

9' to 10' Ceiling
Duct Cover

ZX7510SPSS \$400

SPECIFICATIONS

Overall Dimensions (WxHxD) 35 3/4 in x 48 in x 21 5/8 in

FEATURES

- Stainless steel design
- 350 CFM, four-speed fan
- Four halogen lights
- Three removable, dishwasher-safe filters
- Timer
- Optional recirculating kit included

36" SLIDE-OUT HOOD



MODEL

ZV800SJSS (shown above)

UMRP*

\$2,100

SPECIFICATIONS

Overall Dimensions (WxHxD) 35 7/8 in x 1 1/2 in x 13 11/16 in

FEATURES

- Under-cabinet or stand-alone installation
- Low-profile design, high-impact style
- Four-speed, 460-CFM fan blower with boost option
- Multilevel halogen lighting
- Stainless steel filters
- Recirculating kit included
- 8'-10' ceiling duct cover included

*Dealers determine their own prices.

30" WALL-MOUNTED VENT HOOD



MODEL

ZV830SMSS (shown above)

UMRP*

\$1,850

ACCESSORIES

12' Ceiling Duct Cover	ZX83012	\$500
------------------------	---------	-------

SPECIFICATIONS

Overall Dimensions (WxHxD)	29 7/8 in x 5 7/8 in x 18 7/8 in
----------------------------	----------------------------------

FEATURES

- Stainless steel design
- Three speeds plus a 420-CFM boost
- Perimeter filter system
- Halogen lighting
- Recirculating-ready design
- 8'-10' ceiling duct cover included

48" CUSTOM HOOD INSERT



MODEL

UVC9480SLSS (shown above)

UMRP*

\$1,599

ACCESSORIES

Power Cord Kit	JXHC1	\$29
----------------	-------	------

SPECIFICATIONS

Overall Dimensions (WxHxD)	46 1/2 in x 18 in x 21 1/4 in
----------------------------	-------------------------------

FEATURES

- Dual-blower ventilation with 1200 CFM
- Electronic backlit controls
- Remote control included
- Dimmable LED lights
- WiFi enabled with Chef Connect

42" CUSTOM HOOD INSERT



MODEL

UVC9420SLSS (shown above)

UMRP*

\$1,349

ACCESSORIES

Power Cord kit	JXHC1	\$29
----------------	-------	------

SPECIFICATIONS

Overall Dimensions (WxHxD)	39 3/4 in x 12 1/2 in x 21 1/4 in
----------------------------	-----------------------------------

FEATURES

- Dual-blower ventilation with 1200 CFM
- Electronic backlit controls
- Remote control included
- Dimmable LED lights
- WiFi enabled with Chef Connect

36" CUSTOM HOOD INSERT



MODEL

UVC9360SLSS (shown above)

UMRP*

\$919

SPECIFICATIONS

Overall Dimensions (WxHxD) 34 1/4 in x 12 in x 19 1/8 in

ACCESSORIES

Recirculating Kit	UXN70	\$75
Charcoal Filter	UXCF91	\$24
Power Cord Kit	JXHC1	\$29
Makeup Air Accessory Kit	JXMAU8	\$24

FEATURES

- Adjustable 610-CFM blower with four-speed fan control
- Triple LED dimmable lighting - bulbs included
- Premium baffle stainless steel filters
- WiFi powered by SmartHQ™
- Electronic backlit controls
- Chef Connect
- Remote control included

30" CUSTOM HOOD INSERT



MODEL

UMRP*

UVC9300SLSS (shown above)

\$819

SPECIFICATIONS

Overall Dimensions (WxHxD) 28 3/8 in x 12 in x 19 1/4 in

ACCESSORIES

Recirculating Kit	UXN70	\$75
Charcoal Filter	UXCF91	\$24
Power Cord Kit	JXHC1	\$29

FEATURES

- Adjustable 610-CFM blower with four-speed fan control
- Triple LED dimmable lighting - bulbs included
- Premium baffle stainless steel filters
- WiFi powered by SmartHQ™
- Electronic backlit controls
- Chef Connect
- Remote control included

PROFESSIONAL HOODS

	ZVW1480SPSS	ZVW1360SPSS	ZV485SJSS	ZV365SJSS	ZVC53DWB1	ZVC53DWTT	ZVC48DTB1	ZVC48STSS
DESCRIPTION	48" hood	36" hood	48" hood	36" hood	53" hood	53" hood	48" hood	48" hood
FEATURES								
Variable-speed fan control	4-speed	4-speed	4-speed	4-speed				-
Internal blower rating	1220 CFM/10.5 sonos	610 CFM/8.0 sonos	1090 CFM/13.0 sonos 1090 CFM/13.0 sonos 940 CFM/ 10.5 sonos	620 CFM/9.0 sonos 620 CFM/9.0 sonos 510 CFM/8.0 sonos				
Working speed	410/4.0	230/3.0	430/2.5 410/4.0	240/1.1 230/3.0				
Halogen lamps	4	3	3	2				
Variable light control	4-level	4-level	4-level	4-level				
Infrared warming lights	2	1	2	1				
Removable stainless steel filters	4	3	3	2				
Grease filter trays	3	2	3	2				
Stainless steel backsplash	•	•	Diecast	Diecast				
Control knobs	Diecast	Diecast	•	•				
Blower indicator light	•	•	•	•				
Snap-in blower assembly	•	•	•	•				
Stainless steel utensil rack								
Designer-inspired architecture							•	•
Handmade craftsmanship			•	•			•	•
EXHAUST OPTIONS								
10" round exhaust duct	•	•	•	•				
Exhaust damper	•	•	•	•				
DUCT COVERS								
6" standard duct cover			ZX48DC6J	ZX36DC6J				
12" standard duct cover			ZX48DC12J	ZX36DC12J				
8' ceiling duct cover	ZX8D14SPSS	ZX8D13SPSS						
10' ceiling duct cover	ZXI0D14SPSS	ZXI0D13SPSS						
12' ceiling duct cover	ZXI2D14SPSS	ZXI2D13SPSS						
GENERAL FEATURES								
Amps @110V	12.5	6.5						
Approx. shipping weight (lbs.)	124	68	130	110	90	121	90	121

CHIMNEY WALL HOODS

	ZV950SDSS	ZV750SPSS	ZV800SJSS	ZV830SMSS
FEATURES				
Electronic push-buttons	•	•	•	•
Internal blower rating	690 CFM/6.0 sonos	350 CFM/6.0 sonos	460 CFM/7.0 sonos	420 CFM/9.0 sonos
Working speed	330/1.3	170/1.1	220/2.0	190/2.0
Blowers	2	1	1	1
Boost mode	•	•	•	•
CONVENIENCE				
Halogen lamps	4	4	2	2
Retractable glass canopy			•	
Under-cabinet installation			•	
Variable-speed fan			4	
Blower indicator setting				
Variable light control	6-level	6-level	6-level	4-level
Stainless steel removable filters			2	
ON indicator light				Backlit buttons
Auto-ON feature				
Blower speeds	4	4		4
Blower ON indicator light			•	
Removable filter	3	3		•
Filter cleaning reminder	•	•		
Time delay shut-off	•	•		
Utensil racks	•	•		
Round duct	8"	6"	6"	8"
Exhaust damper		Included	Included	Included
VENTED ACCESSORIES				
8' to 9' 5" telescopic duct cover		Included		
8' to 10' duct cover	Included		Included	Included
9' to 10' duct cover accessory		ZX7510SPSS		
9' 6" to 10' 5" duct cover accessory option				
10' to 12' duct cover accessory				ZX83012
10' to 14' duct cover	ZX14SDSS			
Recirculating option/reversible duct cover		Included	Included	Included
Charcoal filter		Included	Included	Included
GENERAL FEATURES				
Amps @120V	4.5	2.7	3.3	4.6
Approx. shipping weight (lbs.)	110	81	100	75

ISLAND VENT HOODS

	ZV850SPSS
FEATURES	
Electronic touch controls	•
Internal blower rating	350 CFM/6.0 sones
Working speed	170/1.1
Blowers	1
Boost mode	•
CONVENIENCE	
Halogen lamps	4
Variable light control	6-level
Variable-speed fan	
Blower indicator setting	
Stainless steel removable filters	
ON indicator light	
Auto-ON feature	
Removable filter	3
Filter cleaning reminder	•
Utensil racks	•
Fan control	4-level
Time delay shut-off	•
EXHAUST OPTIONS	
Round duct	6"
Exhaust damper	•
8' support duct cover	
8' to 8' 7" telescopic duct cover	Included
8' to 9' telescopic duct cover	
9' support duct cover	
9' to 10' duct cover accessory	ZX8510SPSS
9' 1" to 10' 1" duct cover accessory	
10' support duct cover	
Recirculating/reversible duct cover	Included
Charcoal filter	Included
GENERAL FEATURES	
Amps @120V	2.7
Approx. shipping weight (lbs.)	81


CUSTOM HOOD INSERTS

	UVC9480SLSS	UVC9420SLSS	UVC9360SLSS	UVC9300SLSS
FEATURES				
Width	48"	42"	36"	30"
Electronic push-buttons	•		•	•
Internal blower rating	1220 CFM	1200 CFM	610 CFM	610 CFM
Working speed	490/4.0		288/4.9	288/4.9
Blowers	4	2	1	1
Variable-speed fan	•	•	4-level	4-level
Halogen lamps	3	3	3	3
Variable light control			3-level	3-level
ON indicator light	Backlit buttons	Backlit buttons	Backlit buttons	Backlit buttons
Stainless steel removable filters	4	4	2	2
Stainless steel noncombustible liner			Included	Included
Auto-ON feature			•	•
WiFi Connect	Built-in	Built-in	Built-in	Built-in
EXHAUST OPTIONS				
Round duct	10"	10"	8"	8"
Exhaust damper			•	•
Snap-in blower assembly			•	•
GENERAL FEATURES				
Cabinet width	48"	42"	36"	30"
Amps @120V	6.0	6.0	2.9	2.9
Accessories (ZVC48DNB1)				

MONOGRAM REFRIGERATOR AND FREEZER COLUMNS

Monogram fully integrated column-design refrigerators and freezers have concealed hinges that allow for flush installation with surrounding cabinetry for a look of seamless perfection.

MODEL NUMBER KEY



REFRIGERATOR COLUMNS



ZIR361NPRII
ZIR361NBRII



ZIR301NPRII
ZIR301NBRII



ZIR241NPRII
ZIR241NBRII

FREEZER COLUMNS



ZIF361NPRII
ZIF361NBRII



ZIF301NPRII
ZIF301NBRII



ZIF241NPRII
ZIF241NBRII



ZIF181NPRII
ZIF181NBRII



36" INTEGRATED COLUMN REFRIGERATOR



MODEL	UMRP*
ZIR361NPRII** (shown above)	\$9,000
ZIR361NBR11	\$8,200

SPECIFICATIONS	
Approximate Dimensions (WxHxD)	35 1/2 in x 83 1/4 in x 24 3/4 in

ACCESSORIES		
36" Fully Integrated Column SS Door panel	LH ZK1SN369RLH RH ZK1SN364RRH	\$950 \$950
Single Door Refrigerator Minimalist Handle Kit	ZKSPIH1CNSS***	\$170
Handle Stud Kit for Mounting Monogram Handles to Custom Panel	ZKPN	\$100
Single Retro Kit	36" ZKR36R	\$200
Dual Retro Kit	72" ZKR72R	\$300
Fully Integrated Refrigerator/Freezer Heater and Unification Kit SXS Installation	ZKUN	\$450
Stainless Toekick for Column Refrigerator	42" ZKK42P	\$130
	48" ZKK48P	\$135
	54" ZKK54P	\$140
	60" ZKK60P	\$150
	66" ZKK66R	\$160
	72" ZKK72R	\$165

DESIGNER COLLECTION ACCESSORIES

Brass Panels:		
36" right-hinge	ZK1BN364VRH	\$3,700
36" left-hinge	ZK1BN369VLH	\$3,700
Titanium Panels:		
36" right-hinge	ZK1TN364VRH	\$3,700
36" left-hinge	ZK1TN369VLH	\$3,700
Brass Handles		
	ZKSPIH1BVB1	\$1,300
Titanium Handles		
	ZKSPIH1TVT1	\$1,300
Brass Toekick	36" ZKK36BV	\$320
	66" ZKK66BV	\$450
	72" ZKK72BV	\$450
Titanium Toekick	36" ZKK36TV	\$320
	66" ZKK66TV	\$450
	72" ZKK72TV	\$450
Brass Top Plates	36" ZKW36BV	\$750
	66" ZKW66BV	\$1,200
	72" ZKW72BV	\$1,200
Titanium Top Plates	36" ZKW36TV	\$750
	66" ZKW66TV	\$1,200
	72" ZKW72TV	\$1,200

****PREMIUM FEATURES**

- Autofill pitcher
- Adjustable glass shelves with integrated LED lighting
- Finely crafted, adjustable aluminum door bins with glass accents
- Drawers include easy-to-clean rubber mat inserts
- Temperature-controlled drawer

SHARED FEATURES

- Fully integrated column design
- Panel-ready exterior with six-way adjustability
- Retrofit capability
- Ramp-up LED interior lighting
- Remote connectivity via WiFi
- Upfront, electronic-touch controls
- Soft-close drawers
- Humidity-controlled vegetable drawer
- Dedicated evaporator sealed system
- Water filtration system
- Sabbath mode



*Dealers determine their own prices.
***Handles are required for Stainless Steel doors.

30" INTEGRATED COLUMN REFRIGERATOR



MODEL	UMRP*
ZIR301NPNII** (shown above)	\$8,500
ZIR301NBRII	\$7,700

SPECIFICATIONS	
Approximate Dimensions (WxHxD)	29 1/2 in x 83 1/4 in x 24 3/4 in

ACCESSORIES		
30" Fully Integrated Column SS Door panel	LH ZK1SN309NLH RH ZK1SN304NRH	\$900 \$900
Single Door Refrigerator Minimalist Handle Kit	ZKSPIH1CNSS***	\$170
Handle Stud Kit for Mounting Monogram Handles to Custom Panel	ZKPN	\$100
Fully Integrated Refrigerator/Freezer Heater and Unification Kit SXS Installation	ZKUN	\$450
Stainless Toekick for Column Refrigerator	42" ZKK42P	\$130
	48" ZKK48P	\$135
	54" ZKK54P	\$140
	60" ZKK60P	\$150
	66" ZKK66R	\$160
	72" ZKK72R	\$175

DESIGNER COLLECTION ACCESSORIES		
Brass Panels:		
30" right-hinge	ZK1BN304VRH	\$3,500
30" left-hinge	ZK1BN309VLH	\$3,500
Titanium Panels:		
30" right-hinge	ZK1TN304VRH	\$3,500
30" left-hinge	ZK1TN309VLH	\$3,500
Brass Handles	ZKSPIH1BVB1	\$1,300
Titanium Handles	ZKSPIH1TVT1	\$1,300
Brass Toekick	30" ZKK30BV	\$320
	60" ZKK60BV	\$450
	66" ZKK66BV	\$450
	72" ZKK72BV	\$450
Titanium Toekick	30" ZKK30TV	\$320
	60" ZKK60TV	\$450
	66" ZKK66TV	\$450
	72" ZKK72TV	\$450
Brass Top Plates	30" ZKW30BV	\$750
	60" ZKW60BV	\$1,200
	66" ZKW66BV	\$1,200
	72" ZKW72BV	\$1,200
Titanium Top Plates	30" ZKW30TV	\$750
	60" ZKW60TV	\$1,200
	66" ZKW66TV	\$1,200
	72" ZKW72TV	\$1,200

- **PREMIUM FEATURES**
- Autofill pitcher
 - Adjustable glass shelves with integrated LED lighting
 - Finely crafted, adjustable aluminum door bins with glass accents
 - Drawers include easy-to-clean rubber mat inserts
 - Temperature-controlled drawer

- SHARED FEATURES**
- Fully integrated column design
 - Panel-ready exterior with six-way adjustability
 - Retrofit capability
 - Ramp-up LED interior lighting
 - Remote connectivity via WiFi
 - Upfront, electronic-touch controls
 - Soft-close drawers
 - Humidity-controlled vegetable drawer
 - Dedicated evaporator sealed system
 - Water filtration system
 - Sabbath mode



*Dealers determine their own prices.
 ***Handles are required for Stainless Steel doors.

24" INTEGRATED COLUMN REFRIGERATOR



MODEL

UMRP*

ZIR241NPNII** (shown above)	\$8,000
ZIR241NBRII	\$7,200

SPECIFICATIONS

Approximate Dimensions (WxHxD) 23 1/2 in x 83 1/4 in x 24 3/4 in

ACCESSORIES

24" Fully Integrated Column SS Door Panel	LH ZK1SN249NLH ZK1SN244NRH	\$850 \$850
Single Door Refrigerator Minimalist Handle Kit	ZKSPIH1CNSS***	\$170
Single Door Refrigerator Statement Handle Kit	ZKSPIH1PNSS***	\$170

ACCESSORIES (CONT.)

Handle Stud Kit for Mounting Monogram Handles to Custom Panel	ZKPN	\$100
Trim Kit for Dual Installed Columns in 24" Deep Cabinets	42" ZKR42N	\$200
	48" ZKR48N	\$200
Fully Integrated Refrigerator/Freezer Heater and Unification Kit SXS Installation	ZKUN	\$450
Stainless Toekick for Column Refrigerator	42" ZKK42P	\$130
	48" ZKK48P	\$135
	54" ZKK54P	\$140
	60" ZKK60P	\$150
	66" ZKK66R	\$160
	72" ZKK72R	\$175

**PREMIUM FEATURES

- Autofill pitcher
- Adjustable glass shelves with integrated LED lighting
- Finely crafted, adjustable aluminum door bins with glass accents
- Drawers include easy-to-clean rubber mat inserts
- Temperature-controlled drawer

SHARED FEATURES

- Fully integrated column design
- Panel-ready exterior with six-way adjustability
- Retrofit capability
- Ramp-up LED interior lighting
- Remote connectivity via WiFi
- Upfront, electronic-touch controls
- Soft-close drawers
- Humidity-controlled vegetable drawer
- Dedicated evaporator sealed system
- Water filtration system
- Sabbath mode



*Dealers determine their own prices.
***Handles are required for Stainless Steel doors.

36" INTEGRATED COLUMN FREEZER



MODEL	UMRP*
ZIF361NPRII** (shown above)	\$9,000
ZIF361NBRII	\$7,900

SPECIFICATIONS	
Approximate Dimensions (WxHxD)	35 1/2 in x 83 1/4 in x 24 3/4 in

ACCESSORIES		
36" Fully Integrated Column SS Door panel	LH ZK1SN369RLH RH ZK1SN364RRH	\$950 \$950
Single Door Refrigerator Minimalist Handle Kit	ZKSPIHICNSS***	\$170
Trim Kit for Dual Installed Columns in 24" Deep Cabinets	42" ZKR42N 48" ZKR48N	\$200 \$200
Handle Stud Kit for Mounting Monogram Handles to Custom Panel	ZKPN	\$100
Fully Integrated Refrigerator/Freezer Heater and Unification Kit SXS Installation	ZKUN	\$450
Stainless Toekick for Column Refrigerator	42" ZKK42P	\$130
	48" ZKK48P	\$135
	54" ZKK54P	\$140
	60" ZKK60P	\$150
	66" ZKK66R	\$160
	72" ZKK72R	\$175

DESIGNER COLLECTION ACCESSORIES

Brass Panels:		
30" right-hinge	ZK1BN304VRH	\$3,500
30" left-hinge	ZK1BN309VLH	\$3,500
Titanium Panels:		
30" right-hinge	ZK1TN304VRH	\$3,500
30" left-hinge	ZK1TN309VLH	\$3,500
Brass Handles		
	ZKSPIH1BVB1	\$1,300
Titanium Handles		
	ZKSPIH1TVT1	\$1,300
Brass Toekick	30" ZKK30BV	\$320
	60" ZKK60BV	\$450
	66" ZKK66BV	\$450
	72" ZKK72BV	\$450
Titanium Toekick	30" ZKK30TV	\$320
	60" ZKK60TV	\$450
	66" ZKK66TV	\$450
	72" ZKK72TV	\$450
Brass Top Plates	30" ZKW30BV	\$750
	60" ZKW60BV	\$1,200
	66" ZKW66BV	\$1,200
	72" ZKW72BV	\$1,200
Titanium Top Plates	30" ZKW30TV	\$750
	60" ZKW60TV	\$1,200
	66" ZKW66TV	\$1,200
	72" ZKW72TV	\$1,200

**PREMIUM FEATURES

- Autofill pitcher
- Adjustable glass shelves with integrated LED lighting
- Finely crafted, adjustable aluminum door bins with glass accents
- Drawers include easy-to-clean rubber mat inserts
- Temperature-controlled drawer

SHARED FEATURES

- Fully integrated column design
- Panel-ready exterior with six-way adjustability
- Retrofit capability
- Ramp-up LED interior lighting
- Remote connectivity via WiFi
- Upfront, electronic-touch controls
- Soft-close drawers
- Humidity-controlled vegetable drawer
- Dedicated evaporator sealed system
- Water filtration system
- Sabbath mode



*Dealers determine their own prices.
***Handles are required for Stainless Steel doors.

30" INTEGRATED COLUMN FREEZER



MODEL	UMRP*
ZIF301NPNII** (shown above)	\$8,500
ZIF301NBRII	\$7,700

SPECIFICATIONS	
Approximate Dimensions (WxHxD)	29 1/2 in x 83 1/4 in x 24 3/4 in

ACCESSORIES		
30" Fully Integrated Column SS Door panel	LH ZK1SN309NLH RH ZK1SN304NRH	\$900 \$900
Single Door Refrigerator Minimalist Handle Kit	ZKSPIH1CNSS***	\$170
Single Door Refrigerator Statement Handle Kit	ZKSPIH1PNSS***	\$170
Trim Kit for Dual Installed Columns in 24" Deep Cabinets	42" ZKR42N 48" ZKR48N	\$200 \$200
Handle Stud Kit for Mounting Monogram Handles to Custom Panel	ZKPN	\$100
Fully Integrated Refrigerator/Freezer Heater and Unification Kit SXS Installation	ZKUN	\$450
	42" ZKK42P 48" ZKK48P 54" ZKK54P 60" ZKK60P 66" ZKK66R 72" ZKK72R	\$130 \$135 \$140 \$150 \$160 \$175

DESIGNER COLLECTION ACCESSORIES		
Brass Panels:		
30" right-hinge	ZK1BN304VRH	\$3,500
30" left-hinge	ZK1BN309VLH	\$3,500
Titanium Panels:		
30" right-hinge	ZK1TN304VRH	\$3,500
30" left-hinge	ZK1TN309VLH	\$3,500
Brass Handles		
	ZKSPIH1BVB1	\$1,300
Titanium Handles		
	ZKSPIH1TVT1	\$1,300
Brass Toekick		
	30" ZKK30BV 60" ZKK60BV 66" ZKK66BV 72" ZKK72BV	\$320 \$450 \$450 \$450
Titanium Toekick		
	30" ZKK30TV 60" ZKK60TV 66" ZKK66TV 72" ZKK72TV	\$320 \$450 \$450 \$450
Brass Top Plates		
	30" ZKW30BV 60" ZKW60BV 66" ZKW66BV 72" ZKW72BV	\$750 \$1,200 \$1,200 \$1,200
Titanium Top Plates		
	30" ZKW30TV 60" ZKW60TV 66" ZKW66TV 72" ZKW72TV	\$750 \$1,200 \$1,200 \$1,200

- **PREMIUM FEATURES**
- Adjustable glass shelves with integrated LED lighting
 - Finely crafted, adjustable aluminum door bins with glass accents
 - Drawers include easy-to-clean rubber mat inserts

- SHARED FEATURES**
- Fully integrated column design
 - Panel-ready exterior with six-way adjustability
 - Retrofit capability
 - Remote connectivity via WiFi
 - Removable ice storage and multiple slide-out bins
 - Water filtration system
 - Upfront, electronic-touch controls
 - Ramp-up LED interior lighting
 - Dedicated evaporator sealed system
 - Sabbath mode



Price Effective Date: 7/1/2023

*Dealers determine their own prices.
***Handles are required for Stainless Steel doors.

24" INTEGRATED COLUMN FREEZER



MODEL

UMRP*

ZIF241NPNII** (shown above)	\$8,000
ZIF241NBRII	\$7,200

SPECIFICATIONS

Approximate Dimensions (WxHxD)	23 1/2 in x 83 1/4 in x 24 3/4 in
--------------------------------	-----------------------------------

ACCESSORIES

30" Fully Integrated Column SS Door panel	LH ZK1SN309NLH \$800	RH ZK1SN304NRH \$800
Single Door Refrigerator Minimalist Handle Kit	ZKSPIH1CNSS***	\$170
Single Door Refrigerator Statement Handle Kit	ZKSPIH1PNSS***	\$170

ACCESSORIES (CONT.)

Handle Stud Kit for Mounting Monogram Handles to Custom Panel	ZKPN	\$100
Trim Kit for Dual Columns in 24" Deep Cabinets	42" ZKR42N 48" ZKR48N	\$200 \$200
Fully Integrated Refrigerator/Freezer Heater and Unification Kit SXS Installation	ZKUN	\$450
Stainless Toekick for Column Refrigerator	42" ZKK42P 48" ZKK48P 54" ZKK54P 60" ZKK60P 66" ZKK66R 72" ZKK72R	\$130 \$135 \$140 \$150 \$160 \$175

**PREMIUM FEATURES

- Autofill pitcher
- Adjustable glass shelves with integrated LED lighting
- Finely crafted, adjustable aluminum door bins with glass accents
- Drawers include easy-to-clean rubber mat inserts
- Temperature-controlled drawer

SHARED FEATURES

- Fully integrated column design
- Panel-ready exterior with six-way adjustability
- Retrofit capability
- Remote connectivity via WiFi
- Removable ice storage and multiple slide-out bins
- Water filtration system
- Upfront, electronic-touch controls
- Ramp-up LED interior lighting
- Dedicated evaporator sealed system
- Sabbath mode



*Dealers determine their own prices.
 ***Handles are required for Stainless Steel doors.

18" INTEGRATED COLUMN FREEZER



MODEL

UMRP*

ZIF181NPNII** (shown above)	\$7,500
ZIF181NBR11	\$6,700

SPECIFICATIONS

Approximate Dimensions (WxHxD) 17 1/2 in x 83 1/4 in x 24 3/4 in

ACCESSORIES

18" Fully Integrated Column	LH ZK1SN369RLH	\$950
SS Door panel	RH ZK1SN364RRH	\$950
Single Door Refrigerator Minimalist Handle Kit	ZKSP1H1CNSS***	\$170
Single Door Refrigerator Statement Handle Kit	ZKSP1H1PNSS***	\$170

ACCESSORIES (CONT.)

Handle Stud Kit for Mounting Monogram Handles to Custom Panel	ZKPN	\$100
Trim Kit for Dual Installed Columns in 24" Deep Cabinets	42" ZKR42N 48" ZKR48N	\$200 \$200
Fully Integrated Refrigerator/Freezer Heater and Unification Kit SXS Installation	ZKUN	\$450
Stainless Toekick for Column Refrigerator	42" ZKK42P	\$130
	48" ZKK48P	\$135
	54" ZKK54P	\$140
	60" ZKK60P	\$150
	66" ZKK66R	\$160
	72" ZKK72R	\$175

**PREMIUM FEATURES

- Adjustable glass shelves with integrated LED lighting
- Finely crafted, adjustable aluminum door bins with glass accents
- Drawers include easy-to-clean rubber mat inserts

SHARED FEATURES

- Fully integrated column design
- Panel-ready exterior with six-way adjustability
- Retrofit capability
- Remote connectivity via WiFi
- Removable ice storage and multiple slide-out bins
- Water filtration system
- Upfront, electronic-touch controls
- Ramp-up LED interior lighting
- Dedicated evaporator sealed system
- Sabbath mode



*Dealers determine their own prices.
 ***Handles are required for Stainless Steel doors.

INTEGRATED COLUMN FREEZERS – PREMIUM

	ZIF361NPNII	ZIF301NPNII	ZIF241NPNII	ZIF181NPNII
DESCRIPTION				
	36" integrated column freezer	30" integrated column freezer	24" integrated column freezer	18" integrated column freezer
CAPACITY				
Total (cu. ft.)	16.7	16.7	12.5	8.4
FEATURES				
Drawers include easy-to-clean rubber mat inserts	•	•	•	•
Autofill pitcher			•	
Adjustable, hydrophobic, glass shelves with integrated LED lighting	•	•	•	•
Finely crafted, adjustable aluminum door bins with glass accents	•	•	•	•
Drawers include easy-to-clean rubber mat inserts	•	•	•	•
Temperature-controlled drawer	•	•	•	•
WiFi Connect	Built-in	Built-in	Built-in	Built-in
Sealed system design	Auto defrost	Auto defrost	Auto defrost	Auto defrost
Custom panel ready	•	•	•	•
Defrost type	Automatic defrost	Automatic defrost	Automatic defrost	Automatic defrost
Water filtration	GE water filtration 6-month	GE water filtration 6-month	GE water filtration 6-month	GE water filtration 6-month
Interior lighting	Ramp-up LED	Ramp-up LED	Ramp-up LED	Ramp-up LED
Leveling system	4-point front adjustable	4-point front adjustable	4-point front adjustable	4-point front adjustable
Control type	Upfront capacitive touch controls with digital LED readout	Upfront capacitive touch controls with digital LED readout	Upfront capacitive touch controls with digital LED readout	Upfront capacitive touch controls with digital LED readout
Sabbath mode	•	•	•	•
Freezer door bins	3 adjustable aluminum door bins with glass accents	3 adjustable aluminum door bins with glass accents	3 adjustable aluminum door bins with glass accents	3 adjustable aluminum door bins with glass accents
Freezer baskets	3 silver wire, with full-extension slides	3 silver wire, with full-extension slides	3 silver wire, with full-extension slides	3 silver wire, with full-extension slides
Freezer cabinet shelves	1 fixed, 3 adjustable, hydrophobic, glass shelves with integrated LED lighting	1 fixed, 3 adjustable, hydrophobic, glass shelves with integrated LED lighting	1 fixed, 3 adjustable, hydrophobic, glass shelves with integrated LED lighting	1 fixed, 3 adjustable, hydrophobic, glass shelves with integrated LED lighting
Icemaker	Factory-installed	Factory-installed	Factory-installed	Factory-installed
Change temp setpoint	•	•	•	•
Display temp setpoint	•	•	•	•
Door alarm alert	•	•	•	•
Nighttime snack mode	•	•	•	•
Sabbath status (On/Off)	•	•	•	•
Water filter status	•	•	•	•
APPEARANCE				
Design style	Custom or stainless panel	Custom or stainless panel	Custom or stainless panel	Custom or stainless panel
Handle	Custom handle required	Custom handle required	Custom handle required	Custom handle required
Color appearance	Door panels required	Door panels required	Door panels required	Door panels required
Door stops	90° and 115°	90° and 115°	90° and 115°	90° and 115°
Door swing	Reversible door	Reversible door	Reversible door	Reversible door
POWER / RATINGS				
Volts/Hertz/Amps	115V; 60Hz; 20A	115V; 60Hz; 20A	115V; 60Hz; 20A	115V; 60Hz; 20A

INTEGRATED COLUMN REFRIGERATORS – BUILDER

	ZIR361NBRII	ZIR301NBRII	ZIR241NBRII
DESCRIPTION			
	36" Integrated Column Refrigerator	30" Integrated Column Refrigerator	24" Integrated Column Refrigerator
CAPACITY			
Total (cu. ft.)	17.3	17.3	13.1
FEATURES			
Climate Control Drawer	Temp Control (Meat, Bev, Deli)	Temp Control (Meat, Bev, Deli)	Temp Control (Meat, Bev, Deli)
Control Type	Upfront Capacitance Touch Controls w/Digital LCD Readout	Upfront Capacitance Touch Controls w/Digital LCD Readout	Upfront Capacitance Touch Controls w/Digital LCD Readout
Custom Panel Ready	36" SS Door Panel Kit, Left-Hinge ZKISN369RLH 36" SS Door Panel Kit, Right-Hinge ZKISN364RH Integrated Panels	30" SS Door Panel Kit, Left-Hinge ZKISN309NLH 30" SS Door Panel Kit, Right-Hinge ZKISN304NRH Integrated Panels	24" SS Door Panel Kit, Left-Hinge ZKISN249NLH 24" SS Door Panel Kit, Right-Hinge ZKISN244NRH Integrated Panels
Defrost Type	Automatic Defrost	Automatic Defrost	Automatic Defrost
Deli Drawer	Full-Extension Soft-Close	Full-Extension Soft-Close	Full-Extension Soft-Close
Fresh Food Cabinet Shelves	1 Fixed 3 Adjustable Edge-to-Edge Glass Shelves	1 Fixed 3 Adjustable Edge-to-Edge Glass Shelves	1 Fixed 3 Adjustable Edge-to-Edge Glass Shelves
Fresh Food Door Bins	4 Bins Adjustable Clear Front with Metal Sides	4 Bins Adjustable Clear Front with Metal Sides	4 Bins Adjustable Clear Front with Metal Sides
Integrated Wi-Fi Connectivity & Control	Change Temp Setpoint Display Temp Setpoint Door Alarm Alert Nighttime Snack Mode Sabbath Status (On/Off)	Change Temp Setpoint Display Temp Setpoint Door Alarm Alert Nighttime Snack Mode Sabbath Status (On/Off)	Change Temp Setpoint Display Temp Setpoint Door Alarm Alert Nighttime Snack Mode Sabbath Status (On/Off)
Interior Lighting	Ramp-Up LED	Ramp-Up LED	Ramp-Up LED
Leveling System	4-Point Front Adjustable	4-Point Front Adjustable	4-Point Front Adjustable
Produce Drawer	Full-Extension, Soft-Close w/Humidity Slider	Full-Extension, Soft-Close w/Humidity Slider	Full-Extension, Soft-Close w/Humidity Slider
Product Type	All-Refrigerator	All-Refrigerator	All-Refrigerator
Refrigerant Type	R600a	R600a	R600a
Sabbath Mode	Enhanced Shabbos Mode (when used with Shabbos Keeper, sold separately, visit www.zmantechologies.com for details)	Enhanced Shabbos Mode (when used with Shabbos Keeper, sold separately, visit www.zmantechologies.com for details)	Enhanced Shabbos Mode (when used with Shabbos Keeper, sold separately, visit www.zmantechologies.com for details)
Sealed System Design	Auto Defrost	Auto Defrost	Auto Defrost
APPEARANCE			
Color appearance	Custom Panels Required	Custom Panels Required	Custom Panels Required
Design style	Custom Panel	Custom Panel	Custom Panel
Door stops	90° and 115°	90° and 115°	90° and 115°
Door swing	Reversible Door	Reversible Door	Reversible Door
Handle	Separate Purchase Required	Separate Purchase Required	Separate Purchase Required
Handle Purchased Separately	Requires Statement Handle Kit (ZKSPIHIPNSS) or Minimalist Handle Kit (ZKSPIHICNSS)	Requires Statement Handle Kit (ZKSPIHIPNSS) or Minimalist Handle Kit (ZKSPIHICNSS)	Requires Statement Handle Kit (ZKSPIHIPNSS) or Minimalist Handle Kit (ZKSPIHICNSS)
Panel Capability	Fully Integrated	Fully Integrated	Fully Integrated
POWER / RATINGS			
Volts/Hertz/Amps	115V; 60Hz; 20A	115V; 60Hz; 20A	115V; 60Hz; 20A

INTEGRATED COLUMN REFRIGERATORS – PREMIUM

	ZIR361NPNII	ZIR301NPNII	ZIR241NPNII
DESCRIPTION			
	36" Integrated Column Refrigerator	30" Integrated Column Refrigerator	24" Integrated Column Refrigerator
CAPACITY			
Total (cu. ft.)	17.3	17.3	13.1
FEATURES			
Air Filtration System	GE Air Filtration 6 Month	GE Air Filtration 6 Month	GE Air Filtration 6 Month
Climate Control Drawer	Temp Control (Meat, Bev, Deli) with Rubber Mat Inserts	Temp Control (Meat, Bev, Deli) with Rubber Mat Inserts	Temp Control (Meat, Bev, Deli) with Rubber Mat Inserts
Control Type	Upfront Capacitance Touch Controls w/Digital LCD Readout	Upfront Capacitance Touch Controls w/Digital LCD Readout	Upfront Capacitance Touch Controls w/Digital LCD Readout
Custom Panel Ready	36" SS Door Panel Kit, Left-Hinge ZKISN369RLH 36" SS Door Panel Kit, Right-Hinge ZKISN364RRH Integrated Panels	30" SS Door Panel Kit, Left-Hinge ZKISN309NLH 30" SS Door Panel Kit, Right-Hinge ZKISN304NRH Integrated Panels	24" SS Door Panel Kit, Left-Hinge ZKISN249NLH 24" SS Door Panel Kit, Right-Hinge ZKISN244NRH Integrated Panels
Defrost Type	Automatic Defrost	Automatic Defrost	Automatic Defrost
Deli Drawer	Full-Extension Soft-Close with Rubber Mat Inserts	Full-Extension Soft-Close with Rubber Mat Inserts	Full-Extension Soft-Close with Rubber Mat Inserts
Filter Location	Top right of product behind access panel	Top right of product behind access panel	Top right of product behind access panel
Fresh Food Cabinet Shelves	1 Fixed 3 Adjustable Light-Up LED	1 Fixed 3 Adjustable Light-Up LED	1 Fixed 3 Adjustable Light-Up LED
Fresh Food Door Bins	4 Bins with Rubber Mat Inserts Adjustable Glass and Metal Bins	4 Bins with Rubber Mat Inserts Adjustable Glass and Metal Bins	4 Bins with Rubber Mat Inserts Adjustable Glass and Metal Bins
Integrated Wi-Fi Connectivity & Control	Air Filter Status Change Temp Setpoint Display Temp Setpoint Door Alarm Alert Nighttime Snack Mode Sabbath Status (On/Off) Water Filter Status	Air Filter Status Change Temp Setpoint Display Temp Setpoint Door Alarm Alert Nighttime Snack Mode Sabbath Status (On/Off) Water Filter Status	Air Filter Status Change Temp Setpoint Display Temp Setpoint Door Alarm Alert Nighttime Snack Mode Sabbath Status (On/Off) Water Filter Status
Interior Lighting	Ramp-Up LED	Ramp-Up LED	Ramp-Up LED
Leveling System	4-Point Front Adjustable	4-Point Front Adjustable	4-Point Front Adjustable
Produce Drawer	Full-Extension, Soft-Close w/Humidity Slider with Rubber Mat Inserts	Full-Extension, Soft-Close w/Humidity Slider with Rubber Mat Inserts	Full-Extension, Soft-Close w/Humidity Slider with Rubber Mat Inserts
Product Type	All-Refrigerator	All-Refrigerator	All-Refrigerator
Refrigerant Type	R600a	R600a	R600a
Sabbath Mode	Enhanced Shabbos Mode (when used with Shabbos Keeper, sold separately, visit www.zmantechologies.com for details)	Enhanced Shabbos Mode (when used with Shabbos Keeper, sold separately, visit www.zmantechologies.com for details)	Enhanced Shabbos Mode (when used with Shabbos Keeper, sold separately, visit www.zmantechologies.com for details)
Sealed System Design	Auto Defrost	Auto Defrost	Auto Defrost
Water Filtration	GE Water Filtration 6 Month XWF or XWFE	GE Water Filtration 6 Month XWF or XWFE	GE Water Filtration 6 Month XWF or XWFE
APPEARANCE			
Color appearance	Custom Panels Required	Custom Panels Required	Custom Panels Required
Design style	Custom Panel	Custom Panel	Custom Panel
Door stops	90° and 115°	90° and 115°	90° and 115°
Door swing	Reversible Door	Reversible Door	Reversible Door
Handle	Separate Purchase Required	Separate Purchase Required	Separate Purchase Required
Handle Purchased Separately	Requires Statement Handle Kit (ZKSPIHIPNSS) or Minimalist Handle Kit (ZKSPIHICNSS)	Requires Statement Handle Kit (ZKSPIHIPNSS) or Minimalist Handle Kit (ZKSPIHICNSS)	Requires Statement Handle Kit (ZKSPIHIPNSS) or Minimalist Handle Kit (ZKSPIHICNSS)
Panel Capability	Fully Integrated	Fully Integrated	Fully Integrated
POWER / RATINGS			
Volts/Hertz/Amps	115V; 60Hz; 20A	115V; 60Hz; 20A	115V; 60Hz; 20A


INTEGRATED COLUMN FREEZERS – BUILDER

	ZIF361NBRII	ZIF301NBRII	ZIF241NBRII	ZIF181NBRII
DESCRIPTION				
	36" integrated column freezer	30" integrated column freezer	24" integrated column freezer	18" integrated column freezer
CAPACITY				
Total (cu. ft.)	16.7	16.7	12.5	8.4
FEATURES				
WiFi Connect	Built-in	Built-in	Built-in	Built-in
Sealed system design	Auto defrost	Auto defrost	Auto defrost	Auto defrost
Custom panel ready	•	•	•	•
Defrost type	Automatic defrost	Automatic defrost	Automatic defrost	Automatic defrost
Water filtration	GE water filtration 6-month	GE water filtration 6-month	GE water filtration 6-month	GE water filtration 6-month
Interior lighting	Ramp-up LED	Ramp-up LED	Ramp-up LED	Ramp-up LED
Leveling system	4-point front adjustable	4-point front adjustable	4-point front adjustable	4-point front adjustable
Control type	Upfront capacitive touch controls with digital LED readout	Upfront capacitive touch controls with digital LED readout	Upfront capacitive touch controls with digital LED readout	Upfront capacitive touch controls with digital LED readout
Sabbath mode	•	•	•	•
Freezer door bins	3 adjustable aluminum door bins with glass accents	3 adjustable aluminum door bins with glass accents	3 adjustable aluminum door bins with glass accents	3 adjustable aluminum door bins with glass accents
Freezer baskets	3 silver wire, with full-extension slides	3 silver wire, with full-extension slides	3 silver wire, with full-extension slides	3 silver wire, with full-extension slides
Icemaker	Factory-installed	Factory-installed	Factory-installed	Factory-installed
Change temp setpoint	•	•	•	•
Display temp setpoint	•	•	•	•
Door alarm alert	•	•	•	•
Nighttime snack mode	•	•	•	•
Sabbath status (On/Off)	•	•	•	•
Water filter status	•	•	•	•
APPEARANCE				
Design style	Custom or stainless panel	Custom or stainless panel	Custom or stainless panel	Custom or stainless panel
Handle	Custom handle required	Custom handle required	Custom handle required	Custom handle required
Color appearance	Door panels required	Door panels required	Door panels required	Door panels required
Door stops	90° and 115°	90° and 115°	90° and 115°	90° and 115°
Door swing	Reversible door	Reversible door	Reversible door	Reversible door
POWER / RATINGS				
Volts/Hertz/Amps	115V; 60Hz; 20A	115V; 60Hz; 20A	115V; 60Hz; 20A	115V; 60Hz; 20A

MONOGRAM INTEGRATED BOTTOM FREEZERS, REFRIGERATORS AND WINE SOMMELIERS

Monogram’s built-in refrigerators blend in seamlessly with any kitchen design. From bottom-freezer refrigerators and stylish wine reserves to glass-door and French-door designs, these built-in appliances provide superior food and drink freshness. With innovative features, like humidity-controlled compartments, showcase LED lighting and adjustable shelves, every detail is exceptional.

MODEL NUMBER KEY



INTEGRATED REFRIGERATORS AND WINE SOMMELIERS



ZIW303NPPII



ZIC303NPPII



ZIK303NPPII

BUILT-IN BOTTOM-FREEZER REFRIGERATORS



ZIP364IPVII
ZIP364NBVII



ZIC363IPVRH
ZIC363IPVLH



ZIC363NBVRH
ZIC363NBVLH

UL-listed.
 Indicates CSA certification for Canada and the U.S.
 Indicates Star-K certified.
 Indicates ADA compliance.
 WiFi capability

MONOGRAM INTEGRATED BOTTOM FREEZERS, REFRIGERATORS
AND WINE SOMMELIERS

30" FULLY INTEGRATED WINE SOMMELIER



MODEL

ZIW303NPPII (shown above)

UMRP*

\$9,900

SPECIFICATIONS

Approximate Dimensions (WxHxD) 29 3/4 in x 80 3/8 in x 23 3/4 in

ACCESSORIES

Side-by-Side Installation Kit	ZUG30	\$400
Minimalist Collection Handle Kit	ZKGC3H3CNSS	\$420
Statement Collection Handle Kit	ZKGC3H3PNSS	\$420
3/4" Thick Door Panel		\$900
Options:		
80" LH SS Glass Door Panel	ZKGSN809NLH	
80" RH SS Glass Door Panel	ZKGSN804NRH	
84" LH SS Glass Door Panel	ZKGSN849NLH	
84" RH SS Glass Door Panel	ZKGSN844NRH	
Handle Stud Kit for Mounting Monogram Handles to Custom Panel	ZKPN	\$100

FEATURES

- Dual-zone upper wine compartment
- Convertible lower drawer
- HFC-free refrigerator
- Freezer drawer with electronic icemaker
- Expansive wine storage capabilities
- LED interior lighting
- Soft-close, full-extension wine racks
- GE Water filtration system

MONOGRAM INTEGRATED BOTTOM FREEZERS, REFRIGERATORS
AND WINE SOMMELIERS

30" INTEGRATED GLASS-DOOR REFRIGERATOR



MODEL

ZIK303NPPII (shown above)

UMRP*

\$9,500

SPECIFICATIONS

Approximate Dimensions (WxHxD) 29 3/4 in x 80 3/8 in x 23 3/4 in

ACCESSORIES

Side-by-Side Installation Kit	ZUG30	\$400
Minimalist Collection Handle Kit	ZKGC3H3CNSS	\$420
Statement Collection Handle Kit	ZKGC3H3PNSS	\$420
3/4" Thick Door Panel		\$900
Options:		
80" LH SS Glass Door Panel	ZKGSN809NLH	
80" RH SS Glass Door Panel	ZKGSN804NRH	
84" LH SS Glass Door Panel	ZKGSN849NLH	
84" RH SS Glass Door Panel	ZKGSN844NRH	
Handle Stud Kit for Mounting Monogram Handles to Custom Panel	ZKPN	\$100

FEATURES

- Convertible lower drawer
- First HFC-free refrigerator in the U.S.
- Freezer drawer with electronic icemaker
- LED interior lighting
- Adjustable glass shelves
- Soft-close freezer and convertible drawers
- Illuminated, electronic glass-touch controls
- GE water filtration system
- Sabbath mode capable
- Self-closing vegetable drawer
- Two dividers
- Removable beverage rack
- Child-lock feature
- Customizable toekick
- Removable beverage rack
- Integrated, panel-ready design
- Single or dual installation

30" INTEGRATED CUSTOMIZABLE REFRIGERATOR



MODEL

ZIC303NPPII (shown above)

UMRP*

\$9,000

SPECIFICATIONS

Approximate Dimensions (WxHxD) 29 3/4 in x 80 3/8 in x 23 3/4 in

ACCESSORIES

Side-by-Side Installation Kit	ZUG30	\$400
Minimalist Collection Handle Kit	ZKGC3H3CNSS	\$420
Statement Collection Handle Kit	ZKGC3H3PNSS	\$420
3/4" Thick Door Panel Options:		\$900
80" LH Solid SS Door	ZKSSN809NLH	
80" RH Solid SS Door	ZKSSN804NRH	
84" LH Solid SS Door	ZKSSN849NLH	
84" RH Solid SS Door	ZKSSN844NRH	
Handle Stud Kit for Mounting Monogram Handles to Custom Panel	ZKPN	\$100

FEATURES

- Dual-refrigeration system
- Convertible lower drawer
- First HFC-free refrigerator in the U.S.
- Freezer drawer with electronic icemaker
- LED interior lighting
- Adjustable glass shelves
- Soft-close freezer and convertible drawers
- Illuminated, electronic glass-touch controls
- GE Water filtration system
- Self-closing vegetable drawer
- Two dividers
- Three adjustable door bins
- Removable beverage rack
- Child-lock feature
- Customizable toekick
- Sabbath mode
- Single or dual installation

MONOGRAM INTEGRATED BOTTOM FREEZERS, REFRIGERATORS AND WINE SOMMELIERS

36" BUILT-IN BOTTOM-FREEZER REFRIGERATOR



MODEL

UMRP*

ZIP364IPVII (shown above)	\$11,400
ZIP364NBVII	\$10,200

SPECIFICATIONS

Approximate Dimensions (WxHxD)	35 3/4 in x 83 7/8 in x 24 3/4 in
--------------------------------	-----------------------------------

ACCESSORIES

SS Door Panel Kit	ZK4SN360VSS	\$1,050
Statement Handle Kit	ZKSB4H4PVSS	\$550
Minimalist Handle Kit	ZKSB4H4CVSS	\$550
Handle Stud Kit	ZKPN	\$100
Side-by-Side Install Toekick Kit	54" ZKK54P	\$140
	60" ZKK60P	\$150
	66" ZKK66R	\$160
	72" ZKK72R	\$175
Unification Kit	ZKMV	\$450
36" Trim Kit for 24" deep cabinets	ZKR36V	\$200
72" Trim Kit for 24" deep cabinets	ZKR72V	\$300

PREMIUM FEATURES

- Metal interior with rubber mat
- Internal water dispenser
- Light-up, full-width glass shelves

SHARED FEATURES

- Flush installation
- 6-temperature-setting convertible drawer
- Panel-ready exterior with six-way adjustability
- LED lighting
- Refrigerator air filtration odor-reducing system
- WiFi Connect
- Refrigerator with ramp-up LED interior lighting
- Refrigerator with adjustable door bins
- Electronic touch controls
- Refrigerator with soft-close drawers
- Humidity-control vegetable and fruit drawer
- Factory-installed ice maker
- Sabbath mode



*Dealers determine their own prices.

36" BUILT-IN BOTTOM-FREEZER REFRIGERATOR



MODEL

MODEL	UMRP*
ZIC363IPVRH (shown above)	\$11,100
ZIC363IPVLH	\$11,100
ZIC363NBVRH	\$9,900
ZIC363NBVLH	\$9,900

SPECIFICATIONS

Approximate Dimensions (WxHxD) 35 3/4 in x 83 7/8 in x 24 3/4 in

ACCESSORIES

SS Door Panel Kit	ZK3SN369VLH ZK3SN364VRH	\$950
Statement Handle Kit	ZKSB3H3PVSS	\$450
Minimalist Handle Kit	ZKSB3H3CVSS	\$450
Handle Stud Kit	ZKPN	\$100
Side-by-Side Install Toekick Kit	54" ZKK54P	\$140
	60" ZKK60P	\$150
	66" ZKK66R	\$160
	72" ZKK72R	\$175
Unification Kit	ZKMV	\$450
36" Trim Kit for 24" deep cabinets	ZKR36V	\$200
72" Trim Kit for 24" deep cabinets	ZKR72V	\$300

PREMIUM FEATURES

- Metal interior with rubber mat
- Internal water dispenser
- Light-up, full-width glass shelves

SHARED FEATURES

- Flush installation
- 6-temperature-setting convertible drawer
- Panel-ready exterior with six-way adjustability
- LED lighting
- Refrigerator air filtration odor-reducing system
- WiFi Connect
- Refrigerator with ramp-up LED interior lighting
- Refrigerator with adjustable door bins
- Electronic touch controls
- Refrigerator with soft-close drawers
- Humidity-control vegetable and fruit drawer
- Factory-installed ice maker
- Sabbath mode

30" FULLY INTEGRATED, CUSTOMIZABLE REFRIGERATORS WITH CONVERTIBLE DRAWER

	ZIC303NPPII*	ZIK303NPPII*	ZIW303NPPII*
DESCRIPTION			
	30" fully integrated, solid-door refrigerator	30" fully integrated, glass-door refrigerator	30" fully integrated wine refrigerator
Total (cu. ft.)	14.09	14.31	14.00
Fresh-food compartment	10.37	10.59	
Dual-zone wine			10.00
Freezer drawer	1.11	1.11	1.21
Convertible drawer	2.61	2.61	2.77
Unit capacity			106 wine bottles
EXTERIOR			
Fully integrated, panel-ready	•	•	•
Concealed door hinge	•	•	•
FRESH-FOOD COMPARTMENT (UPPER)			
Electronic touch controls	•	•	•
LED interior lighting	•	•	•
Alum. trim adj. glass shelves	3	3-deep design	3
Deli drawer w/full-ext. slides	•	•	•
Wine racks			7
Adjustable door bins	3		
Removable beverage rack	•	•	•
FREEZER DRAWER (MIDDLE)			
Soft-close drawer	•	•	•
Electronic icemaker	•	•	•
Removable ice bin & scoop	•	•	•
CONVERTIBLE DRAWER (LOWER)			
Refrigeration, freezer or wine storage	Chill: 34°/46°F, Freeze: -6°/6°F, Wine: 40°/55°F	Chill: 34°/46°F, Freeze: -6°/6°F, Wine: 40°/55°F	Chill: 34°/46°F, Freeze: -6°/6°F, Wine: 40°/55°F
Soft-close drawer	•	•	•
Removable sliding bin	•	•	•
Removable drawer divider	1	1	1
GENERAL FEATURES			
GE Water filtration system	•	•	•
Sealed system design	Auto defrost	Auto defrost	Auto defrost
ENERGY STAR® certified	•	•	•
Sabbath Mode	•	•	•
Refrigerant type	R600a–HFC-free	R600a–HFC-free	R600a–HFC-free
Insulation (case/drawer/door)	Cyclopentane	Cyclopentane	Cyclopentane
4-point leveling system	•	•	•
Adjustable doorstop (90°/115°)	•	•	•
115 volts/20 amps each	•	•	•
ACCESSORIES			
Heater kit for 30" fully integrated refrigerators	ZUG30 to be used with ZIC303NPPII	ZUG30 to be used with ZIK303NPPII	ZUG30 to be used with ZIW303NPPII
Minimalist handle kit	ZKGC3H3CNSS	ZKGC3H3CNSS	ZKGC3H3CNSS
Statement handle kit	ZKGC3H3PNSS	ZKGC3H3PNSS	ZKGC3H3PNSS
80" height panel kit	ZKGSN809NLH ZKGSN804NRH	ZKGSN809NLH ZKGSN804NRH	ZKGSN809NLH ZKGSN804NRH
84" height panel kit (order RH or LH)	ZKSSN844NRH ZKSSN849NLH	ZKGSN844NRH ZKGSN849NLH	ZKGSN844NRH ZKGSN849NLH
GE water/ice filter part #	XWFE	XWFE	XWFE

RH = Right-hand hinge / LH = Left-hand hinge / REV = Reversible door swing

*Door panels required.

36" INTEGRATED BOTTOM-FREEZER REFRIGERATORS

	ZIP364IPVII	ZIP364NBVII	ZIC363IPVRH ZIC363IPVLH	ZIC363NBVRH ZIC363NBVLH
CAPACITY				
Total (cu. ft.)	20.1	20.1	20.2	20.2
Fresh food (cu. ft.)	13.7	13.7	13.8	13.8
Freezer (cu. ft.)	3.5	3.5	3.5	3.5
PREMIUM FEATURES				
Metal interior with rubber mat	•		•	
Internal water dispenser	•		•	
Light-up, full-width glass shelves	•		•	
GENERAL FEATURES				
Flush installation	•	•	•	•
6-temperature-setting convertible drawer	•	•	•	•
Refrigerator with internal water dispenser	•	•	•	•
Refrigerator air filtration odor-reducing system	•	•	•	•
WiFi Connect	•	•	•	•
Refrigerator with ramp-up LED interior lighting	•	•	•	•
Refrigerator with adjustable door bins	•	•	•	•
Electronic touch controls	•	•	•	•
Refrigerator with soft-close drawers	•	•	•	•
Humidity-control vegetable and fruit drawer	•	•	•	•
Factory-installed ice maker	•	•	•	•
Sabbath mode	•	•	•	•
Panel-ready exterior with six-way adjustability	•	•	•	•



MONOGRAM FREE-STANDING REFRIGERATOR

Monogram's free-standing refrigerator offer premium features and a contemporary yet functional aesthetic. The French-Door design provides easy access to refrigerated items, while showcase LED lighting spotlights food items, and innovative TwinChill™ evaporators keep fresh and frozen foods at the optimum temperature for maximum freshness.

MODEL NUMBER KEY

Z	W	E	2	3	N	S	T	S	S
MONOGRAM PRODUCT	CONFIGURATION E = Free-standing French-Door bottom-freezer		CUBIC FOOT		DISPENSER N = No dispenser		MODEL YEAR	COLOR CODE SS = Stainless door	
	INSTALLATION F/W = Free-standing								

FREE-STANDING REFRIGERATOR



ZWE23NSTSS



Indicates CSA certification for Canada and the U.S.



Indicates ADA compliance.

MONOGRAM FREE-STANDING REFRIGERATOR

ENERGY STAR® 23.1 CU. FT. COUNTER-DEPTH FRENCH-DOOR MINIMALIST REFRIGERATOR



MODEL

ZWE23NSTSS (shown above)

UMRP*

\$4,300

SPECIFICATIONS

Approximate Dimensions (WxHxD) 35 3/4 in x 70 1/2 in x 31 1/2 in

ACCESSORIES

Minimalist Handle Kit	ZKLB3H3CTSS	\$200
Statement Handle Kit	ZKLB3H3PTSS	\$200

FEATURES

- TwinChill™ evaporators
- Showcase LED lighting
- Full-width electronic temperature-controlled drawer with LED lights
- Drop-down tray
- Quick Space shelf
- Advanced water filtration
- Stainless steel side



Price Effective Date: 7/1/2023

*Dealers determine their own prices.


FREE-STANDING FRENCH-DOOR BOTTOM-FREEZER REFRIGERATOR

	ZWE23NSTSS
CAPACITY	
Total (cu. ft.)	23.1
Fresh food (cu. ft.)	15.9
Freezer (cu. ft.)	7.2
FRESH-FOOD SECTION	
Upfront electronic controls with digital readouts	•
Showcase LED lighting	•
Water filter indicator light	•
Glass shelves	4 split w/adj., 1 QuickSpace, 1 full-width
Sealed adjustable-humidity drawers	2
Sealed adjustable-temperature full-width deli drawer	1
Door bins	6 total, 4 adjustable with gallon storage
Dairy compartment	Drop-down tray
FREEZER SECTION	
Showcase LED lighting	•
Automatic icemaker	•
Pull-out freezer baskets	2 full-width (w/ice bucket)
GENERAL FEATURES	
ENERGY STAR® certified	•
GE Water filtration system for water and ice	Advanced Filtration System (RPWFE)
WiFi Connect	Optional, requires PBX23W00YO
Counter-depth design	•
Handle style	Minimalist (ZKLB3H3CTSS) Statement (ZKLB3H3PTSS)
Color appearance	Stainless steel with stainless steel sides
Concealed door hinges	•
120 volts/15 amps	•

MONOGRAM BUILT-IN SIDE-BY-SIDE REFRIGERATORS

Monogram built-in side-by-side refrigerators offer stunning design details and premium features, like an advanced temperature management system, climate control drawers and WiFi connectivity. Available in a stainless steel finish or custom panel ready, these exceptional refrigerators make a beautiful addition to any kitchen.

MODEL NUMBER KEY



SIDE-BY-SIDE REFRIGERATORS



ZISS480DNSS
ZISB480DNII



ZISS480NNSS
ZIS480NNII



ZISS420DNSS
ZISB420DNII



ZISS420NNSS
ZIS420NNII



ZISS360DNSS
ZISB360DNII

 Indicates CSA certification for Canada and the U.S.

 UL-listed.

 Indicates ADA compliance.

48" BUILT-IN SIDE-BY-SIDE REFRIGERATOR WITH DISPENSER



MODEL

UMRP*

ZISS480DNSS (shown above)	\$13,100
ZISB480DNII	\$12,100

SPECIFICATIONS

Approximate Dimensions (WxHxD)	SS: 48 in x 84 in x 25 3/4 in II: 48 in x 84 in x 25 3/8 in
--------------------------------	--

ACCESSORIES

Statement Handle Kit	ZKSS2H2CNSS	\$290
Minimalist Handle Kit	ZKSS2H2PNSS	\$290
Low Profile Visor Handle Trim Kit for Built-in (ZISB480DNII only)	ZKLN	\$600
Flush Inset Kit for Custom Panel (ZISB480DNII only)	ZKFN	\$550
Handle Stud Kit for Mounting Monogram Handles to Custom Panel (ZISB480DNII only)	ZKPN	\$100

FEATURES

- Advanced temperature management system with multi-shelf brushed aluminum air tower
- Climate-control drawer
- External ice & water dispenser
- WiFi Connect
- LED lighting
- GE® water filter
- Deli drawer on full-extension slides
- Humidity-controlled vegetable drawer
- Adjustable glass shelves and door bins
- Dairy bin with center divider
- Filter-change indicator light
- Sabbath mode

*Dealers determine their own prices.

48" BUILT-IN SIDE-BY-SIDE REFRIGERATOR



MODEL

UMRP*

ZISS480NNSS (shown above)	\$11,900
ZIS480NNII	\$10,900

SPECIFICATIONS

Approximate Dimensions (WxHxD)	SS: 48 in x 84 in x 25 3/4 in
	II: 48 in x 84 in x 25 3/8 in

ACCESSORIES

Statement Handle Kit	ZKSS2H2CNSS	\$290
Minimalist Handle Kit	ZKSS2H2PNSS	\$290
Low Profile Visor Handle Trim Kit for Built-in (ZIS480NNII only)	ZKLN	\$600
Flush Inset Kit for Custom Panel (ZIS480NNII only)	ZKFN	\$550
Handle Stud Kit for Mounting Monogram Handles to Custom Panel (ZIS480NNII only)	ZKPN	\$100

FEATURES

- Advanced temperature management system with multi-shelf brushed aluminum air tower
- Climate-control drawer
- WiFi Connect
- LED lighting
- GE® water filter
- Deli drawer on full-extension slides
- Humidity-controlled vegetable drawer
- Adjustable glass shelves and door bins
- Dairy bin with center divider
- Filter-change indicator light
- Sabbath mode

42" BUILT-IN SIDE-BY-SIDE REFRIGERATOR WITH DISPENSER



MODEL

UMRP*

ZISS420DNSS (shown above)	\$11,600
ZISB420DNII	\$10,600

SPECIFICATIONS

Approximate Dimensions (WxHxD)	SS: 42 in x 84 in x 25 3/4 in
	II: 42 in x 84 in x 25 3/8 in

ACCESSORIES

Statement Handle Kit	ZKSS2H2CNSS	\$290
Minimalist Handle Kit	ZKSS2H2PNSS	\$290
Low Profile Visor Handle Trim Kit for Built-in (ZISB420DNII only)	ZKLN	\$600
Flush Inset Kit for Custom Panel (ZISB420DNII only)	ZKFN	\$550
Handle Stud Kit for Mounting Monogram Handles to Custom Panel (ZISB420DNII only)	ZKPN	\$100

FEATURES

- Advanced temperature management system with multi-shelf brushed aluminum air tower
- Climate-control drawer
- WiFi Connect
- LED lighting
- True stainless dispenser
- GE® water filter
- Deli drawer on full-extension slides
- Humidity-controlled vegetable drawer
- Adjustable glass shelves and door bins
- Gallon-size door bin
- Dairy bin with center divider
- Filter-change indicator light
- Sabbath mode

42" BUILT-IN SIDE-BY-SIDE REFRIGERATOR



MODEL

UMRP*

ZISS420NNSS (shown above)	\$11,000
ZIS420NNII	\$10,000

SPECIFICATIONS

Approximate Dimensions (WxHxD)	SS: 42 in x 84 in x 25 3/4 in II: 42 in x 84 in x 25 3/8 in
--------------------------------	--

ACCESSORIES

Statement Handle Kit	ZKSS2H2CNSS	\$290
Minimalist Handle Kit	ZKSS2H2PNSS	\$290
Low Profile Visor Handle Trim Kit for Built-in (ZIS420NNII only)	ZKLN	\$600
Flush Inset Kit for Custom Panel (ZIS420NNII only)	ZKFN	\$550
Handle Stud Kit for Mounting Monogram Handles to Custom Panel (ZIS420NNII only)	ZKPN	\$100

FEATURES

- Advanced temperature management system with multi-shelf brushed aluminum air tower
- Climate-control drawer
- WiFi Connect
- LED lighting
- GE® water filter
- Deli drawer on full-extension slides
- Humidity-controlled vegetable drawer
- Adjustable glass shelves and door bins
- Dairy bin with center divider
- Filter-change indicator light
- Sabbath mode

36" BUILT-IN SIDE-BY-SIDE REFRIGERATOR WITH DISPENSER



MODEL

UMRP*

ZISS36ODNSS (shown above)	\$10,600
ZISB36ODNII	\$9,600

SPECIFICATIONS

Approximate Dimensions (WxHxD)	SS: 36 in x 84 in x 25 3/8 in
	II: 36 in x 84 in x 25 3/4 in

ACCESSORIES

Statement Handle Kit	ZKSS2H2CNSS	\$290
Minimalist Handle Kit	ZKSS2H2PNSS	\$290
Low Profile Visor Handle Trim Kit for Built-in (ZISB36ODNII only)	ZKLN	\$600
Flush Inset Kit for Custom Panel (ZISB36ODNII only)	ZKFN	\$550
Handle Stud Kit for Mounting Monogram Handles to Custom Panel (ZISB36ODNII only)	ZKPN	\$100

FEATURES

- Advanced temperature management system with multi-shelf brushed aluminum air tower
- Climate-control drawer
- WiFi Connect
- LED lighting
- True stainless dispenser
- GE® water filter
- Deli drawer on full-extension slides
- Humidity-controlled vegetable drawer
- Adjustable glass shelves and door bins
- Gallon-size door bin
- Dairy bin with center divider
- Filter-change indicator light
- Sabbath mode

*Dealers determine their own prices.

BUILT-IN SIDE-BY-SIDE REFRIGERATORS

	48"		42"		36"
	DISPENSER ZISS480DNSS ZISB480DNII	NON-DISPENSER ZISS480NNSS ZIS480NNII	DISPENSER ZISS420DNSS ZISB420DNII	NON-DISPENSER ZISS420NNSS ZIS420NNII	DISPENSER ZISB360DNII ZISS360DNSS
CAPACITY					
Total (cu. ft.)	30.1	29.9	25.5	25.4	20.2
Fresh Food (cu. ft.)	17.56	17.56	16.11	16.11	11.58
Freezer (cu. ft.)	12.53	12.30	9.43	9.28	8.65
FRESH-FOOD FEATURES					
Disappearing glass touch dispenser controls	•		•		•
Cubes, crushed ice & chilled water	•		•		•
Upfront electronic controls with digital readouts	•	•	•	•	•
Top and pan LED lighting	•	•	•	•	•
LED light towers	•	•	•	•	•
Multi-shelf air management tower	•	•	•	•	•
Clear bins and pans	•	•	•	•	•
Climate-control drawer with express chill, thaw, select temp	•	•	•	•	•
Glass shelves	4/1 drop down	4/1 drop down	4/1 drop down	4/1 drop down	4/1 drop down
High-humidity sealed produce pan with full-extension slides	•	•	•	•	•
Adjustable sealed deli pan	•	•	•	•	•
Adjustable door bins	4	4	4	4	4
Gallon door storage bin	•	•	•	•	•
Sealed dairy compartment	•	•	•	•	•
Glass covered butter dish	•	•	•	•	•
FREEZER SECTION					
Utility baskets	2	2	2	2	2
Adjustable shelves (wire)	5	5	5	5	5
Icemaker/removable ice bin	•	•	•	•	•
Adjustable door bins	•	•	•	•	•
GENERAL FEATURES					
Overhead evaporator	•	•	•	•	•
GE Water filtration system	•	•	•	•	•
WiFi Connect	•	•	•	•	•
Drawers/baskets on full-extension slides	•	•	•	•	•
115 volts/20 amps	•	•	•	•	•

*Dispenser models only.

MONOGRAM UNDERCOUNTER AND COMPACT REFRIGERATORS

Monogram's range of undercounter refrigerators adds style, convenience and exceptional refrigeration capabilities to any indoor or outdoor space. From beverage centers and wine reserves to ice makers, bar refrigerators, fresh-food refrigerators and more, each undercounter appliance is expertly designed to provide optimum storage conditions and maximum ease of use.

UNDERCOUNTER MODEL NUMBER KEY

Z	D	W	R	2	4	0	N	B	S
MONOGRAM PRODUCT	CONFIGURATION		WIDTH		ELECTRONIC CONTROL	MODEL YEAR	COLOR CODE		
FORMAT D = Built-in or free-standing I = Built-in	BI/BS = Bar refrigerator w/icemaker BI/BR = Beverage center DI/DS = Double-drawer refrigerator FI/FS = Fresh-food refrigerator OD = Outdoor/indoor refrigerator WI/WR = Wine chiller		Inches				BS = Black case, stainless panel SS = Stainless panel II = Black case, custom panel		

ICE MAKER MODEL NUMBER KEY

U	N	C	I	5	N	J	I	I
CONFIGURATION		C = Panel-ready	SIZE (WIDTH)		N = No shelf	MODEL YEAR	PRODUCT COLOR	
U = Universal			Inches				II = Panel-ready	
ICE N = Nugget ice C = Clear ice								

BEVERAGE CENTERS



ZDBI240HII
ZDBR240NBS

WINE RESERVES



ZDWR240NBS
ZDWI240HII

BAR REFRIGERATORS



ZIBS240NSS
ZIBI240HII



ZIDS240NSS
ZIDI240HII

FRESH-FOOD REFRIGERATORS



ZIFS240NSS
ZIFI240HII

ICE MAKERS



UCC15NPRII



UNC15NPRII



FORGE02PACK



BEVERAGE CENTERS



MODEL

UMRP*

ZDBI240HII (shown above)	\$2,250
ZDBR240NBS	\$2,250

SPECIFICATIONS

Approximate Dimensions (WxHxD)	23 3/4 in x 34 1/4 in x 23 3/4 in
--------------------------------	-----------------------------------

ACCESSORIES

Statement Handle Kit	ZXGWIH1PPSS	\$170
Minimalist Handle Kit	ZXGWIH1CPSS	\$170

FEATURES

- Custom panel and handle required (ZDBI240HII only)
- Adjustable temperature control
- Removable glass shelves
- Beverage shelf on full-extension slides
- Unfinished heart-of-cherry wood beverage shelf fronts
- LED lighting
- Reversible door swing
- Flush installation
- UV-resistant, tempered glass door

*Dealers determine their own prices.

WINE RESERVES



MODEL	UMRP*
ZDWR240NBS (shown above)	\$2,350
ZDWI240HII	\$2,350

SPECIFICATIONS
Approximate Dimensions (WxHxD) 23 3/4 in x 34 1/4 in x 23 3/4 in

ACCESSORIES	ACCESSORIES
Statement Handle Kit ZXGWIHIPPSS \$170	Statement H
Minimalist Handle Kit ZXGWIHICPSS \$170	Minimalist H

FEATURES	FEATURES
<ul style="list-style-type: none"> • Custom panel required (ZDWI240HII only) • Adjustable temperature control • Red or white wine temperature setting • LED lighting • Full-extension sliding wine racks • Unfinished heart-of-cherry wood wine shelf fronts • UV-resistant, tempered glass door • Flush installation • Reversible door swing 	<ul style="list-style-type: none"> • Custom pa • Adjustable • Removable • Beverage s • Unfinished • LED lighti • Reversible • Flush insta • UV-resista

BAR REFRIGERATORS WITH ICEMAKER



MODEL

	UMRP*
ZIBS240NSS (shown above)	\$2,350
ZIBI240HII	\$2,350

SPECIFICATIONS

Approximate Dimensions (WxHxD)	SS: 23 7/16 in x 34 1/16 in x 23 3/8 in II: 23 5/8 in x 34 5/16 in x 24 1/2 in
--------------------------------	---

ACCESSORIES

Statement Handle Kit	ZXGP1H1PPSS	\$170
Minimalist Handle Kit	ZXGP1H1CPSS	\$170

FEATURES

- Custom panel required (ZIBI240HII only)
- Automatic icemaker on full-extension slides
- Adjustable temperature control
- LED lighting
- Removable ice bin
- Removable glass shelves
- Beverage shelf on full-extension slides
- Flush installation
- Ice scoop
- Right-side hinge only

DOUBLE-DRAWER BAR REFRIGERATORS



MODEL

UMRP*

ZIDS24ONSS (shown above)	\$3,150
ZIDI24OHII	\$3,150

ACCESSORIES

Statement Handle Kit	ZXGD2H2PPSS	\$215
Minimalist Handle Kit	ZXGD2H2CPSS	\$215

SPECIFICATIONS

Approximate Dimensions (WxHxD)	SS: 23 7/16 in x 34 5/16 in x 23 3/8 in	II: 23 5/8 in x 34 5/16 in x 24 1/2 in
--------------------------------	---	--

FEATURES

- Custom panel required (ZIDI24OHII only)
- Adjustable temperature control
- Full-width LED lighting
- Adjustable dividers
- Fold-down shelf
- Removable drawer bin
- Full-extension slide-out refrigerated drawers

*Dealers determine their own prices.

FRESH-FOOD REFRIGERATORS



MODEL

UMRP*

ZIFS24ONSS (shown above)	\$2,150
ZIFI24OHII	\$2,150

ACCESSORIES

Statement Handle Kit	ZXGPIHIPPSS	\$215
Minimalist Handle Kit	ZXGPIHICPSS	\$215

SPECIFICATIONS

Approximate Dimensions (WxHxD)	SS: 23 1/2 in x 34 1/8 in x 23 3/16 in II: 23 5/8 in x 34 1/8 in x 23 1/4 in
--------------------------------	---

FEATURES

- Custom panel required (ZIFI24OHII only)
- Adjustable temperature control
- Clear Lexan® crisper on full-extension slides
- LED lighting
- Removable glass shelves
- Quick Space shelf
- Flush installation
- Reversible door swing

*Dealers determine their own prices.

15" BUILT-IN GOURMET CLEAR ICE MAKER



MODEL

UCC15NPR11 (shown above with Door Kit)	UMRP** \$3,199
--	---------------------------------

SPECIFICATIONS

Approximate Dimensions (WxHxD)	14 7/8 in x 34 1/8 in x 22 3/4 in
--------------------------------	-----------------------------------

ACCESSORIES

Minimalist Handle Kit	ZXGP1H1CPSS	\$170
Statement Handle Kit	ZXGP1H1PPSS	\$170
Monogram Door Kit	ZK1UN15ORSS	\$400
Optional Drain Pump Kit	UPK4	\$729

FEATURES

- Gourmet-style ice
- Panel ready
- 50 pounds of quality ice per day
- Interior LED lighting
- Integrated soft touch scoop
- Clean indicator light
- Large-capacity ice bin
- Free-standing or built-in capable
- Indoor or outdoor capable
- Built-in WiFi

15" BUILT-IN NUGGET ICE MAKER



MODEL

UNC15NPRII
(shown above with door and Handle Kit)

UMRP*

\$3,799

SPECIFICATIONS

Approximate Dimensions (WxHxD) 14 7/8 in x 34 1/8 in x 22 3/4 in

ACCESSORIES

Minimalist Handle Kit	ZXGP1HICPSS	\$170
Statement Handle Kit	ZXGP1HIPSS	\$170
Monogram Door Kit	ZK1UN15ORSS	\$400
Optional Drain Pump Kit	UPK4	\$729

FEATURES

- Nugget ice
- Panel ready
- 50 pounds of quality ice per day
- Interior LED lighting
- Integrated soft touch scoop
- Clean indicator light
- Large-capacity ice bin
- Free-standing or built-in capable
- Indoor or outdoor capable
- Built-in WiFi



*Dealers determine their own prices.

THE FORGE HEATED ICE PRESS



MODEL

FORGE02PACK (shown above)

UMRP*

\$1,500

ACCESSORIES

Ice Gem Molds (set of 4) FORGE02CUPS \$50

SPECIFICATIONS

Approximate Dimensions (WxHxD) 9 1/2 in x 14 in x 9 1/2 in

FEATURES

- Includes tongs and set of ice gem molds
- LED light ring On/Off Rocker Switch Push-Button
- Ice ball
- Electronic-Demand Driven
- Removable water tray
- Rubber feet

MONOGRAM UNDERCOUNTER AND COMPACT REFRIGERATORS

WINE RESERVE AND BEVERAGE CENTERS

	CUSTOM-FRAMED		STAINLESS STEEL	
	ZDWI240HII Wine Reserve	ZDBI240HII Beverage Center	ZDWR240NBS Wine Reserve	ZDBR240NBS Beverage Center
CAPACITY				
Capacity (cu. ft.)	5.5	5.5	5.5	5.5
Storage	57 wine bottles	126 12-oz. cans/10 wine bottles	57 wine bottles	126 12-oz. cans/10 wine bottles
Beverage/Wine racks on full-extension slides	5 full-size, 2 half-size	2 half-size	5 full-size, 2 half-size	2 half-size
Removable glass shelves		2, 1 Quick Space	3	2, 1 Quick Space
GENERAL FEATURES				
UV-resistant, tempered glass door			•	•
LED interior lighting	•	•	•	•
Control type	Digital	Digital	Digital	Digital
Control temperature range	40° to 65°F	40° to 65°F	40° to 65°F	40° to 65°F
Digital temperature readout	•	•	•	•
Child lock-out controls	•	•	•	•
Interior color	Silver	White		
Accepts a 3/4" custom door panel frame/handle	•	•		
Stainless steel tubular handles/brushed trim			•	•
Door swing	Reversible	Reversible	Reversible	Reversible
Installation options	Built-in or free-standing	Built-in or free-standing	Built-in or free-standing	Built-in or free-standing
Sealed system design	Auto cycle defrost	Auto cycle defrost	Auto cycle defrost	Auto cycle defrost
Amps @120 volts	2.0	2.0	2.0	2.0

BUILT-IN ICEMAKER

DESCRIPTION	UCCI5NPRII	UNCI5NPRII
	Ice maker 15" Gourmet clear ice	Ice maker 15" Nugget ice
CAPACITY		
Storage bin capacity	26.0 lb.	26.0 lb.
Daily ice production	65.0 lb.	80.0 lb.
FEATURES		
Control type	Electronic LED	Electronic LED
Ice scoop	Yes	Yes
Interior lighting	LED	LED
Leveling system	4 leveling legs	4 leveling legs
Clean light	Yes	Yes
LED light ring On/Off Rocker Switch Push-Button		
Electronic-Demand Driven		
Removable water tray		
Rubber feet		
APPEARANCE		
Color appearance	Custom panel and handle or stainless steel door accessory required	Custom panel and handle or stainless steel door accessory required
Door swing	Reversible hinges	Reversible hinges
Handle	Custom handle or stainless steel door accessory kit required	Custom handle or stainless steel door accessory kit required
Installation	Built-in or free-standing indoor or outdoor	Built-in or free-standing indoor or outdoor
Panel capability	3/4" custom panel or accessory door kit	3/4" custom panel or accessory door kit
WEIGHTS & DIMENSIONS		
Approx shipping weight (lbs.)	115	124
Net weight (lbs.)	107	112
Depth excluding panel (in.)	22	22
Overall depth (in.)	22 3/4	22 3/4
Overall height (in.)	33 7/8	33 7/8
Overall width (in.)	14 7/8	14 7/8
POWER / RATINGS		
Volts/Hertz/Amps	110V, 60Hz, 6.5A	110V, 60Hz, 6.5A
ACCESSORIES		
Optional drain pump kit	UPK3	UPK3
Stainless steel panel required	ZKIUN15ORSS	ZKIUN15ORSS
Handle Purchased Separately	Requires Statement Handle Kit (ZXGPIHICPSS) or Minimalist Handle Kit (ZXGPIHIPSS)	Requires Statement Handle Kit (ZXGPIHICPSS) or Minimalist Handle Kit (ZXGPIHIPSS)

MONOGRAM UNDERCOUNTER AND COMPACT REFRIGERATORS

	BAR REFRIGERATOR WITH ICEMAKER	DOUBLE-DRAWER REFRIGERATORS	FRESH-FOOD REFRIGERATORS
	ZIBS240NSS ZIBI240HII*	ZIDS240NSS ZIDI240HII*	ZIFS240NSS ZIFI240HII*
CAPACITY			
Capacity (cu. ft.)	4.25	5.0	5.4
Storage			
Removable glass shelves	1 full-size 2 half-size		2 1 Quick Space
Beverage racks on full-extension slides	1 full-size		
Drawers on full-extension slides		2	
Operating environment			
Top drawer		72 12-oz. cans	
Bottom drawer		8 2-liter bottles	
Clear LEXAN® vegetable bin			1
Crisper on full-extension slides			•
GENERAL FEATURES			
LED Interior lighting	Auto	Brilliant white/full-width	•
Control type	Digital	Digital	Digital
Control temperature range	34° to 45°F	34° to 45°F	34° to 45°F
Digital temperature readout	•	•	•
Child lock-out controls	•	•	•
Door lock			
Right-hand door swing	•		
Reversible door swing			•
Stainless steel Professional handle			
Top drawer features		2 movable dividers, fold-down shelf	
Bottom drawer features		Clear Lexan® removable bin	
Installation options	Built-in or free-standing	Built-in only	Built-in or free-standing
Sealed system design	Automatic frost free	Auto cycle defrost	Auto cycle defrost
Amps @120 volts	2.0	2.0	2.0

*Requires custom door panel and handle


FORGE HEATED ICE PRESS

	FORGE02PACK
DESCRIPTION	
	Ice ball
CAPACITY	
Storage bin capacity	
Daily ice production	
FEATURES	
LED light ring On/Off Rocker Switch Push-Button	•
Electronic-Demand Driven	•
Removable water tray	•
Rubber feet	•
APPEARANCE	
Color appearance	Black
WEIGHTS & DIMENSIONS	
Approx. shipping weight (lbs.)	33 21/50
Net weight (lbs.)	15 2/5
Depth excluding panel (in.)	
Overall depth (in.)	9 1/2
Overall height (in.)	14
Overall width (in.)	9 1/2
POWER / RATINGS	
Volts/Hertz/Amps	120V, 60Hz
ACCESSORIES	
Includes tongs and set of ice gem molds	•

MONOGRAM DISHWASHERS & COMPACTORS

Expertly engineered, Monogram dishwashers and compactors deliver unparalleled performance. The dishwashers offer an advanced wash system, an adjustable third rack, whisper-quiet operation—and more. The large-capacity compactors have plenty of room for waste items or recyclables, while the 1/3 HP motor provides exceptional compacting power.


MODEL NUMBER KEY



FULLY INTEGRATED DISHWASHERS



ZDT985SPNSS
ZDT985SSNSS
ZDT985SINII



ZDT925SPNSS
ZDT925SINII

18" DISHWASHER



ZDT165SILII

UNIVERSAL 15" BUILT-IN COMPACTORS



UCG1510NII



Energy Star.



Indicates CSA certification for Canada and the U.S.




UL-listed.



Indicates ADA compliance.



FULLY INTEGRATED DISHWASHER



MODEL	UMRP*
ZDT985SPNSS (shown above)	\$2,400
ZDT985SSNSS	\$2,400
ZDT985SINII	\$2,300

SPECIFICATIONS	
Overall Dimensions (WxHxD)	23 3/4 in x 34 in x 24 in


ACCESSORIES		
Handle Mounting Kit	ZKPN	\$100

DESIGNER COLLECTION ACCESSORIES		
Brass Handle	ZXADTHIPVB1	\$500
Titanium Handle	ZXADTHIPVT1	\$500

- FEATURES**
- Advanced wash system
 - Full-extension, adjustable third rack with premium slides
 - 39 dBA
 - Piranha™ hard-food disposer
 - Deep Clean Silverware Jets
 - Bottle Jets
 - LED lighting
 - Statement handle (model ZDT985SPNSS only)
 - Minimalist handle (model ZDT985SSNSS only)
 - Flush installation capability

*Dealers determine their own prices.

FULLY INTEGRATED DISHWASHER



MODEL	UMRP*
ZDT925SPNSS (shown above)	\$2,100
ZDT925SINII	\$2,000

SPECIFICATIONS	
Overall Dimensions (WxHxD)	23 3/4 in x 34 in x 24 in

ACCESSORIES		
Handle Mounting Kit	ZKPN	\$100

DESIGNER COLLECTION ACCESSORIES		
Brass Handle	ZXADTHIPVB1	\$500
Titanium Handle	ZXADTHIPVT1	\$500

- FEATURES**
- Advanced wash system
 - Third Rack
 - 42 dBA
 - Piranha™ hard-food disposer
 - Deep Clean Silverware Jets
 - Bottle Jets
 - Flush Installation Capability
 - Statement handle (model ZDT925SPNSS only)
 - LED Lighting

*Dealers determine their own prices.

18" DISHWASHER



MODEL

ZDT165SILII (shown above)

UMRP*

\$1,500

SPECIFICATIONS

Overall Dimensions (WxHxD) 18 in x 32 3/8 in x 23 in

FEATURES

- Custom panel model
- Hidden, integrated electronic controls
- Auto Sense, three-level wash system
- Nylon gray racks with ball-tipped tines
- Piranha™ hard-food disposer
- 46 dBA

UNIVERSAL 15" BUILT-IN COMPACTOR



MODEL

UCG1510NII (shown above)

UMRP*

\$1,199

SPECIFICATIONS

Overall Dimensions (WxHxD) 14 7/8 in x 35 in x 24 in

FEATURES

- Hidden controls
- Built-in only
- 1.4 cu. ft. capacity
- 1/3 HP motor
- Removable key lock
- Removable drawer
- Automatic anti-jam
- Toe-pedal opener
- Rear wheels

24" DISHWASHERS

18" DISHWASHER

	ZDT985SSNSS ZDT985SPNSS ZDT985SINI1*	ZDT925SPNSS ZDT925SINI1*	ZDT165SIPII
CYCLES AND OPTIONS			
Auto Sense	•	•	•
Heavy Wash	•	•	•
Normal Wash	•	•	•
Light Wash	•	•	•
Rinse	•	•	
Express	•		
eWash	•		
Delay Start 1-12 Hr.	•	•	•
Pre Soak	•	•	
ENERGY STAR® certified	•	•	
Child Lock	•	•	•
Wash Temp Boost	•	•	•
Sani (NSF Certified)	•	•	•
Power Dry	•	•	
Max Power Dry	•	•	
Wash Zone Upper Only	•	•	
Wash Zone Lower Only	•	•	
WiFi Connect	•	•	
Start/Reset	•	•	•
Bottle Wash	•	•	
Sabbath/Door-Wake-Up Mode	•	•	
WASH SYSTEM			
Clean sensor	•	•	•
Variable-speed dual pumps	•	•	•
Filter system	100% Filtration and removable filter	100% Filtration and removable filter	3-stage manual clean filtration
Hard-food disposer	Piranha™	Piranha™	Piranha™
3rd rack cutlery tray	Split tray on glides	•	
140-spray jet wash system	•	•	
CONTROLS			
Top controls	Electronic tactile buttons	Electronic tactile buttons	•
Delay start	•	•	
Cycle status indicator	•	•	•
Rinse Aid dispenser	Adjustable	Adjustable	•
Last Cycle Memory	•	•	•
LCD control display	Cycle status bar on door	Cycle status	
Audible End-of-Cycle signal	•	•	•
Interior tub lights	LED	LED	
TUB			
Stainless steel interior	•	•	•
Nylon upper racks	Adjustable with fold-down tines	Adjustable with fold-down tines	•
Nylon lower rack	With fold-down tines	With fold-down tines	•
Bitumen tub wrap	•	•	
Sound dBA	39 dBA	42 dBA	46 dBA
Custom panel ready	•	•	•

*Requires custom wood panel and handle

15" BUILT-IN COMPACTORS

UCG1510NII

FEATURES	
1/3 HP motor	•
Automatic anti-jamming	•
Slide-out compactor drawer	•
Foot pedal opening and start	•
Large capacity	1.4 cu. ft.
Accepts 3/4 in. custom panel and handle	•
GENERAL FEATURES	
Approx. shipping weight (lbs.)	141



LIMITED WARRANTY INFORMATION

(SEE WRITTEN WARRANTY FOR COMPLETE DETAILS)



The condensed list below is a convenient overview of the written warranties offered on various Monogram appliances described in this document for products manufactured on or after January 1, 2006. For complete warranty details on a specific Monogram model, visit Monogram.com or contact your nearest Monogram reseller, or call Monogram Factory Service, toll-free, 800-444-1845.

PRO RANGE

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited two-year warranty	For two years from date of original purchase, we will provide, free of charge, parts and service labor in your home to repair or replace any part of the appliance that fails because of a manufacturing defect.
Limited five-year warranty	For five years from the date of original purchase, we will provide, free of charge, replacement gas surface burners if they fail in normal household use. (The grill, griddle and oven burners are not included.) You pay for the service trip to your home and all service labor charges.
Limited lifetime warranty	For the lifetime of the gray porcelain enamel oven racks, we will provide, free of charge, replacement racks if they fail in normal household use. You pay for the service trip to your home and all service labor charges.

RANGETOP & COOKTOPS

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited two-year warranty	For two years from date of original purchase, we will provide, free of charge, replacement gas surface burners if they fail in normal household use. (The grill and griddle are not included.) You pay for the service trip to your home and all service labor charges.
Limited five-year warranty	For five years from the date of original purchase, we will provide, free of charge, replacement gas surface burners if they fail in normal household use. (The grill and griddle are not included.) You pay for the service trip to your home and all service labor charges.

WALL OVENS

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited two-year warranty	For two years from date of original purchase, we will provide, free of charge, parts and service labor in your home to repair or replace any part of the appliance that fails because of a manufacturing defect.

ADVANTIUMS

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited two-year warranty	Any part of the oven which fails due to a defect in materials or workmanship. During this limited two-year warranty, Monogram will also provide, free of charge, all labor and related service costs to replace the defective part.
Limited five-year warranty	The magnetron tube, if the magnetron tube fails due to a defect in materials or workmanship. During this five-year limited warranty, you will be responsible for any labor or in-home service costs.

MICROWAVES

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited two-year warranty	For two years from the date of the original purchase, Monogram will replace any part of the microwave oven which fails due to a defect in materials or workmanship. During this limited two-year warranty, Monogram will also provide, free of charge, all labor and related service to replace the defective part.
Limited third-through fifth-year warranty	For the third through fifth years from the date of the original purchase, Monogram will replace the magnetron tube, if the magnetron tube fails due to a defect in materials or workmanship. During this third-through-fifth-year limited warranty, you will be responsible for any labor or in-home service costs.

HOODS

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited two-year warranty	For two years from date of original purchase, we will provide, free of charge, parts and service labor in your home to repair or replace any part of the unit that fails because of a manufacturing defect.

WARMING DRAWER

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited two-year warranty	Any part of the warming drawer which fails due to a defect in materials or workmanship. During this limited two-year warranty, Monogram will provide, free of charge, all labor and in-home service to replace the defective part.

HEARTH OVEN

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited two-year warranty	For two years from date of original purchase, we will provide, free of charge, parts and service labor in your home to repair or replace any part of the oven that fails because of a manufacturing defect.

REFRIGERATION

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited two-year warranty	For two years from date of original purchase, we will provide, free of charge, parts and service labor in your home to repair or replace any part of the refrigerator or freezer that fails because of a manufacturing defect.
Limited five-year warranty	For five years from date of original purchase, we will provide, free of charge, parts and service labor in your home to repair or replace any part of the sealed refrigerating system (the compressor, condenser, evaporator and all connecting tubing) that fails because of a manufacturing defect.
Limited additional sixth-through twelfth-year warranty on the sealed system	For the sixth through twelfth year from the date of the original purchase, we will provide, free of charge, replacement parts for any part of the sealed refrigerating system (the compressor, condenser, evaporator and all connecting tubing) that fails because of a manufacturing defect. You pay for the service trip to your home and for service labor charges.
Limited thirty-day warranty on water filter cartridge (Water filter, if included)	From the date of the original purchase we will provide, free of charge, replacement parts for any part of the water filter cartridge that fails because of a manufacturing defect. During this limited thirty-day warranty, we will also provide, free of charge, a replacement water filter cartridge.

UNDERCOUNTER

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited two-year warranty	For two years from date of original purchase, we will provide, free of charge, parts and service labor in your home to repair or replace any part of the unit that fails because of a manufacturing defect.
Limited third through fifth-year warranty	For the third through fifth years from date of original purchase, we will provide, free of charge, parts and service labor in your home to repair or replace any part of the sealed refrigerating system (the compressor, condenser, evaporator and all connecting tubing) that fails because of a manufacturing defect.

ICEMAKERS

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited one-year warranty	Any part of the ice machine which fails due to a defect in materials or workmanship. During the limited one-year warranty, GE Appliances will also provide, free of charge, all labor and related service to replace the defective part.
Limited five-year warranty	Any part of the sealed refrigeration system. During the limited five-year sealed refrigerating system warranty, GE Appliances will also provide, free of charge, all labor and related service to replace the defective part in the sealed refrigerating system.

DISHWASHER

FOR THE PERIOD OF	MONOGRAM WILL REPLACE
Limited two-year warranty	Any part of the dishwasher which fails due to a defect in materials or workmanship. During this limited two-year warranty, Monogram will also provide, free of charge, all labor and in-home service to replace the defective part.
Limited three-to-five-year warranty	The dishwasher rack and/or the electronic control module, if these should fail due to a defect in materials or workmanship. During this three-to-five-year limited warranty, you will be responsible for any labor or in-home service costs.
Limited lifetime warranty	The stainless steel tub or door liner, if it fails to contain water due to a defect in materials or workmanship. During this limited lifetime warranty, Monogram will also provide, free of charge, all labor and in-home service to replace the defective part.

EXCLUSION OF IMPLIED WARRANTIES – Your sole and exclusive remedy is product repair as provided in this Limited Warranty. Any implied warranties, including the implied warranties of merchantability or fitness for a particular purpose, are limited to one year or the shortest period allowed by law.

This warranty is extended to the original purchaser and any succeeding owner for products purchased for home use within the USA. In Alaska, the One-Year Warranty excludes the cost of shipping, or service calls to your home. Some states do not allow the exclusion or limitation of incidental or consequential damages. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. To know what your legal rights are, consult your local or state consumer affairs office or your state's Attorney General.





MONOGRAM™



One For You, One For Free.

Receive up to three free eligible Monogram appliances or generous credits toward the appliances of your choice.† Offer runs from April 4, 2023 through December 31, 2023.




†See eligible model list for details or ask associate for more details.


Purchase:



Add:



Add:



& RECEIVE A FREE APPLIANCE OF YOUR CHOICE
OR
\$1,500 CREDIT TOWARD AN APPLIANCE OF YOUR CHOICE†

& RECEIVE A 2ND FREE APPLIANCE OF YOUR CHOICE
OR
1,500 CREDIT TOWARD AN APPLIANCE OF YOUR CHOICE†

& RECEIVE A 3RD FREE APPLIANCE OF YOUR CHOICE
OR
\$1,500 CREDIT TOWARD AN APPLIANCE OF YOUR CHOICE†

INTRODUCING THE FORGE HEATED ICE PRESS,
now available as a free eligible appliance on One For You, One For Free rebate



Ask a sales associate or scan for more details



©2023 Monogram

QUALIFYING APPLIANCES

LEVEL ONE

PROFESSIONAL RANGES – DUAL FUEL (PICK ONE)

- ZDP304NTSS
- ZDP364NDTSS
- ZDP366NTSS
- ZDP484NGTSS
- ZDP486NDTSS

PROFESSIONAL RANGES – ALL GAS (PICK ONE)

- ZGP304NTSS
- ZGP364NDTSS
- ZGP366NTSS
- ZGP486NDTSS

PROFESSIONAL COOKTOPS – GAS (PICK ONE WITH ONE FROM ANOTHER CATEGORY)

- ZGU364NDTSS
- ZGU366NTSS
- ZGU486NDTSS

- ZTSX1DPSNSS
- ZTSX1DSSNSS
- ZTSX1FPSNSS

DOUBLE WALL OVENS (PICK ONE WITH ONE FROM ANOTHER CATEGORY)

- ZKD90DPSNSS
- ZKD90DSSNSS
- ZTD90DPSNSS
- ZTD90DSSNSS
- ZTDX1DPSNSS
- ZTDX1DSSNSS
- ZTDX1FPSNSS

5-IN-1 OVENS (PICK ONE WITH ONE FROM ANOTHER CATEGORY)

- ZSB9121NSS
- ZSB9131NSS
- ZSB9132NSS
- ZSB9231NSS
- ZSB9232NSS

COOKTOPS (PICK ONE WITH ONE FROM ANOTHER CATEGORY)

- ZGU30RSLSS
- ZGU36ESLSS
- ZGU36RSLSS
- ZHU30RDJBB
- ZHU30RDTBB
- ZHU30RSJSS
- ZHU30RSTSS
- ZHU36RDJBB
- ZHU36RDTBB
- ZHU36RSJSS
- ZHU36RSTSS

STEAM OVENS (PICK ONE WITH ONE FROM ANOTHER CATEGORY)

- ZMB9031SNSS
- ZMB9032SNSS

HEARTH OVENS

- ZEP30FRSS

LEVEL TWO

BUILT-IN BOTTOM-MOUNT REFRIGERATORS

- ZIC3631PVLH
- ZIC3631PVRH
- ZIC363NBVLH
- ZIC363NBVRH
- ZIP360NH
- ZIP364IPV11
- ZIP364NBV11
- ZIP360NNSS

BUILT-IN SIDE-BY-SIDE REFRIGERATORS

- ZIS420NNII
- ZIS480NNII
- ZISB420DNII
- ZISB480DNII
- ZISS360DNSS
- ZISS420DNSS
- ZISS420NNSS
- ZISS480DNSS
- ZISS480NNSS

FRENCH DOOR REFRIGERATORS

- ZWE23NSTSS

30" INTEGRATED BOTTOM-MOUNT REFRIGERATORS WITH CONVERTIBLE DRAWER

- ZIC30GNNII
- ZIC303NPP11
- ZIK30GNNII
- ZIK303NPP11
- ZIW303NPP11

COLUMNS (NEED TO BUY 2)

- ZIF181NBR11
- ZIF181NPN11
- ZIF241NBR11
- ZIF241NPN11
- ZIF301NBR11
- ZIF301NPN11
- ZIF361NBR11
- ZIF361NPN11
- ZIR241NBR11
- ZIR241NPN11
- ZIR301NBR11
- ZIR301NPN11
- ZIR361NBR11
- ZIR361NPN11

CREDIT-ELIGIBLE APPLIANCES

UNDERCOUNTER REFRIGERATORS

- ZDOD240NSS
- ZIDI240H11
- ZIDS240NSS

PROFESSIONAL HOODS

- ZV365SJSS
- ZV485SJSS
- ZVC48DTB1
- ZVC48STSS
- ZVW1360SPSS
- ZVW1480SPSS

DESIGNER HOODS

- ZV750SPSS
- ZV850SPSS
- ZV900SLSS
- ZV925SLSS
- ZV950SDSS
- ZV1050SFSS
- ZVC48DNB1

5-IN-1 OVENS

- ZSB9121NSS
- ZSB9131NSS
- ZSB9132NSS
- ZSB9231NSS
- ZSB9232NSS

STEAM OVENS

- ZMB9031SNSS
- ZMB9032SNSS

DISHWASHERS

- ZDT985SIN11
- ZDT985SPNSS
- ZDT985SSNSS

ICE MAKERS

- UCC15NJ11
- UCC15NPR11
- UNC15NJ11
- UNC15NPR11

FREE APPLIANCES

UNDERCOUNTER REFRIGERATORS (WITH HANDLES INCLUDED)

- ZDBI240H11
- ZDBR240NBS
- ZDWI240H11
- ZDWR240NBS
- ZIBI240H11
- ZIBS240NSS
- ZIFI240H11
- ZIFS240NSS

FORGED HEATED ICE PRESS

- FORGE02PACK

DESIGNER WALL-MOUNT HOODS

- UVB30SKSS
- UVB36SKSS
- UVW8301SLSS
- UVW8304SPSS
- UVW8361SLSS
- UVW8364SPSS
- UVW9301SLSS
- UVW9361SLSS
- ZV800SJSS
- ZV830SMSS

CUSTOM HOOD INSERTS

- ZV750SPSS
- ZV850SPSS
- ZV900SLSS
- ZV925SLSS
- ZV950SDSS
- ZV1050SFSS
- ZVC48DNB1

DOWNDRAFT SYSTEMS

- UVD6301DPBB
- UVD6301SPSS
- UVD6361DPBB
- UVD6361SPSS

MICROWAVE DRAWER & 5-IN-1 OVENS

- ZSA1202PSS
- ZWL11265JSS
- ZWL11265SRSS

DISHWASHERS

- ZDT165SIL11
- ZDT165SSLSS
- ZDT925SIN11
- ZDT925SPNSS
- ZDT925SSNSS

LAUNDRY (PICK ONE)

- PFD95ESPTDS
- PFD95GSPTDS
- PFW9505PTDS
- UCG150N11
- UCG1520NSS
- UCG1650L11
- UCG1680LSS

NOTES